

High Level Tech Support |
Short Lead Times |
Precise Engineering |



INDUSTRIAL PRODUCTS FOR LIFE





Welcome

Starke delivers innovation, quality, and efficiency to manufacturers across North America. With trusted manufacturing partners in Japan, Taiwan, China, and the USA, we offer high-performance hoists and rigging equipment at fair prices.

Starke products are precision-engineered, rigorously tested, and built to exceed industry standards. Our focus on innovation means advanced controls, ergonomic designs, and reliable performance that minimizes downtime and maximizes productivity.

We're built for the crane builder, safety provider — understanding that you can't afford to wait months for equipment. That's why we partner with distributors who stock our products, ready for quick delivery.

When you choose Starke, you're investing in equipment that keeps your operations moving. Contact your distributor today — chances are, what you need is already on the shelf.

Starke America Team

Table of Contents

Hoists



Electric Chain Hoists

STK Series	p. 6-7
Corrosion Resistant	p. 10
STK-VS Series	p. 12-14
SSP Series	p. 16
Blitz Series (3 Phase)	p. 18
Blitz VS Series	p. 20
Blitz Smart Series	p. 22
Work Shop Series	p. 24
Blitz (Single Phase)	p. 26



Trolleys

Manual Trolleys	p. 28-29
Motorized Trolleys	p. 30
Corrosion Resistant	p. 32
SST Series	p. 34
Tractor Drives	p. 36



Chain Hoist Upgrades

Load Chain	p. 37
Pendants & Cable	p. 37
Chain Containers	p. 38
Weather Covers	p. 38



Wire Rope Hoists

Amp Draw Chart	p. 39
SMW Series	p. 40-44
STW Series	p. 46-54

Crane Components



End Trucks

Top-Running	p. 59
Top Runner	p. 64
Under-Running	p. 66
Crane Bumpers	p. 71
Manual End Trucks	p. 72



Enclosed Track


Track	p. 74
Components	p. 75

Electrification & Controls




Electrification

ElectroTrack	p. 76-77
FlexTrack	p. 78
Festoon System	p. 79-83



Controls



Power, Control, Pendant Cable, & Plugs	p. 84-85
VFD Control Panels	p. 86-87
Radio Control Kits	p. 88-91
Collision Avoidance Kits	p. 92-93





Crane Kits



Slings



Safety



HOISTS

ELECTRIC CHAIN HOISTS

STK Series

Single Speed Electric Chain Hoist

(½ Ton – 2 Ton)

CRANE COMPONENTS



ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

SKU	Cap	Speed	Lift	Reeving	Voltage	HP	Amp	Headroom	Net Weight	List
STK0526-10-460V-3PH	½ Ton	26 FPM	10'	Single	460/3	1	1.9	20"	95 lbs	\$2,469
STK0526-10-230V-3PH	½ Ton	26 FPM	10'	Single	208-230/3	1	3.8	20"	95 lbs	\$2,574
STK0526-15-460V-3PH	½ Ton	26 FPM	15'	Single	460/3	1	1.9	20"	98 lbs	\$2,578
STK0526-15-230V-3PH	½ Ton	26 FPM	15'	Single	208-230/3	1	3.8	20"	98 lbs	\$2,678
STK0526-20-460V-3PH	½ Ton	26 FPM	20'	Single	460/3	1	1.9	20"	101 lbs	\$2,688
STK0526-20-230V-3PH	½ Ton	26 FPM	20'	Single	208-230/3	1	3.8	20"	101 lbs	\$2,788
STK1026-10-460V-3PH	1 Ton	26 FPM	10'	Single	460/3	2	3.9	23"	130 lbs	\$3,397
STK1026-10-230V-3PH	1 Ton	26 FPM	10'	Single	208-230/3	2	7.8	23"	130 lbs	\$3,497
STK1026-15-460V-3PH	1 Ton	26 FPM	15'	Single	460/3	2	3.9	23"	134 lbs	\$3,522
STK1026-15-230V-3PH	1 Ton	26 FPM	15'	Single	208-230/3	2	7.8	23"	134 lbs	\$3,622
STK1026-20-460V-3PH	1 Ton	26 FPM	20'	Single	460/3	2	3.9	23"	138 lbs	\$3,655
STK1026-20-230V-3PH	1 Ton	26 FPM	20'	Single	208-230/3	2	7.8	23"	138 lbs	\$3,755
STK2026-10-460V-3PH	2 Ton	26 FPM	10'	Single	460/3	4	7.8	28"	241 lbs	\$4,325
STK2026-10-230V-3PH	2 Ton	26 FPM	10'	Single	208-230/3	4	15.6	28"	241 lbs	\$4,430
STK2026-15-460V-3PH	2 Ton	26 FPM	15'	Single	460/3	4	7.8	28"	248 lbs	\$4,510
STK2026-15-230V-3PH	2 Ton	26 FPM	15'	Single	208-230/3	4	15.6	28"	248 lbs	\$4,615
STK2026-20-460V-3PH	2 Ton	26 FPM	20'	Single	460/3	4	7.8	28"	255 lbs	\$4,697
STK2026-20-230V-3PH	2 Ton	26 FPM	20'	Single	208-230/3	4	15.6	28"	255 lbs	\$4,797

STK Series

Single Speed Electric Chain Hoist

(3 Ton – 5 Ton)



SKU	Cap	Speed	Lift	Reeving	Voltage	HP	Amp	Headroom	Net Weight	List
STK3021-10-460V-3PH	3 Ton	21 FPM	10'	Single	460/3	4	7.8	32"	244 lbs	\$6,002
STK3021-10-230V-3PH	3 Ton	21 FPM	10'	Single	208-230/3	4	15.6	32"	244 lbs	\$6,107
STK3021-15-460V-3PH	3 Ton	21 FPM	15'	Single	460/3	4	7.8	32"	253 lbs	\$6,227
STK3021-15-230V-3PH	3 Ton	21 FPM	15'	Single	208-230/3	4	15.6	32"	253 lbs	\$6,332
STK3021-20-460V-3PH	3 Ton	21 FPM	20'	Single	460/3	4	7.8	32"	262 lbs	\$6,452
STK3021-20-230V-3PH	3 Ton	21 FPM	20'	Single	208-230/3	4	15.6	32"	262 lbs	\$6,557
STK5011-10-460V-3PH	5 Ton	11 FPM	10'	Double	460/3	4	7.8	37"	306 lbs	\$6,502
STK5011-10-230V-3PH	5 Ton	11 FPM	10'	Double	208-230/3	4	15.6	37"	306 lbs	\$6,607
STK5011-15-460V-3PH	5 Ton	11 FPM	15'	Double	460/3	4	7.8	37"	315 lbs	\$6,889
STK5011-15-230V-3PH	5 Ton	11 FPM	15'	Double	208-230/3	4	15.6	37"	315 lbs	\$6,994
STK5011-20-460V-3PH	5 Ton	11 FPM	20'	Double	460/3	4	7.8	37"	324 lbs	\$7,277
STK5011-20-230V-3PH	5 Ton	11 FPM	20'	Double	208-230/3	4	15.6	37"	324 lbs	\$7,333

HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS





SLINGS

SAFETY

Features of STK Series

- 460V, 230V, 208V - 3 Phase capable
- Fast lifting and lower speed at 26 FPM
- Canvas Chain Container
- Includes quick plug in pendant cable
- Remove the pendant and quickly plug in radio receiver for (optional) radio control
- Efficient and reliable lifting motor & brake assembly





STK Series Dimensions									Headroom Dimensions	
	A	B	C	D	E	F	G	J	(I) Lug Pin	(H) Standard
STK0526	22 $\frac{3}{8}$ "	11 $\frac{7}{8}$ "	10 $\frac{1}{2}$ "	12 $\frac{1}{2}$ "	4 $\frac{3}{8}$ "	8 $\frac{1}{8}$ "	1 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	12 $\frac{3}{8}$ "	19"
STK1026	24 $\frac{5}{8}$ "	12 $\frac{13}{16}$ "	11 $\frac{13}{16}$ "	12 $\frac{1}{8}$ "	4 $\frac{15}{16}$ "	7 $\frac{3}{16}$ "	1 $\frac{1}{4}$ "	1 $\frac{1}{4}$ "	18 $\frac{5}{8}$ "	22 $\frac{3}{8}$ "
STK2026	28 $\frac{13}{16}$ "	15 $\frac{5}{16}$ "	13 $\frac{1}{2}$ "	17 $\frac{9}{16}$ "	6 $\frac{5}{16}$ "	11 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	20 $\frac{1}{8}$ "	26 $\frac{1}{8}$ "
STK3021	28 $\frac{15}{16}$ "	15 $\frac{7}{16}$ "	13 $\frac{1}{2}$ "	16 $\frac{5}{16}$ "	6 $\frac{3}{8}$ "	9 $\frac{15}{16}$ "	1 $\frac{3}{4}$ "	1 $\frac{3}{4}$ "	21 $\frac{13}{16}$ "	28 $\frac{7}{8}$ "
STK5011	28 $\frac{15}{16}$ "	15 $\frac{9}{16}$ "	13 $\frac{3}{8}$ "	16 $\frac{5}{16}$ "	4 $\frac{1}{16}$ "	12 $\frac{1}{4}$ "	1 $\frac{7}{8}$ "	1 $\frac{7}{8}$ "	27"	35 $\frac{7}{8}$ "

STK - CR Series

Corrosion Resistant Electric Chain Hoist



⚙️ To ensure longevity, we recommend also purchasing a Canvas Hoist Weather Cover on page 38



⚙️ **Special Anti-Rust & Anti-Corrosion Epoxy Paint**

⚙️ **Corrosion-Resistant Plated Load Chain**





⚙️ **304 Stainless Steel Chain Container**

⚙️ **Corrosion-Resistant Upper and Lower Hook**

⚙️ **Water Resistant Pendant**

SKU	Cap	Speed	Lift	Reeving	Voltage	HP	Amp	Headroom	Net Weight	List
STK0526-20-460V-CR	½ Ton	26 FPM	20'	Single	460/3	1	1.9	20"	101 lbs	\$3,528
STK1026-20-460V-CR	1 Ton	26 FPM	20'	Single	460/3	2	3.9	23"	138 lbs	\$4,262
STK2026-20-460V-CR	2 Ton	26 FPM	20'	Single	460/3	4	7.8	28"	255 lbs	\$6,657
STK3021-20-460V-CR	3 Ton	21 FPM	20'	Single	460/3	4	7.8	32"	262 lbs	\$7,904
STK5011-20-460V-CR	5 Ton	11 FPM	20'	Double	460/3	4	7.8	37"	324 lbs	\$10,665
STK0526-20-230V-CR	½ Ton	26 FPM	20'	Single	230/3	1	3.8	20"	101 lbs	\$3,648
STK1026-20-230V-CR	1 Ton	26 FPM	20'	Single	230/3	2	7.8	23"	138 lbs	\$4,382
STK2026-20-230V-CR	2 Ton	26 FPM	20'	Single	230/3	4	15.6	28"	255 lbs	\$6,777
STK3021-20-230V-CR	3 Ton	21 FPM	20'	Single	230/3	4	15.6	32"	262 lbs	\$8,024
STK5011-20-230V-CR	5 Ton	11 FPM	20'	Double	230/3	4	15.6	37"	324 lbs	\$10,785

- **For Food Grade Applications:** our corrosion-resistant units **do not** come with food grade oil and grease
- NEMA 3X Rated



STK Series Dimensions									Headroom Dimensions	
	A	B	C	D	E	F	G	J	(I) Lug Pin	(H) Standard
STK0526	22 3/8"	11 7/8"	10 1/2"	12 1/2"	4 3/8"	8 1/8"	1 1/16"	1 1/16"	12 3/8"	19"
STK1026	24 5/8"	12 13/16"	11 13/16"	12 1/8"	4 15/16"	7 3/16"	1 1/4"	1 1/4"	18 5/8"	22 3/8"
STK2026	28 13/16"	15 5/16"	13 1/2"	17 9/16"	6 5/16"	11 1/4"	1 1/2"	1 1/2"	20 1/8"	26 1/8"
STK3021	28 15/16"	15 7/16"	13 1/2"	16 5/16"	6 3/8"	9 15/16"	1 3/4"	1 3/4"	21 13/16"	28 7/8"
STK5011	28 15/16"	15 9/16"	13 3/8"	16 5/16"	4 1/16"	12 1/4"	1 7/8"	1 7/8"	27"	35 7/8"



STK-VS Series

Variable Speed Electric Chain Hoist
(½ Ton – 1 Ton)



SKU	Cap	Adjustable Speed	Lift	Reeving	Voltage	HP	Amp	Headroom	Net Weight	List
STK05VS-10-460V-3PH	½ Ton	2 - 26 FPM	10'	Single	460/3	1	1.9	20"	102 lbs	\$3,187
STK05VS-15-460V-3PH	½ Ton	2 - 26 FPM	15'	Single	460/3	1	1.9	20"	105 lbs	\$3,279
STK05VS-20-460V-3PH	½ Ton	2 - 26 FPM	20'	Single	460/3	1	1.9	20"	108 lbs	\$3,371
STK10VS-10-460V-3PH	1 Ton	2 - 26 FPM	10'	Single	460/3	2	3.9	23"	138 lbs	\$4,107
STK10VS-15-460V-3PH	1 Ton	2 - 26 FPM	15'	Single	460/3	2	3.9	23"	142 lbs	\$4,203
STK10VS-20-460V-3PH	1 Ton	2 - 26 FPM	20'	Single	460/3	2	3.9	23"	146 lbs	\$4,301
STK20VS-10-460V-3PH	2 Ton	2 - 26 FPM	10'	Single	460/3	4	7.8	28"	252 lbs	\$4,956
STK20VS-10-230V-3PH	2 Ton	2 - 26 FPM	10'	Single	208-230/3	4	15.6	28"	252 lbs	\$5,456
STK20VS-15-460V-3PH	2 Ton	2 - 26 FPM	15'	Single	460/3	4	7.8	28"	259 lbs	\$5,843
STK20VS-15-230V-3PH	2 Ton	2 - 26 FPM	15'	Single	208-230/3	4	15.6	28"	259 lbs	\$6,343
STK20VS-20-460V-3PH	2 Ton	2 - 26 FPM	20'	Single	460/3	4	7.8	28"	266 lbs	\$6,100
STK20VS-20-230V-3PH	2 Ton	2 - 26 FPM	20'	Single	208-230/3	4	15.6	28"	266 lbs	\$6,600
STK30VS-10-460V-3PH	3 Ton	2 - 21 FPM	10'	Single	460/3	4	7.8	28"	258 lbs	\$5,617
STK30VS-10-230V-3PH	3 Ton	2 - 21 FPM	10'	Single	208-230/3	4	15.6	28"	258 lbs	\$6,117
STK30VS-15-460V-3PH	3 Ton	2 - 21 FPM	15'	Single	460/3	4	7.8	28"	267 lbs	\$6,558
STK30VS-15-230V-3PH	3 Ton	2 - 21 FPM	15'	Single	208-230/3	4	15.6	28"	267 lbs	\$7,058
STK30VS-20-460V-3PH	3 Ton	2 - 21 FPM	20'	Single	460/3	4	7.8	28"	276 lbs	\$7,100
STK30VS-20-230V-3PH	3 Ton	2 - 21 FPM	20'	Single	208-230/3	4	15.6	28"	276 lbs	\$7,600
Replace Controls from VS Pendant to 2- Speed Pendant (customer may specify desired low & high speed)										\$200


VFD TECHNOLOGY
FEATURING
DANFOSS DRIVES







VLT Micro Drive



- Infinite Speed Adjustment
- Improves Load Control
- Soft Start & Stop
- Adjustable Ramp Up & Down
- Adjustable High & Low Speeds





STK VS Series Dimensions									Headroom Dimensions	
	A	B	C	D	E	F	G	J	(I) Lug Pin	(H) Standard
STK05VS	25 ⁹ / ₁₆ "	13 ¹ / ₁₆ "	10 ¹ / ₂ "	13 ⁵ / ₁₆ "	4 ⁷ / ₈ "	7 ¹ / ₄ "	1 ¹ / ₈ "	1 ¹ / ₈ "	17 ¹⁵ / ₁₆ "	21 ¹⁵ / ₁₆ "
STK10VS	26 ⁵ / ₈ "	12 ¹³ / ₁₆ "	11 ¹³ / ₁₆ "	12 ¹ / ₈ "	4 ¹⁵ / ₁₆ "	7 ³ / ₁₆ "	1 ¹ / ₄ "	1 ¹ / ₄ "	18 ⁵ / ₈ "	23 ¹ / ₄ "
STK20VS	30 ¹³ / ₁₆ "	15 ⁵ / ₁₆ "	13 ¹ / ₂ "	17 ⁹ / ₁₆ "	6 ⁵ / ₁₆ "	11 ¹ / ₄ "	1 ¹ / ₂ "	1 ¹ / ₂ "	21 ¹³ / ₁₆ "	27 ¹¹ / ₁₆ "
STK30VS	30 ¹⁵ / ₁₆ "	15 ⁷ / ₁₆ "	13 ¹ / ₂ "	17 ¹ / ₂ "	6 ³ / ₈ "	9 ¹⁵ / ₁₆ "	1 ³ / ₄ "	1 ³ / ₄ "	27 ⁵ / ₈ "	31 ¹³ / ₁₆ "



STK-VS Series CR

Corrosion Resistant

Variable Speed Electric Chain Hoist







SKU	Cap	Adjustable Speed	Lift	Reeving	Voltage	HP	Amp	Headroom	Net Weight	List Price
STK05VS-20-460V-CR	½ Ton	2 - 26 FPM	20'	Single	460/3	1	1.9	20"	108 lbs	\$4,211
STK10VS-20-460V-CR	1 Ton	2 - 26 FPM	20'	Single	460/3	2	3.9	23"	146 lbs	\$5,141
STK20VS-20-460V-CR	2 Ton	2 - 26 FPM	20'	Single	460/3	4	7.8	28"	259 lbs	\$6,940
STK30VS-20-460V-CR	3 Ton	2 - 21 FPM	20'	Single	460/3	4	15.6	28"	276 lbs	\$7,940




VLT Micro Drive



- Infinite Speed Adjustment
- Improves Load Control
- Soft Start & Stop
- Adjustable Ramp Up & Down
- Adjustable High & Low Speeds



STK VS Series Dimensions									Headroom Dimensions	
	A	B	C	D	E	F	G	J	(I) Lug Pin	(H) Standard
STK05VS	25 1/16"	13 1/16"	10 1/2"	13 5/16"	4 7/8"	7 1/4"	1 1/8"	1 1/8"	17 15/16"	21 15/16"
STK10VS	26 5/8"	12 13/16"	11 13/16"	12 1/8"	4 15/16"	7 3/16"	1 1/4"	1 1/4"	18 5/8"	23 1/4"
STK20VS	30 13/16"	15 5/16"	13 1/2"	17 9/16"	6 5/16"	11 1/4"	1 1/2"	1 1/2"	21 13/16"	27 11/16"
STK30VS	30 15/16"	15 7/16"	13 1/2"	17 1/2"	6 3/8"	9 15/16"	1 3/4"	1 3/4"	27 5/8"	31 13/16"







SSP Series

Single Phase Electric Chain Hoist



SKU	Cap	Speed	Lift	Voltage	HP	Amp	Headroom	Net Weight	List
SSP1026-10	1000 lb	26 FPM	10'	115/1	1.25	18	18"	89 lbs	\$2,337
SSP1026-15	1000 lb	26 FPM	15'	115/1	1.25	18	18"	95 lbs	\$2,444
SSP1026-20	1000 lb	26 FPM	20'	115/1	1.25	18	18"	101 lbs	\$2,547
SSP2022-10	2000 lb	22 FPM	10'	115/1	1.75	22	21"	127 lbs	\$3,711
SSP2022-15	2000 lb	22 FPM	15'	115/1	1.75	22	21"	133 lbs	\$3,814
SSP2022-20	2000 lb	22 FPM	20'	115/1	1.75	22	21"	139 lbs	\$3,921
SSP4011-10	4000 lb	11 FPM	10'	115/1	1.75	22	26"	152 lbs	\$4,259
SSP4011-15	4000 lb	11 FPM	15'	115/1	1.75	22	26"	165 lbs	\$4,366
SSP4011-20	4000 lb	11 FPM	20'	115/1	1.75	22	26"	178 lbs	\$4,469

- Compact design
- 115V Single Phase
- Fast Speeds
- Quick connect pendant cable
- Canvas chain container
- Use with SST Series Single Phase Trolleys - Page 34
- Twist Lock 115V power cord
- 2,000 lb & 4,000 lb capacity hoists require 30 amp circuit



SSP Series Dimensions





	A	A1	A2	B	C	D	F	H
SSP2022	21 ³ / ₈ "	9 ¹ / ₁₆ "	11 ¹ / ₁₆ "	11"	1 ³ / ₄ "	1 ⁷ / ₁₆ "	3 ¹³ / ₁₆ "	21 ¹³ / ₁₆ "



Three Phase / 2-Speed

SKU	Cap	Speed	Lift	Voltage	HP	Amp	Headroom	Net Weight	List
SBH2550-10	250 lb	50/25 FPM	10'	460/3	1	2.1	17"	65 lbs	\$2,587
SBH2550-15	250 lb	50/25 FPM	15'	460/3	1	2.1	17"	67 lbs	\$2,587
SBH2550-20	250 lb	50/25 FPM	20'	460/3	1	2.1	17"	69 lbs	\$2,587
SBH2585-10	250 lb	85/25 FPM	10'	460/3	1	3.7	17"	65 lbs	\$2,513
SBH2585-15	250 lb	85/25 FPM	15'	460/3	1	3.7	17"	67 lbs	\$2,513
SBH2585-20	250 lb	85/25 FPM	20'	460/3	1	3.7	17"	69 lbs	\$2,513
SBH5050-10	500 lb	50/25 FPM	10'	460/3	1	4.9	17"	65 lbs	\$2,587
SBH5050-15	500 lb	50/25 FPM	15'	460/3	1	4.9	17"	67 lbs	\$2,587
SBH5050-20	500 lb	50/25 FPM	20'	460/3	1	4.9	17"	69 lbs	\$2,587

- Compact Design
- 460/3 Phase
- 2 Speed Control Pendant
- 10', 15', 20' chain lengths
- Ideal For Tight Spaces



Starke Blitz Dimensions (All Models)					Headroom Dimensions	
A	B	C	D	F	I (Lug Pin)	H (Standard Headroom)
12 7/8"	9 3/4"	1 1/16"	1 1/16"	3 13/16"	13 3/16"	17"


BLITZ VS Series






Single Phase Electric Chain Hoist



SKU	Cap	Speed	Lift	Voltage	HP	Amp	Headroom	Net Weight	List
SBV0536-10	500 lb	VS 2-36 FPM	10'	115/1	1.75	18	19"	71 lbs	\$2,625
SBV0536-15	500 lb	VS 2-36 FPM	15'	115/1	1.75	18	19"	74 lbs	\$2,684
SBV0536-20	500 lb	VS 2-36 FPM	20'	115/1	1.75	18	19"	77 lbs	\$2,744
SBV1036-10	1000 lb	VS 2-36 FPM	10'	115/1	1.75	18	19"	76 lbs	\$2,923
SBV1036-15	1000 lb	VS 2-36 FPM	15'	115/1	1.75	18	19"	82 lbs	\$2,983
SBV1036-20	1000 lb	VS 2-36 FPM	20'	115/1	1.75	18	19"	88 lbs	\$3,042

- Compact Design
- 115V Single Phase
- VS Speed Control
- 10', 15', 20' chain lengths
- Ideal For Tight Spaces





SBV Series Dimensions

	A	B	C	D	E	G	F	H	I	J	K	L
SBV1036	14 $\frac{3}{8}$ "	7 $\frac{1}{16}$ "	6 $\frac{1}{16}$ "	11 $\frac{7}{16}$ "	4 $\frac{5}{8}$ "	1 $\frac{1}{4}$ "	6 $\frac{3}{4}$ "	21 $\frac{13}{16}$ "	19 $\frac{5}{16}$ "	1"	1 $\frac{9}{16}$ "	13 $\frac{1}{4}$ "

Blitz Smart Lift

Single Phase Electric Chain Hoist







SKU	Cap	Speed	Lift	Voltage	HP	Amp	Headroom	Net Weight	List
SBVi1036-15	1000 lb	VS 36 FPM	15'	115/1	1.8	18	26"	71 lbs	\$5,428

Product Features

- Power indicator light at handle control
- Variable speed control
- Contactless magnetic slide handle switch
- Hand presence photo-electric eye for added safety
- Aluminum body for light weight
- Adjustable overload protection provides longer service life
- Sensitivity settings from 1-10
- Lift Speed settings from 1-10
- Height limit settings per operator input
- Load float capable
- Weight displays in lbs

Applications

- Automotive parts assembly
- Tool & Die change out
- Product Packaging
- Work shop part positioning
- Warehouse loading
- Parts assembly



Blitz Smart Lift Dimensions								
	A	B	C	D	E	G	F	H
SBVi1036	14 3/8"	11 3/16"	41 3/8"	2"	39 3/8"	1 3/16"	R 5/8"	R 5/8"






Work Shop Series

Single Phase Electric Chain Hoist



SKU	Cap	Speed	Lift	Voltage	HP	Amp	Headroom	Net Weight	List
SSH0513-10	500 lb	13 FPM	10'	115/1	0.5	3.5	15"	31.5 lbs	\$715

- Cost-effective performance
- Lightweight and portable
- User-friendly simplicity
- Smooth and quiet operation
- Plug-and-Play – comes with power cord
- Made for occasional light use applications where headroom and dependability are required



SSH Series Dimensions





	A	B	C	D	E	G	H	I	J	K	L	M
SSH0513	10 5/8"	6 3/8"	4 1/4"	16 5/16"	13 3/4"	8 7/8"	5 5/8"	3 1/4"	R 1/2"	1"	11 5/16"	8 7/8"



230V Single Phase / 1-Speed

SKU	Cap	Speed	Lift	Voltage	HP	Amp	Headroom	Net Weight	List
SBS2543-10	250 lb	43 FPM	10'	230/1	0.6	6	17"	65 lbs	\$2,519
SBS2543-15	250 lb	43 FPM	15'	230/1	0.6	6	17"	67 lbs	\$2,666
SBS2543-20	250 lb	43 FPM	20'	230/1	0.6	6	17"	69 lbs	\$2,812
SBS5025-10	500 lb	25 FPM	10'	230/1	0.6	6	17"	65 lbs	\$2,543
SBS5025-15	500 lb	25 FPM	15'	230/1	0.6	6	17"	67 lbs	\$2,689
SBS5025-20	500 lb	25 FPM	20'	230/1	0.6	6	17"	69 lbs	\$2,836
SBS1018-10	1000 lb	18 FPM	10'	230/1	0.6	6	17"	65 lbs	\$2,549
SBS1018-15	1000 lb	18 FPM	15'	230/1	0.6	6	17"	67 lbs	\$2,754
SBS1018-20	1000 lb	18 FPM	20'	230/1	0.6	6	17"	69 lbs	\$2,900

- Compact Design
- 230V Single Phase
- Single Speed Control
- 10', 15', 20' chain lengths
- Ideal For Tight Spaces



Starke Blitz Dimensions (All Models)					Headroom Dimensions	
A	B	C	D	F	I (Lug Pin)	H (Standard Headroom)
12 7/8"	9 3/4"	1 1/16"	1 1/16"	3 13/16"	13 3/16"	17"




MANUAL HOIST TROLLEYS

SHT Series

Standard Hook-Type Trolley



SKU	Cap	Flange	Min. Beam Height	Min. Radius Curve	Net Weight	List
SHT050	½ Ton	2 3/4" - 8 1/4"	4"	18"	12 lbs	\$165
SHT100	1 Ton	3 7/8" - 8 5/8"	5.5"	39"	21 lbs	\$199
SHT200	2 Ton	3 7/8" - 8 5/8"	5.5"	42"	30 lbs	\$291
SHT300	3 Ton	3 7/8" - 8 5/8"	5.5"	45"	55 lbs	\$476
SHT500	5 Ton	3 7/8" - 8 5/8"	7.9"	79"	79 lbs	\$598




Starke SHT Series Trolley Dimensions				
SKU	B	C	D	E
SHT050	8 ¼"	7 ¾"	7 ½"	4 ⅙"
SHT100	9 ½"	9 ⅜"	8 ¼"	4 ⅝"
SHT200	13"	10 ¾"	9 ¼"	5 ⅜"
SHT300	11 ⅝"	12 ⅞"	11 ½"	6 ⅙"
SHT500	13 ⅝"	14 ½"	13 ⅞"	7 ¼"

SPT Series


Low Headroom Plain Trolley

Lug Style (Starke Electric Chain Hoists Only)							Clevis Style			Hook-Type Style		
SKU	Cap	Flange Width	Min. Beam Height	Min. Radius Curve	Net Weight	List	SKU	Net Weight	List	SKU	Net Weight	List
SPT025L	¼ Ton	2"- 8 13/16"	4"	27"	21 lbs	\$196	SPT025C	20 lbs	\$250	SPT025H	19 lbs	\$215
SPT050L	½ Ton	2"- 8 13/16"	4"	27"	24 lbs	\$271	SPT050C	23 lbs	\$322	SPT050H	22 lbs	\$286
SPT100L	1 Ton	3"- 8 13/16"	5"	36"	29 lbs	\$309	SPT100C	28 lbs	\$356	SPT100H	27 lbs	\$322
SPT200L	2 Ton	3"- 8 13/16"	6"	45"	49 lbs	\$392	SPT200C	48 lbs	\$430	SPT200H	47 lbs	\$405




SPT Series Dimensions				
SKU	B	C	D	H
SPT025L	11 3/8"	7 1/2"	2 3/8"	2 1/16"
SPT025C	11 3/8"	7 1/2"	2 3/8"	2 1/4"
SPT025H	11 3/8"	7 1/2"	2 3/8"	2 13/16"
SPT050L	11 3/4"	8 5/16"	2 3/8"	3 1/2"
SPT050C	11 3/4"	8 5/16"	2 3/8"	2 7/16"
SPT050H	11 3/4"	8 5/16"	2 3/8"	3 5/16"
SPT100L	12 3/16"	9 7/8"	2 3/8"	3 7/16"
SPT100C	12 3/16"	9 7/8"	2 3/8"	2 7/16"
SPT100H	12 3/16"	9 7/8"	2 3/8"	3 1/2"
SPT200L	12 7/8"	11 1/16"	3 1/8"	3 7/16"
SPT200C	12 7/8"	11 1/16"	3 1/8"	3"
SPT200H	12 7/8"	11 1/16"	3 1/8"	4 7/16"

Flange Width Adder (For All Styles)			
SKU	Cap	Flange Width Range	List
SPT025FW12	¼ Ton	8 3/4" - 12"	\$166
SPT050FW12	½ Ton	8 3/4" - 12"	\$199
SPT100FW12	1 Ton	8 3/4" - 12"	\$230
SPT200FW12	2 Ton	8 3/4" - 12"	\$358



Lug Mount ("L" - SKU)



*Lug mount adapts directly to Starke STK and Blitz Series Hoists only

Clevis Mount ("C" - SKU)



*Clevis mounts to typical hoist hook on most brands and models to maximize headroom

Hook-Type ("H" - SKU)




*Hook-Type mount allows users to utilize this model for all brands with standard headroom

MOTORIZED HOIST TROLLEYS

SMT Series - VFD Controlled 2-Speed Motorized Trolley

Wide Flange and Standard Beams

Lug Style										Clevis Style		
SKU	Cap	2 - Speed	Voltage	Min. Radius Curve	Flange Width Range	HP	Amp	Net Weight	List	Clevis Style SKU	List	Head-room
SMT10VSL-460V-3PH	1 Ton	82/14 FPM	460/3	32"	3"- 7 3/4"	1/2	1.1	92 lbs	\$3,009	SMT10VSC-460V-3PH	\$3,148	24"
SMT10VSL-230V-3PH	1 Ton	82/14 FPM	208-230/3	32"	3"- 7 3/4"	1/2	2.2	92 lbs	\$3,459	SMT10VSC-230V-3PH	\$3,598	24"
SMT10VSL-230V-1PH	1 Ton	82/14 FPM	230/1	32"	3"- 7 3/4"	1/2	4.4	92 lbs	\$3,459	SMT10VSC-230V-1PH	\$3,598	24"
SMT20VSL-460V-3PH	2 Ton	82/14 FPM	460/3	32"	4"- 9 1/4"	1/2	1.1	114 lbs	\$3,526	SMT20VSC-460V-3PH	\$3,665	28"
SMT20VSL-230V-3PH	2 Ton	82/14 FPM	208-230/3	32"	4"- 9 1/4"	1/2	2.2	114 lbs	\$3,976	SMT20VSC-230V-3PH	\$4,115	28"
SMT20VSL-230V-1PH	2 Ton	82/14 FPM	230/1	32"	4"- 9 1/4"	1/2	4.4	114 lbs	\$3,976	SMT20VSC-230V-1PH	\$4,115	28"
SMT30VSL-460V-3PH	3 Ton	82/14 FPM	460/3	40"	4"- 9 1/2"	1	2.2	123 lbs	\$3,710	SMT30VSC-460V-3PH	\$3,849	29"
SMT30VSL-230V-3PH	3 Ton	82/14 FPM	208-230/3	40"	4"- 9 1/2"	1	4.4	123 lbs	\$4,160	SMT30VSC-230V-3PH	\$4,299	29"
SMT30VSL-230V-1PH	3 Ton	82/14 FPM	230/1	40"	4"- 9 1/2"	1	8.8	123 lbs	\$4,160	SMT30VSC-230V-1PH	\$4,299	29"
SMT50VSL-460V-3PH	5 Ton	82/14 FPM	460/3	72"	4"- 10 9/16"	1	2.2	183 lbs	\$4,173	SMT50VSC-460V-3PH	\$4,300	37"
SMT50VSL-230V-3PH	5 Ton	82/14 FPM	208-230/3	72"	4"- 10 9/16"	1	4.4	183 lbs	\$4,623	SMT50VSC-230V-3PH	\$4,750	37"
SMT50VSL-230V-1PH	5 Ton	82/14 FPM	230/1	72"	4"- 10 9/16"	1	8.8	183 lbs	\$4,623	SMT50VSC-230V-1PH	\$4,750	37"



Flange Width Adder (up to 12")				Flange Width Adder (up to 12" - 16")		
SKU	Cap	Flange Range	List	SKU	Flange Range	List
SMT10FW12	1 Ton	7 3/4"-12"	\$222	SMT10FW16	12"-16"	\$278
SMT20FW12	2 Ton	9 1/4"-12"	\$258	SMT20FW16	12"-16"	\$319
SMT30FW12	3 Ton	9 1/2"-12"	\$294	SMT30FW16	12"-16"	\$366
SMT50FW12	5 Ton	10 9/16"-12"	\$348	SMT50FW16	12"-16"	\$427


VFD TECHNOLOGY FEATURING
DANFOSS DRIVES




VLT Micro Drive

- Infinite Speed Adjustment
- Improves Load Control
- Soft Start & Stop
- Adjustable Ramp Up & Down
- Adjustable High & Low Speeds

LUG STYLE



CLEVIS STYLE



Starke SMT Trolley (Lug Series) Dimensions

SKU	A	B	C	D	E	F	G	H	I	J	K
SMT10VSL	18 ¹⁵ / ₁₆ " – 24 ¹¹ / ₁₆ "	7 ³ / ₁₆ " – 11 ⁷ / ₈ "	10 ⁹ / ₁₆ " – 13 ⁷ / ₁₆ "	1 ¹ / ₄ "	4 ³ / ₄ "	12 ⁵ / ₁₆ "	10 ⁹ / ₁₆ "	5 ¹ / ₈ "	1 ⁵ / ₁₆ "	2 ⁵ / ₁₆ "	¹ / ₂ "
SMT20VSL	20 ⁵ / ₁₆ " – 25 ¹ / ₂ "	7 ¹ / ₈ " – 8 ¹¹ / ₁₆ "	12 ¹ / ₁₆ " – 13 ⁵ / ₈ "	1 ¹ / ₁₆ "	4 ¹¹ / ₁₆ "	12 ¹³ / ₁₆ "	11 ¹ / ₂ "	5 ³ / ₈ "	1 ³ / ₄ "	2 ¹ / ₄ "	¹³ / ₁₆ "
SMT30VSL	20 ⁵ / ₈ " – 25 ⁵ / ₈ "	7 ³ / ₈ " – 8 ³ / ₄ "	12 ¹ / ₈ " – 13 ¹ / ₂ "	1 ¹ / ₁₆ "	5 ¹ / ₈ "	13 ⁷ / ₁₆ "	12 ¹³ / ₁₆ "	6 ¹ / ₂ "	2 ³ / ₁₆ "	2 ¹³ / ₁₆ "	¹³ / ₁₆ "
SMT50VSL	21 ⁹ / ₁₆ " – 30 ⁹ / ₁₆ "	8 ¹ / ₁₆ " – 12 ¹ / ₂ "	11 ³ / ₄ " – 16 ¹ / ₄ "	1 ¹³ / ₁₆ "	5 ³ / ₄ "	15 ¹³ / ₁₆ "	14 ⁵ / ₁₆ "	7 ⁵ / ₁₆ "	3 ⁵ / ₁₆ "	3 ¹ / ₁₆ "	¹³ / ₁₆ "

Starke SMT Trolley (Clevis Series) Dimensions

SKU	A	B	C	D	E	F	G	H	I	J	K	L
SMT10VSC	20 ¹ / ₄ " – 24 ¹¹ / ₁₆ "	5 ¹⁵ / ₁₆ " – 8 ¹ / ₈ "	8 ¹³ / ₁₆ " – 11 ¹ / ₁₆ "	3"	4 ³ / ₄ "	12 ⁵ / ₁₆ "	10 ⁵ / ₁₆ "	4 ¹ / ₂ "	1 ³ / ₈ "	1 ³ / ₈ "	1 ³ / ₁₆ "	³ / ₄ " BOLT
SMT20VSC	21 ⁵ / ₈ " – 25 ¹ / ₂ "	7 ⁵ / ₈ " – 9"	10 ⁵ / ₈ " – 13 ¹ / ₄ "	3"	4 ¹¹ / ₁₆ "	12 ¹³ / ₁₆ "	11 ⁷ / ₁₆ "	5 ¹ / ₁₆ "	1 ³ / ₄ "	1 ⁹ / ₁₆ "	1 ³ / ₈ "	⁷ / ₈ " BOLT
SMT30VSC	22 ⁷ / ₁₆ " – 25 ⁵ / ₈ "	7 ⁵ / ₈ " – 10 ¹⁵ / ₁₆ "	11 ¹ / ₈ " – 13 ⁵ / ₁₆ "	3 ¹ / ₂ "	5 ¹ / ₈ "	13 ⁷ / ₁₆ "	12 ⁵ / ₈ "	5 ⁷ / ₈ "	2 ³ / ₁₆ "	1 ¹¹ / ₁₆ "	1 ⁹ / ₁₆ "	1" BOLT
SMT50VSC	24" – 29 ⁹ / ₁₆ "	8 ¹ / ₁₆ " – 10 ¹³ / ₁₆ "	11 ³ / ₄ " – 14 ¹ / ₂ "	4 ¹ / ₄ "	5 ³ / ₄ "	15 ¹³ / ₁₆ "	15 ³ / ₄ "	7"	3 ⁵ / ₁₆ "	2 ⁷ / ₈ "	2"	1 ¹ / ₄ " BOLT

Corrosion Resistant SMT Series - VFD Controlled 2-Speed Motorized Trolley

Wide Flange and Standard Beams



LUG
STYLE



CLEVIS
STYLE

LUG STYLE

SKU	Cap	2 - Speed	Voltage	Min. Radius Curve	Flange Width Range	HP	Amp	Net Weight	List
SMT10VSL-CR	1 Ton	82/14 FPM	460/3	32"	3"- 7 ¾"	½	1.1	92 lbs	\$3,574
SMT20VSL-CR	2 Ton	82/14 FPM	460/3	32"	3"- 7 ¾"	½	1.1	114 lbs	\$4,044
SMT30VSL-CR	3 Ton	82/14 FPM	460/3	40"	4"- 9 ½"	1	2.2	123 lbs	\$4,212
SMT50VSL-CR	5 Ton	82/14 FPM	460/3	72"	4"- 10 ⅞"	1	2.2	183 lbs	\$5,461


- Primer Paint: Anti-Rust & Anti-Corrosion Epoxy Paint
- Stainless steel wheels
- Stainless steel main support pin
- The corrosion-resistant units **do not** come with food grade oil and grease. **Food Grade** must include: Food Grade Oil and Grease.

CLEVIS STYLE


SKU	Cap	2 - Speed	Voltage	Min. Radius Curve	Flange Width Range	HP	Amp	Headroom	Net Weight	List
SMT10VSC-CR	1 Ton	82/14 FPM	460/3	32"	3"- 7 ¾"	½	1.1	24"	92 lbs	\$3,703
SMT20VSC-CR	2 Ton	82/14 FPM	460/3	32"	3"- 7 ¾"	½	1.1	28"	114 lbs	\$4,173
SMT30VSC-CR	3 Ton	82/14 FPM	460/3	40"	4"- 9 ½"	1	2.2	29"	123 lbs	\$4,341
SMT50VSC-CR	5 Ton	82/14 FPM	460/3	72"	4"- 10 ⅞"	1	2.2	37"	183 lbs	\$5,590

- Primer Paint: Anti-Rust & Anti-Corrosion Epoxy Paint
- Stainless steel wheels
- Stainless steel main support pin
- The corrosion-resistant units **do not** come with food grade oil and grease. **Food Grade** must include: Food Grade Oil and Grease.

LUG STYLE



CLEVIS STYLE



Starke SMT Trolley (Lug Series) Dimensions

SKU	A	B	C	D	E	F	G	H	I	J	K
SMT10VSL-CR	18 ¹⁵ / ₁₆ " – 24 ¹ / ₁₆ "	7 ³ / ₁₆ " – 11 ⁷ / ₈ "	10 ⁹ / ₁₆ " – 13 ⁷ / ₁₆ "	1 ¹ / ₄ "	9 ¹ / ₈ "	12 ⁵ / ₁₆ "	10 ⁹ / ₁₆ "	5 ¹ / ₈ "	1 ⁵ / ₁₆ "	2 ⁵ / ₁₆ "	¹ / ₂ "
SMT20VSL-CR	20 ⁵ / ₁₆ " – 25 ¹ / ₂ "	7 ¹ / ₈ " – 8 ¹ / ₁₆ "	12 ¹ / ₁₆ " – 13 ⁵ / ₈ "	1 ¹ / ₁₆ "	9 ⁵ / ₈ "	12 ¹³ / ₁₆ "	11 ¹ / ₂ "	5 ³ / ₈ "	1 ³ / ₄ "	2 ¹ / ₄ "	¹³ / ₁₆ "
SMT30VSL-CR	20 ⁵ / ₈ " – 25 ⁵ / ₈ "	7 ³ / ₈ " – 8 ³ / ₄ "	12 ¹ / ₈ " – 13 ¹ / ₂ "	1 ¹ / ₁₆ "	9 ¹³ / ₁₆ "	13 ⁷ / ₁₆ "	12 ¹³ / ₁₆ "	6 ¹ / ₂ "	2 ³ / ₁₆ "	2 ¹³ / ₁₆ "	¹³ / ₁₆ "
SMT50VSL-CR	21 ⁹ / ₁₆ " – 30 ⁹ / ₁₆ "	8 ¹ / ₁₆ " – 12 ¹ / ₂ "	11 ³ / ₄ " – 16 ¹ / ₄ "	1 ¹³ / ₁₆ "	9"	15 ¹³ / ₁₆ "	14 ⁵ / ₁₆ "	7 ⁵ / ₁₆ "	3 ⁵ / ₁₆ "	3 ¹ / ₁₆ "	¹³ / ₁₆ "

Starke SMT Trolley (Clevis Series) Dimensions

SKU	A	B	C	D	E	F	G	H	I	J	K	L
SMT10VSC-CR	20 ¹ / ₄ " – 24 ¹ / ₁₆ "	5 ¹⁵ / ₁₆ " – 8 ¹ / ₈ "	8 ¹³ / ₁₆ " – 11 ¹ / ₁₆ "	3"	9 ¹ / ₈ "	12 ⁵ / ₁₆ "	10 ⁵ / ₁₆ "	4 ¹ / ₂ "	1 ³ / ₈ "	1 ³ / ₈ "	1 ³ / ₁₆ "	³ / ₄ " BOLT
SMT20VSC-CR	21 ⁵ / ₈ " – 25 ¹ / ₂ "	7 ⁵ / ₈ " – 9"	10 ⁵ / ₈ " – 13 ¹ / ₄ "	3"	9 ⁵ / ₈ "	12 ¹³ / ₁₆ "	11 ⁷ / ₁₆ "	5 ¹ / ₁₆ "	1 ³ / ₄ "	1 ⁹ / ₁₆ "	1 ³ / ₈ "	⁷ / ₈ " BOLT
SMT30VSC-CR	22 ⁷ / ₁₆ " – 25 ⁵ / ₈ "	7 ⁵ / ₈ " – 10 ¹⁵ / ₁₆ "	11 ¹ / ₈ " – 13 ⁵ / ₁₆ "	3 ¹ / ₂ "	9 ¹³ / ₁₆ "	13 ⁷ / ₁₆ "	12 ⁵ / ₈ "	5 ⁷ / ₈ "	2 ³ / ₁₆ "	1 ¹¹ / ₁₆ "	1 ⁹ / ₁₆ "	1" BOLT
SMT50VSC-CR	24" – 29 ⁹ / ₁₆ "	8 ¹ / ₁₆ " – 10 ¹³ / ₁₆ "	11 ³ / ₄ " – 14 ¹ / ₂ "	4 ¹ / ₄ "	9"	15 ¹³ / ₁₆ "	15 ³ / ₄ "	7"	3 ⁵ / ₁₆ "	2 ⁷ / ₈ "	2"	1 ¹ / ₄ " BOLT





SST Series - 115V Single Phase Motorized Trolley

Wide Flange and Standard Beams



Lug Style										Clevis Style		
SKU	Cap	Speed	Voltage	Min. Radius Curve	Flange Width Range	HP	Amp	Net Weight	List Price	Clevis Style SKU	List Price	Headroom
SST1034TRL	1,000 lb	34 FPM	115/1	30"	5 1/8" - 8 3/4"	0.35	2.17	83 lbs	\$1,506	SST1034TRC	\$1,506	5 1/8"
SST2034TRL	2,000 lb	34 FPM	115/1	30"	5 1/8" - 8 3/4"	0.35	2.17	83 lbs	\$1,652	SST2034TRC	\$1,652	5 1/8"
SST4034TRL	4,000 lb	34 FPM	115/1	120"	5 1/2" - 8 1/2"	0.35	2.17	93 lbs	\$1,904	SST4034TRC	\$1,904	5 1/8"

- Single speed motorized trolley
- Lug attachment to SSP Hoist included
- Low headroom clearance
- 34 FPM single speed travel
- Clevis style available for other brands of hoists
- Rubber bumpers and safety bracket included



SST Series Dimensions

	A	B	C	D	E	G	H	J	K
SST2024	25 $\frac{5}{16}$ "	8 $\frac{3}{4}$ "	14 $\frac{1}{16}$ "	2 $\frac{1}{2}$ "	8 $\frac{1}{4}$ "	10 $\frac{3}{16}$ "	4 $\frac{1}{16}$ "	2"	1"

DRIVE BEAM TRACTOR

Wide Flange Beams Only



VFD TECHNOLOGY FEATURING
DANFOSS DRIVES

VLT Micro Drive






- Infinite Speed Adjustment
- Improves Load Control
- Soft Start & Stop
- Adjustable Ramp Up & Down
- Adjustable High & Low Speeds



SKU	Cap	2 - Speed	Flange Range	HP	Amp	Voltage	Net Weight	List
SBT30VS-460V-3PH	3 Ton	82/14 FPM	4" - 8"	1	2.2	460/3	143 lbs	\$4,163
SBT30VS-230V-3PH	3 Ton	82/14 FPM	4" - 8"	1	4.4	208-230/3	143 lbs	\$4,382
SBT30VS-230V-1PH	3 Ton	82/14 FPM	4" - 8"	1	8.8	230/1	143 lbs	\$4,491

Flange Width Adder

SKU	Cap	Flange Range	List
SBT30FW12	3 Ton	8"-12"	\$345



I-Drive Beam Tractor Dimensions

	A	B	C	D	E	F
SBT30VS	18 1/2"	12 3/8" MIN 14 1/8" MAX	8 5/8" MIN 10 3/8" MAX	21" MIN 24 1/2" MAX	12 5/16"	9/16"

UPGRADES & CONTROLS

Hoist Chain

SKU	Diameter	Grade	Working Load Limit	Compatible Hoist Models	Net Weight/ft	List
SLC80-05	5.0 mm	#80	1,100 lbs	Starke 250, 500, 1000 Blitz Hoists	0.37 lbs	\$23.66 / ft
SLC80-06	6.3 mm	#80	1,525 lbs	Starke ½ Ton STK & VS Hoists	0.57 lbs	\$25.21 / ft
SLC80-07	7.1 mm	#80	2,200 lbs	Starke 1 Ton STK & VS Hoists	0.77 lbs	\$31.40 / ft
SLC80-10	10.0 mm	#80	4,400 lbs	Starke 2 Ton STK & VS Hoists	1.43lbs	\$37.92 / ft
SLC80-11	11.2 mm	#80	6,600 lbs	Starke 3 - 5 Ton STK & VS Hoists	1.8 lbs	\$41.14/ ft



External Strain Relief Pendant Cable

SKU	Length	# of wires	Net Weight	Price per ft	List
SPCE06-1	per foot	6	0.15 lbs	\$4.26	\$4.26
SPCE06-50	50'	6	7.5 lbs	\$3.67	\$183.00
SPCE06-100	100'	6	15 lbs	\$3.40	\$340.00
SPCE06-250	250'	6	37.5 lbs	\$3.13	\$782.00
SPCE10-1	per foot	10	0.24 lbs	\$7.25	\$7.25
SPCE10-50	50'	10	12 lbs	\$6.23	\$311.00
SPCE10-100	100'	10	24 lbs	\$5.74	\$574.00
SPCE10-250	250'	10	60 lbs	\$5.27	\$1,317.00



6 Wire



10 Wire

Hoist Pendants (Pendant Only)

SKU	Motion	Speed	Type	Net Weight	List
S2B1SP	1 Motion	1 Speed	w/ E Stop	.73 lbs	\$97
S2B2SP	1 Motion	2 Speed	w/ E Stop	.94 lbs	\$122
S2BVSPD	1 Motion	Variable	w/ E Stop	1.35 lbs	\$159
S4B1SP	2 Motion	1 Speed	w/ E Stop	1.82 lbs	\$146
S4BVSPD	2 Motion	Variable	w/ E Stop	1.96 lbs	\$188
S6B2SP	3 Motion	2 Speed	w/ E Stop	2.34 lbs	\$305
600-60061	10-Pin Pendant Aviation Plug		Female	.13 lbs	\$34
600-60060	10-Pin Pendant Aviation Plug		Male	.155 lbs	\$34



S2B1SP



S2BVSPD



S4BVSPD



S4B1SP



S6B2SP



Male
(10-Pin)



Female
(10-Pin)

Standard Lift – Canvas Chain Containers

SKU	Tag Number	Frame Size	Bucket Length	Material	Compatible Hoist Models	Net Weight	List
SCC-412B	N/A	4" x 4.5"	12"	Canvas	SBH25 @ 20' Max Lift SBH50 @ 20' Max Lift SBS10 @ 20' Max Lift	1.3 lbs	\$62
SCC-0811	8	6" x 6"	11"	Canvas	STK10 @ 26' Max Lift STK20 @ 13' Max Lift	1.5 lbs	\$77
SCC-1213	12	8.5" x 8.5"	13"	Canvas	STK10 @ 39' Max Lift STK20 @ 20' Max Lift STK30 @ 13' Max Lift	3.5 lbs	\$99
SCC-1416	14	8.5" x 8.5"	16"	Canvas	STK10 @ 46' Max Lift STK20 @ 26' Max Lift STK30 @ 20' Max Lift	3.8 lbs	\$118
SCC-1622	16	8.5" x 8.5"	22"	Canvas	STK20 @ 52' Max Lift STK30 @ 39' Max Lift STK50 @ 26' Max Lift	4.1 lbs	\$148
SCC-1836	18	8.5" x 8.5"	36"	Canvas	STK20 @ 69' Max Lift STK30 @ 46' Max Lift STK50 @ 32' Max Lift	5.4 lbs	\$191



Extended Lift – Metal Chain Containers

SKU	Frame Size	Bucket Length	Material	Compatible Hoist Models	Net Weight	List
SCC-21M	8" x 16"	21"	Mild Steel	STK20 @ 175' Max Lift STK30 @ 100' Max Lift	30 lbs	\$865
SCC-23M	8" x 16"	23"	Mild Steel	STK20 @ 200' Max Lift STK30 @ 125' Max Lift STK50 @ 60' Max Lift	32 lbs	\$889
SCC-25M	8" x 16"	25"	Painted Steel	STK20 @ 225' Max Lift STK30 @ 150' Max Lift STK50 @ 70' Max Lift	34 lbs	\$923
SCC-27M	8" x 16"	27"	Painted Steel	STK20 @ 250' Max Lift STK30 @ 175' Max Lift STK50 @ 80' Max Lift	36 lbs	\$958
SCC-29M	8" x 16"	29"	Mild Steel	STK30 @ 200' Max Lift STK50 @ 100' Max Lift	38 lbs	\$927



Canvas Hoist Weather Covers

SKU	Material	Compatible Hoist Models	Net Weight/ft	List
SHWC-02S	Canvas	All Blitz Hoists	1 lbs	\$330
SHWC-05M	Canvas	STK05 Series	1.5 lbs	\$384
SHWC-10L	Canvas	STK10 Series	1.75 lbs	\$399
SHWC-20L	Canvas	STK20, 30, 50 Series	2 lbs	\$440





Amp Draw Chart

Horsepower (hp)	60 HZ AC Induction Motor				
	Single Phase		Three Phase		
	115 Volt	230 Volt	208 Volt	230 Volt	460 Volt
1/6	4.4	2.2	~	~	~
1/4	5.8	2.9	~	~	~
1/3	7.2	3.6	~	~	~
1/2	9.8	4.9	2.5	2.2	1.1
3/4	13.8	6.9	3.7	3.2	1.6
1	16	8	4.8	4.2	2.1
1 1/2	20	10	6.9	6	3
2	24	12	7.8	6.8	3.4
3	34	17	11	9.6	4.8
4	44	22	14	12.6	6.3
5	56	28	17.5	15.2	7.6
7 1/2	80	40	25	22	11
10	100	50	32	28	14
15	135	68	48	42	21
20	~	88	62	54	27
25	~	110	78	68	34
30	~	136	92	80	40
40	~	176	120	104	52
50	~	225	144	130	65

SMW SERIES

MONORAIL WIRE ROPE HOIST






Contactor Lift – 3T and 5T Hoists

Model	Cap	Lift (ft)	HMI Duty Rating	Flange Range	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Weight	List
SMW0322-20-460V-3PHC	3 Ton	20'	H4	8" - 20"	22/4 FPM	5	75/20 FPM	0.5		\$10,251
SMW0322-30-460V-3PHC	3 Ton	30'	H4	8" - 20"	22/4 FPM	5	75/20 FPM	0.5		\$10,671
SMW0322-40-460V-3PHC	3 Ton	40'	H4	8" - 20"	22/4 FPM	5	75/20 FPM	0.5		\$11,092
SMW0322-50-460V-3PHC	3 Ton	50'	H4	8" - 25"	22/4 FPM	5	75/20 FPM	0.5		\$14,034
SMW0322-60-460V-3PHC	3 Ton	60'	H4	8" - 25"	22/4 FPM	5	75/20 FPM	0.5		\$14,698
SMW0322-70-460V-3PHC	3 Ton	70'	H4	8" - 25"	22/4 FPM	5	75/20 FPM	0.5		\$15,366
SMW0322-80-460V-3PHC	3 Ton	80'	H4	8" - 25"	22/4 FPM	5	75/20 FPM	0.5		\$16,034
SMW0524-20-460V-3PHC	5 Ton	20'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$10,905
SMW0524-30-460V-3PHC	5 Ton	30'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$11,481
SMW0524-40-460V-3PHC	5 Ton	40'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$12,056
SMW0524-50-460V-3PHC	5 Ton	50'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$15,043
SMW0524-60-460V-3PHC	5 Ton	60'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$15,751
SMW0524-70-460V-3PHC	5 Ton	70'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$16,458
SMW0524-80-460V-3PHC	5 Ton	80'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85		\$14,888



48 Hour Quick Ship | Models Highlighted Above

- Estimated lead time for non-stock models: 12 Weeks
- Standard voltage for all models listed above is 460V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs.
- For additional or custom capacity and lift heights (50', 60', 70', 80'), please contact your distributor.
- Wire rope hoists (7.5 Ton and larger) have VFD controlled lifting and VFD trolley



SMW Series Wire Rope Hoist Dimensions

SKU	C	D	F	H	L	R	T	W
SMW0322-30	8 5/8"	21 5/8"	8" Min 25" Max	19" Min	41 1/4" Min 52 7/8" Max	1 1/8"	1 3/4"	42 3/4"
SMW0524-30	9 5/8"	21 5/8"	8" Min 25" Max	17" Min	41 1/2" Min 53 1/4" Max	1 1/4"	2 1/8"	42 3/8"
SMW1021-30	12 1/4"	25 3/8"	8" Min 25" Max	30" Min	48 3/8" Min 67" Max	1 5/8"	2 5/8"	48 1/2"
SMW1521-30	11 3/4"	28 5/16"	8" Min 25" Max	33" Min	57 1/16" Min 69 7/16" Max	2"	3 3/16"	49 1/8"

Flange Width Adder

SKU	Cap	Flange Range	List
SMW03FW27	3 Ton	20" - 27"	\$2,056
SMW05FW27	5 Ton	25" - 31"	\$2,271
SMW07FW27	7.5 Ton	25" - 31"	\$2,383
SMW10FW27	10 Ton	25" - 31"	\$2,383
SMW15FW27	15 Ton	25" - 31"	\$2,498

SMW SERIES

MONORAIL WIRE ROPE HOIST






VFD Lift

Model	Cap	Lift (ft)	HMI Duty Rating	Flange Range	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Weight	List
SMW0322-20-460V-3PHV	3 Ton	20'	H4	8" - 20"	22/4 FPM	4	75/20 FPM	0.5	765 lbs	\$11,886.45
SMW0322-30-460V-3PHV	3 Ton	30'	H4	8" - 20"	22/4 FPM	4	75/20 FPM	0.5	801 lbs	\$12,306.10
SMW0322-40-460V-3PHV	3 Ton	40'	H4	8" - 20"	22/4 FPM	4	75/20 FPM	0.5	849 lbs	\$12,726.84
SMW0322-50-460V-3PHV	3 Ton	50'	H4	8" - 25"	24/4 FPM	4	75/20 FPM	0.5	897 lbs	\$15,668.75
SMW0322-60-460V-3PHV	3 Ton	60'	H4	8" - 25"	24/4 FPM	4	75/20 FPM	0.5	945 lbs	\$16,332.56
SMW0322-70-460V-3PHV	3 Ton	70'	H4	8" - 25"	24/4 FPM	4	75/20 FPM	0.5	993 lbs	\$17,000.73
SMW0322-80-460V-3PHV	3 Ton	80'	H4	8" - 25"	21/4 FPM	4	75/20 FPM	0.5	1,041 lbs	\$17,668.90
SMW0524-20-460V-3PHV	5 Ton	20'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	911 lbs	\$13,194.45
SMW0524-30-460V-3PHV	5 Ton	30'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	959 lbs	\$13,769.97
SMW0524-40-460V-3PHV	5 Ton	40'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	1,019 lbs	\$14,345.49
SMW0524-50-460V-3PHV	5 Ton	50'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	1,074 lbs	\$17,332.09
SMW0524-60-460V-3PHV	5 Ton	60'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	1,129 lbs	\$18,039.50
SMW0524-70-460V-3PHV	5 Ton	70'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	1,153 lbs	\$18,746.91
SMW0524-80-460V-3PHV	5 Ton	80'	H4	8" - 25"	21/4 FPM	8	75/20 FPM	0.85	1,251 lbs	\$17,177.31
SMW0721-20-460V-3PH	7.5 Ton	20'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	1,795 lbs	\$20,617.35
SMW0721-30-460V-3PH	7.5 Ton	30'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	1,867 lbs	\$21,316.04
SMW0721-40-460V-3PH	7.5 Ton	40'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	1,964 lbs	\$22,015.82
SMW0721-50-460V-3PH	7.5 Ton	50'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,052 lbs	\$22,714.51
SMW0721-60-460V-3PH	7.5 Ton	60'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,140 lbs	\$23,413.20
SMW0721-70-460V-3PH	7.5 Ton	70'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,228 lbs	\$24,112.98
SMW0721-80-460V-3PH	7.5 Ton	80'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,326 lbs	\$24,811.67
SMW1021-20-460V-3PH	10 Ton	20'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	1,795 lbs	\$20,617.35
SMW1021-30-460V-3PH	10 Ton	30'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	1,867 lbs	\$21,316.04
SMW1021-40-460V-3PH	10 Ton	40'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	1,964 lbs	\$22,015.82
SMW1021-50-460V-3PH	10 Ton	50'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,052 lbs	\$22,714.51
SMW1021-60-460V-3PH	10 Ton	60'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,140 lbs	\$23,413.20
SMW1021-70-460V-3PH	10 Ton	70'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,228 lbs	\$24,112.98
SMW1021-80-460V-3PH	10 Ton	80'	H4	8" - 25"	21/4 FPM	15	75/20 FPM	1.3	2,326 lbs	\$24,811.67
SMW1521-20-460V-3PH	15 Ton	20'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	1,850 lbs	\$29,690.51
SMW1521-30-460V-3PH	15 Ton	30'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	1,923 lbs	\$30,369.58
SMW1521-40-460V-3PH	15 Ton	40'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	1,996 lbs	\$31,048.65
SMW1521-50-460V-3PH	15 Ton	50'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	3,048 lbs	\$32,406.79
SMW1521-60-460V-3PH	15 Ton	60'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	3,318 lbs	\$33,085.86
SMW1521-70-460V-3PH	15 Ton	70'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	3,687 lbs	\$33,763.84
SMW1521-80-460V-3PH	15 Ton	80'	H4	8" - 25"	21/4 FPM	16.7	75/20 FPM	2	3,847 lbs	\$34,442.91

- Estimated lead time for non-stock models: 12 Weeks
- Standard voltage for all models listed above is 460V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs.



48 Hour Quick Ship | Models Highlighted



SMW Series Wire Rope Hoist Dimensions

SKU	C	D	F	H	L	R	T	W
SMW0322-30	8 5/8"	21 5/8"	8" Min 25" Max	19" Min	41 1/4" Min 52 7/8" Max	1 1/8"	1 3/4"	42 3/4"
SMW0524-30	9 5/8"	21 5/8"	8" Min 25" Max	17" Min	41 1/2" Min 53 1/4" Max	1 1/4"	2 1/8"	42 3/8"
SMW1021-30	12 1/4"	25 3/8"	8" Min 25" Max	30" Min	48 3/8" Min 67" Max	1 5/8"	2 5/8"	48 1/2"
SMW1521-30	11 3/4"	28 5/16"	8" Min 25" Max	33" Min	57 11/16" Min 69 7/16" Max	2"	3 3/16"	49 1/8"

Flange Width Adder

SKU	Cap	Flange Range	List
SMW03FW27	3 Ton	20" - 27"	\$2,056
SMW05FW27	5 Ton	25" - 31"	\$2,271
SMW07FW27	7.5 Ton	25" - 31"	\$2,383
SMW10FW27	10 Ton	25" - 31"	\$2,383
SMW15FW27	15 Ton	25" - 31"	\$2,498



Standard VFD
Lift & Trolley Motion
 (7.5 Ton and Greater Capacities)

VFD TECHNOLOGY FEATURING
DANFOSS DRIVES

SMW SERIES

MONORAIL WIRE ROPE HOIST

230V 3-PHASE MODELS






Model	Cap	Lift (ft)	HMI Duty Rating	Flange Range	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Weight	List
SMW0322-20-230V-3PH	3 Ton	20'	H4	8" - 20"	22/4 FPM	4	75/20FPM	0.5	765 lbs	\$14,107.50
SMW0322-30-230V-3PH	3 Ton	30'	H4	8" - 20"	22/4 FPM	4	75/20FPM	0.5	801 lbs	\$14,685.00
SMW0322-40-230V-3PH	3 Ton	40'	H4	8" - 20"	22/4 FPM	4	75/20FPM	0.5	849 lbs	\$15,264.00
SMW0322-50-230V-3PH	3 Ton	50'	H4	8" - 25"	22/4 FPM	4	75/20FPM	0.5	897 lbs	\$15,450.00
SMW0322-60-230V-3PH	3 Ton	60'	H4	8" - 25"	22/4 FPM	4	75/20FPM	0.5	945 lbs	\$16,180.80
SMW0322-70-230V-3PH	3 Ton	70'	H4	8" - 25"	22/4 FPM	4	75/20FPM	0.5	993 lbs	\$16,916.40
SMW0322-80-230V-3PH	3 Ton	80'	H4	8" - 25"	22/4 FPM	4	75/20 FPM	0.5	1,041 lbs	\$17,652.00
SMW0524-20-230V-3PH	5 Ton	20'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85	911 lbs	\$16,008.00
SMW0524-30-230V-3PH	5 Ton	30'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85	959 lbs	\$16,852.80
SMW0524-40-230V-3PH	5 Ton	40'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85	1,019 lbs	\$17,697.60
SMW0524-50-230V-3PH	5 Ton	50'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85	1,074 lbs	\$17,941.30
SMW0524-60-230V-3PH	5 Ton	60'	H4	8" - 25"	24/4 FPM	8	75/20 FPM	0.85	1,129 lbs	\$18,785.00
SMW0524-70-230V-3PH	5 Ton	70'	H4	8" - 25"	24/4 FPM	8	75/20FPM	0.85	1,153 lbs	\$19,628.70
SMW0524-80-230V-3PH	5 Ton	80'	H4	8" - 25"	24/4 FPM	8	75/20FPM	0.85	1,251 lbs	\$19,122.60
SMW0721-20-230V-3PH	7.5 Ton	20'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	1,795 lbs	\$25,171.20
SMW0721-30-230V-3PH	7.5 Ton	30'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	1,867 lbs	\$25,809.60
SMW0721-40-230V-3PH	7.5 Ton	40'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	1,964 lbs	\$26,448.00
SMW0721-50-230V-3PH	7.5 Ton	50'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,052 lbs	\$25,006.80
SMW0721-60-230V-3PH	7.5 Ton	60'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,140 lbs	\$25,776.00
SMW0721-70-230V-3PH	7.5 Ton	70'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,228 lbs	\$26,546.40
SMW0721-80-230V-3PH	7.5 Ton	80'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,326 lbs	\$27,315.60
SMW1021-20-230V-3PH	10 Ton	20'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	1,795 lbs	\$25,171.20
SMW1021-30-230V-3PH	10 Ton	30'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	1,867 lbs	\$25,809.60
SMW1021-40-230V-3PH	10 Ton	40'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	1,964 lbs	\$26,448.00
SMW1021-50-230V-3PH	10 Ton	50'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,052 lbs	\$25,006.80
SMW1021-60-230V-3PH	10 Ton	60'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,140 lbs	\$25,776.00
SMW1021-70-230V-3PH	10 Ton	70'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,228 lbs	\$26,546.40
SMW1021-80-230V-3PH	10 Ton	80'	H4	8" - 25"	21/4 FPM	15	75/20FPM	1.3	2,326 lbs	\$27,315.60



48 Hour Quick Ship | Models Highlighted Above

- Standard voltage for all models listed above is 230V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs.
- Wire rope hoists (7.5 Ton and larger) have VFD controlled lifting and VFD trolley



SMW Series Wire Rope Hoist Dimensions

SKU	C	D	F	H	L	R	T	W
SMW0322-30	8 5/8"	21 5/8"	8" Min 25" Max	19" Min	41 1/4" Min 52 7/8" Max	1 1/8"	1 3/4"	42 3/4"
SMW0524-30	9 5/8"	21 5/8"	8" Min 25" Max	17" Min	41 1/2" Min 53 1/4" Max	1 1/4"	2 1/8"	42 3/8"
SMW1021-30	12 1/4"	25 3/8"	8" Min 25" Max	30" Min	48 3/8" Min 67" Max	1 5/8"	2 5/8"	48 1/2"
SMW1521-30	11 3/4"	28 5/16"	8" Min 25" Max	33" Min	57 1/16" Min 69 7/16" Max	2"	3 3/16"	49 1/8"

Flange Width Adder

SKU	Cap	Flange Range	List
SMW03FW27	3 Ton	20" - 27"	\$2,056
SMW05FW27	5 Ton	25" - 31"	\$2,271
SMW07FW27	7.5 Ton	25" - 31"	\$2,383
SMW10FW27	10 Ton	25" - 31"	\$2,383
SMW15FW27	15 Ton	25" - 31"	\$2,498



Standard VFD
Lift & Trolley Motion
 (7.5 Ton and Greater Capacities)

VFD TECHNOLOGY
 FEATURING
DANFOSS DRIVES

STW

SERIES




TOP RUNNING WIRE ROPE HOIST



Contactor Lift – 5T Hoists

Model	Cap	Lift	HMI Duty Rating	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Gauge (G)	Weight	List
STW0520-20-460V-60C	5 Ton	20’	H4	20/4 FPM	9	75/20 FPM	2.5	60”	1,274 lbs	\$14,352
STW0520-30-460V-60C	5 Ton	30’	H4	20/4 FPM	9	75/20 FPM	2.5	60”	1,309 lbs	\$14,885
STW0520-40-460V-60C	5 Ton	40’	H4	20/4 FPM	9	75/20 FPM	2.5	60”	1,362 lbs	\$15,418
STW0520-50-460V-60C	5 Ton	50’	H4	20/4 FPM	9	75/20 FPM	2.5	60”	1,165 lbs	\$16,074
STW0520-60-460V-78C	5 Ton	60’	H4	20/4 FPM	9	75/20 FPM	2.5	78”	1,471 lbs	\$16,730
STW0520-70-460V-78C	5 Ton	70’	H4	20/4 FPM	9	75/20 FPM	2.5	78”	1,305 lbs	\$17,387
STW0520-80-460V-78C	5 Ton	80’	H4	20/4 FPM	9	75/20 FPM	2.5	78”	1,410 lbs	\$18,043

- Standard voltage for all models listed above is 460V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs
- Contactor Lift Motor Controls



STW Series Wire Rope Hoist Dimensions							
SKU	C	D	I	L	H	T	W
STW0520-30	18 1/2"	21 1/4"	2 9/16"	77 3/16" MIN	12"	2"	54 3/16"

STW SERIES

TOP RUNNING WIRE ROPE HOIST VFD Lift






Model	Capacity	Lift	HMI Duty Rating	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Gauge (G)	Weight	List
STW0320-30-460V-60V	3 Ton	30'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	830 lbs	\$14,857
STW0320-40-460V-60V	3 Ton	40'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	918 lbs	\$14,857
STW0320-50-460V-60V	3 Ton	50'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	995 lbs	\$14,857
STW0320-60-460V-60V	3 Ton	60'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,045 lbs	\$14,857
STW0320-70-460V-60V	3 Ton	70'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,135 lbs	\$14,857
STW0320-80-460V-60V	3 Ton	80'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,240 lbs	\$14,857
STW0520-30-460V-60V	5 Ton	30'	H4	20/4 FPM	13	75/20 FPM	0.85	60"	1,309 lbs	\$17,174
STW0520-40-460V-60V	5 Ton	40'	H4	20/4 FPM	13	75/20 FPM	0.85	60"	1,362 lbs	\$17,707
STW0520-50-460V-60V	5 Ton	50'	H4	20/4 FPM	13	75/20 FPM	0.85	60"	1,165 lbs	\$18,363
STW0520-60-460V-78V	5 Ton	60'	H4	20/4 FPM	13	75/20 FPM	0.85	78"	1,471 lbs	\$19,019
STW0520-70-460V-78V	5 Ton	70'	H4	20/4 FPM	13	75/20 FPM	0.85	78"	1,305 lbs	\$19,676
STW0520-80-460V-78V	5 Ton	80'	H4	20/4 FPM	13	75/20 FPM	0.85	78"	1,410 lbs	\$20,332
STW0720-30-460V-60	7.5 Ton	30'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	1,693 lbs	\$24,539
STW0720-40-460V-60	7.5 Ton	40'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	1,743 lbs	\$25,206
STW0720-50-460V-60	7.5 Ton	50'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	2,121 lbs	\$25,854
STW0720-60-460V-78	7.5 Ton	60'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	2,221 lbs	\$26,502
STW0720-70-460V-78	7.5 Ton	70'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	2,305 lbs	\$27,150
STW0720-80-460V-84	7.5 Ton	80'	H4	20/4 FPM	13	75/20 FPM	1.3	84"	2,389 lbs	\$27,798
STW1020-30-460V-60	10 Ton	30'	H4	20/4 FPM	25	75/20 FPM	1.4	60"	1,693 lbs	\$24,539
STW1020-40-460V-60	10 Ton	40'	H4	20/4 FPM	25	75/20 FPM	1.3	60"	1,743 lbs	\$25,206
STW1020-50-460V-60	10 Ton	50'	H4	20/4 FPM	13	75/20 FPM	1.4	60"	2,121 lbs	\$25,854
STW1020-60-460V-78	10 Ton	60'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	1,855 lbs	\$26,502
STW1020-70-460V-78	10 Ton	70'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	2,305 lbs	\$27,150
STW1020-80-460V-84	10 Ton	80'	H4	20/4 FPM	13	75/20 FPM	1.4	84"	2,389 lbs	\$27,798
STW1520-30-460V-78	15 Ton	30'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	2,629 lbs	\$38,484
STW1520-40-460V-78	15 Ton	40'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	2,694 lbs	\$39,242
STW1520-50-460V-78	15 Ton	50'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	3,090 lbs	\$39,674
STW1520-60-460V-96	15 Ton	60'	H4	20/4 FPM	25	75/20 FPM	1.4	96"	2,838 lbs	\$40,759
STW1520-70-460V-96	15 Ton	70'	H4	20/4 FPM	25	75/20 FPM	1.4	96"	3,260 lbs	\$41,518
STW1520-80-460V-96	15 Ton	80'	H4	20/4 FPM	25	75/20 FPM	1.4	96"	3,310 lbs	\$42,277
STW2020-30-460V-78	20 Ton	30'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	2,629 lbs	\$38,484
STW2020-40-460V-78	20 Ton	40'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	2,694 lbs	\$39,242
STW2020-50-460V-78	20 Ton	50'	H4	20/4 FPM	25	75/20 FPM	1.4	78"	3,090 lbs	\$40,001
STW2020-60-460V-96	20 Ton	60'	H4	20/4 FPM	25	75/20 FPM	1.4	96"	2,838 lbs	\$40,759
STW2020-70-460V-96	20 Ton	70'	H4	20/4 FPM	25	75/20 FPM	1.4	96"	3,260 lbs	\$41,518
STW2020-80-460V-96	20 Ton	80'	H4	20/4 FPM	25	75/20 FPM	1.4	96"	3,310 lbs	\$42,277

- Standard voltage for all models listed above is 460V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs



48 Hour Quick Ship | Models Highlighted Above



STW Series Wire Rope Hoist Dimensions							
SKU	C	D	I	L	H	T	W
STW0520-30	18 1/2"	21 1/4"	2 9/16"	77 3/16" MIN	12"	2"	54 3/16"
STW0720-30	21 13/16"	26 1/2"	2 9/16"	77 3/16" MIN	15"	2 1/4"	54 3/16"
STW1020-30	21 13/16"	26 1/2"	2 9/16"	77 3/16" MIN	15"	2 1/4"	54 3/16"
STW1520-30	26 5/8"	33 3/8"	3 1/2"	77 11/16" MIN	25"	3"	66"
STW2020-30	26 5/8"	33 3/8"	3 1/2"	77 11/16" MIN	25"	3"	66"

STW SERIES

TOP RUNNING WIRE ROPE HOIST

230V 3-PHASE MODELS



Model	Cap	Lift	HMI Duty Rating	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Gauge (G)	Weight	List
STW0520-20-230V-60	5 Ton	20'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,309 lbs	\$21,253
STW0520-30-230V-60	5 Ton	30'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,362 lbs	\$22,042
STW0520-40-230V-60	5 Ton	40'	H4	20/4 FPM	9	75/20 FPM	0.85	78"	1,471 lbs	\$22,833
STW0520-50-230V-60	5 Ton	50'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,165 lbs	\$23,803
STW0520-60-230V-78	5 Ton	60'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,165 lbs	\$24,776
STW0520-70-230V-78	5 Ton	70'	H4	20/4 FPM	9	75/20 FPM	0.85	78"	1,305 lbs	\$25,747
STW0520-80-230V-78	5 Ton	80'	H4	20/4 FPM	9	75/20 FPM	0.85	60"	1,410 lbs	\$26,719
STW0720-20-230V-60	7.5 Ton	20'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	1,693 lbs	\$28,490
STW0720-30-230V-60	7.5 Ton	30'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	1,743 lbs	\$29,154
STW0720-40-230V-60	7.5 Ton	40'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	1,855 lbs	\$29,770
STW0720-50-230V-60	7.5 Ton	50'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	2,121 lbs	\$30,385
STW0720-60-230V-78	7.5 Ton	60'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	2,221 lbs	\$31,000
STW0720-70-230V-78	7.5 Ton	70'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	2,305 lbs	\$31,615
STW0720-80-230V-84	7.5 Ton	80'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	2,389 lbs	\$32,230
STW1020-20-230V-60	10 Ton	20'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	1,693 lbs	\$28,539
STW1020-30-230V-60	10 Ton	30'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	1,743 lbs	\$29,154
STW1020-40-230V-60	10 Ton	40'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	1,855 lbs	\$29,770
STW1020-50-230V-60	10 Ton	50'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	2,121 lbs	\$30,385
STW1020-60-230V-78	10 Ton	60'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	2,221 lbs	\$31,000
STW1020-70-230V-78	10 Ton	70'	H4	20/4 FPM	13	75/20 FPM	1.3	60"	2,305 lbs	\$31,615
STW1020-80-230V-84	10 Ton	80'	H4	20/4 FPM	13	75/20 FPM	1.3	78"	2,389 lbs	\$32,230






48 Hour Quick Ship | Models Highlighted Above

- Standard voltage for all models listed above is 230V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs
- Wire rope hoists (7.5 Ton and larger) have VFD controlled lifting and VFD trolley



Standard VFD
Lift & Trolley Motion
 (7.5 Ton and Greater Capacities)

VFD TECHNOLOGY
 FEATURING
DANFOSS DRIVES



STW Series Wire Rope Hoist Dimensions							
SKU	C	D	I	L	H	T	W
STW0520-30	18 1/2"	21 1/4"	2 9/16"	77 3/16" MIN	12"	2"	54 3/16"
STW0720-30	21 13/16"	26 1/2"	2 9/16"	77 3/16" MIN	15"	2 1/4"	54 3/16"
STW1020-30	21 13/16"	26 1/2"	2 9/16"	77 3/16" MIN	15"	2 1/4"	54 3/16"
STW1520-30	26 5/8"	33 3/8"	3 1/2"	77 11/16" MIN	25"	3"	66"
STW2020-30	26 5/8"	33 3/8"	3 1/2"	77 11/16" MIN	25"	3"	66"

STW SERIES

HIGH CAPACITY TOP RUNNING WIRE ROPE HOIST



All High Capacity Models Come Standard With True Vertical Lift




Model	Cap	Lift	HMI Duty Rating	Lifting Speed	Lifting Motor (HP)	Travel Speed	Trolley Motor (HP)	Gauge (G)	Weight	List
STW2511-20-460V-108	25 Ton	20'	H4	11/2.5 FPM	27	65/16 FPM	2.5	108"	3600 lbs	\$49,018
STW2511-30-460V-108	25 Ton	30'	H4	11/2.5 FPM	27	65/16 FPM	2.5	108"	3700 lbs	\$50,138
STW2511-40-460V-108	25 Ton	40'	H4	11/2.5 FPM	27	65/16 FPM	2.5	108"	3800 lbs	\$51,257
STW2511-50-460V-122	25 Ton	50'	H4	11/2.5 FPM	27	65/16 FPM	2.5	122"	3900 lbs	\$52,377
STW2511-60-460V-138	25 Ton	60'	H4	11/2.5 FPM	27	65/16 FPM	2.5	134"	4000 lbs	\$53,496
STW3011-20-460V-108	30 Ton	20'	H4	11/2.5 FPM	51	65/16 FPM	2.5	108"	4000 lbs	\$50,714
STW3011-30-460V-108	30 Ton	30'	H4	11/2.5 FPM	51	65/16 FPM	2.5	108"	4100 lbs	\$51,834
STW3011-40-460V-108	30 Ton	40'	H4	11/2.5 FPM	51	65/16 FPM	2.5	108"	4200 lbs	\$52,953
STW3011-50-460V-122	30 Ton	50'	H4	11/2.5 FPM	51	65/16 FPM	2.5	122"	4300 lbs	\$54,073
STW3011-60-460V-138	30 Ton	60'	H4	11/2.5 FPM	51	65/16 FPM	2.5	134"	4400 lbs	\$55,192
STW4016-20-460V-84	40 Ton	20'	H4	15/2.5 FPM	51	65/16 FPM	3.5	84"	5500 lbs	\$75,648
STW4016-30-460V-84	40 Ton	30'	H4	15/2.5 FPM	51	65/16 FPM	3.5	84"	5500 lbs	\$77,005
STW4016-40-460V-96	40 Ton	40'	H4	15/2.5 FPM	51	65/16 FPM	3.5	96"	5600 lbs	\$78,362
STW4016-50-460V-108	40 Ton	50'	H4	15/2.5 FPM	51	65/16 FPM	3.5	108"	5700 lbs	\$79,719
STW4016-60-460V-108	40 Ton	60'	H4	15/2.5 FPM	51	65/16 FPM	3.5	108"	5800 lbs	\$81,076
STW5011-20-460V-108	50 Ton	20'	H4	11/2.5 FPM	51	65/16 FPM	3.5	108"	7500 lbs	\$79,719
STW5011-30-460V-108	50 Ton	30'	H4	11/2.5 FPM	51	65/16 FPM	3.5	108"	7500 lbs	\$81,517
STW5011-40-460V-108	50 Ton	40'	H4	11/2.5 FPM	51	65/16 FPM	3.5	108"	7700 lbs	\$83,315
STW5011-50-460V-138	50 Ton	50'	H4	11/2.5 FPM	51	65/16 FPM	3.5	122"	7900 lbs	\$85,113
STW5011-60-460V-150	50 Ton	60'	H4	11/2.5 FPM	51	65/16 FPM	3.5	150"	8100 lbs	\$86,911

- Standard voltage for all models listed above is 460V-3 phase.
- All models include Load Cell with 3" LED Display showing Live Load Lbs
- All models have VFD controlled lifting and VFD trolley



Standard VFD
Lift & Trolley Motion
 (7.5 Ton and Greater Capacities)

VFD TECHNOLOGY
 FEATURING
DANFOSS DRIVES






STW Series (High Capacity) Wire Rope Hoist Dimensions					
SKU	MIN GA	L	W	H	C
STW2511-30	108"	112 ¼"	73"	24 ½"	34 ¼"
STW3011-30	108"	112 ¼"	73"	24 ½"	34 ¼"
STW4016-30	84"	104 ½"	84 ¼"	38 ½"	40 ¾"
STW5011-30	108"	120"	82 ½"	38 ½"	40 ¾"

STW SERIES

DOUBLE HOISTS



Model	Cap	Lift	HMI Duty Rating	Lifting Speed (FPM)	Lifting Motor (HP)	Travel Speed (FPM)	Trolley Motor (HP)	Gauge (G)	Weight	List
STW15D05-20-460V-78	15 Ton	20'	H4	20	21.4	75	1.27 x 2	78	3,283 lbs	\$40,114
STW15D05-30-460V-78	15 Ton	30'	H4	20	21.4	75	1.27 x 2	78	3,424 lbs	\$42,234
STW15D05-40-460V-78	15 Ton	40'	H4	20	21.4	75	1.27 x 2	78	3,526 lbs	\$44,354
STW15D05-50-460V-78	15 Ton	50'	H4	20	21.4	75	1.27 x 2	78	3,744 lbs	\$46,474
STW15D05-60-460V-96	15 Ton	60'	H4	20	21.4	75	1.27 x 2	96	3,924 lbs	\$48,594
STW40D10-20-460V-108	40 Ton	20'	H4	16	50.9	65	3.5 x 2	108	6,347 lbs	\$88,522
STW40D10-30-460V-108	40 Ton	30'	H4	16	50.9	65	3.5 x 2	108	6,627 lbs	\$90,236
STW40D10-40-460V-108	40 Ton	40'	H4	16	50.9	65	3.5 x 2	108	6,907 lbs	\$91,948
STW40D10-50-460V-108	40 Ton	50'	H4	16	50.9	65	3.5 x 2	108	7,188 lbs	\$93,662
STW40D10-60-460V-108	40 Ton	60'	H4	16	50.9	65	3.5 x 2	108	7,469 lbs	\$95,375
STW50D15-20-460V-108	50 Ton	20'	H4	11	50.9	65	3.5 x 2	108	8,814 lbs	\$104,754
STW50D15-30-460V-108	50 Ton	30'	H4	11	50.9	65	3.5 x 2	108	9,095 lbs	\$107,128
STW50D15-40-460V-108	50 Ton	40'	H4	11	50.9	65	3.5 x 2	108	9,376 lbs	\$109,504
STW50D15-50-460V-134	50 Ton	50'	H4	11	50.9	65	3.5 x 2	134	9,657 lbs	\$111,878
STW50D15-60-460V-150	50 Ton	60'	H4	11	50.9	65	3.5 x 2	150	9,936 lbs	\$114,253



STW Series (High Capacity) Wire Rope Hoist Dimensions					
SKU	MIN GA	L	W	H	C
STW2511-30	108"	112 ¼"	73"	24 ½"	34 ¼"
STW3011-30	108"	112 ¼"	73"	24 ½"	34 ¼"
STW4016-30	84"	104 ½"	84 ¼"	38 ½"	40 ¾"
STW5011-30	108"	120"	82 ½"	38 ½"	40 ¾"

SMW & STW WIRE ROPE HOIST FEATURES



Precision Lift Gear Box

The gear box is a three stage oil bath, precision geared, and sealed with cast-aluminum covers designed for great heat dissipation and easy maintenance.



Load Cell with LED Display

All SMW & STW models come standard with a load cell on the wire rope dead end connection that displays live load weight at all times. The 3" display lets the operator know at a glance how many pounds the system is carrying. This adds safety for the operator, longevity of the hoist, and provides the ability to calculate load weights for freight companies.



Wire Rope Drum Guide

The rope drum is deeply grooved with high quality seamless steel tube and a high tensile rope guide for optimum line arrangement, greater safety factor, and longer life.



Efficient Lifting Motor

Hoists feature a heavy duty lifting motor designed for long component life and ease of routine service.



Travel Limit Control

For additional safety, this hoist comes standard with built in travel limit controls for both up and down travel operation.



3 & 5 Ton Hoist Panel

High quality NEMA 35 control panel. Includes phase protection, motor overheating protection, as well as transformer circuit fuse protection. Includes Danfoss VLT Microdrive to control trolley travel speed allowing adjustable smooth ramp-up options.



**VLT
Micro Drive**

VFD TECHNOLOGY FEATURING DANFOSS DRIVES

- VFD Controlled Lift
- VFD Controlled Trolley Motion
- Improves Load Control
- Infinitely Adjustable Ramp Up & Down Control of Lift and Trolley Motion



HD Hook Block

Robust all-metal lower hook assembly designed for many years of operation even in tough environments. Includes easy to remove covers for maintenance and wire rope replacement. The Hook is designed to freely swivel 360 degrees for convenient load attachment.




Optional Pendant Control

Quality 2-Speed pendant control with E-Stop. Select 2-Motion for monorail applications and 3-Motion when the hoist is paired with a bridge crane.

ASCE RAIL SPECS

Rail Type	Suggested Bridge Capacity	Recommended Endtrucks	Height (A)	Base Width (B)	Head Width (C)
#30	3T - 5T	STT-130 Series	3 1/8"	3 1/8"	1 11/16"
#30	5T - 10T	STT-170 Series	3 1/8"	3 1/8"	1 11/16"
#40	10T - 15T	STT-250 Series	3 1/2"	3 1/2"	1 7/8"
#60	15T - 25T	STT-300 Series	4 1/4"	4 1/4"	2 3/8"





Crane Rail Max Wheel Loading						
STT End Truck Wheel Specs			ASCE Crane Rail Size			
Wheel Diameter		Wheel Hardness	25#	30#	40#	60#
mm	in.	BHN (Brinell Hardness Number)	Wheel Loading (lbs)			
130	5.12	420	7,136	7,136		
170	6.69	420	10,800	10,800	10,800	
250	9.84	420		18,400	18,400	18,400
300	11.81	420		21,700	25,489	28,000

CRANE COMPONENTS

Top-Running "STT" Series Motorized Fixed Axle End Trucks Designed for ASCE Rail Runways

Model Number Chart



3 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base (in.)	Max Bridge Span (ft.)	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading	Total Weight Set	List
STT-130-100-42	3 Ton	100 FPM	5.12" (130mm)	42	28	230/460	1	5.2/2.6	H4	10,000	7,600 lbs	490 lbs	\$4,052
STT-130-100-48	3 Ton	100 FPM	5.12" (130mm)	48	32	230/460	1	5.2/2.6	H4	10,000	7,600 lbs	512 lbs	\$4,194
STT-130-100-54	3 Ton	100 FPM	5.12" (130mm)	54	36	230/460	1	5.2/2.6	H4	10,000	7,600 lbs	535 lbs	\$4,322
STT-130-100-60	3 Ton	100 FPM	5.12" (130mm)	60	40	230/460	1	5.2/2.6	H4	10,000	7,600 lbs	557 lbs	\$4,521
STT-130-100-66	3 Ton	100 FPM	5.12" (130mm)	66	44	230/460	1	5.2/2.6	H4	10,000	7,600 lbs	580 lbs	\$4,715
STT-130-100-72	3 Ton	100 FPM	5.12" (130mm)	72	48	230/460	1	5.2/2.6	H4	10,000	7,600 lbs	602 lbs	\$4,905

- All end truck sets ship prime painted gray
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake
- Price includes seat plates and hardware
- STT-130 & STT-170 capable of single phase (230V Only)

Top-Running "STT" Series Motorized End Trucks 5 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base (in.)	Max Bridge Span (ft.)	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading	Total Weight Set	List
STT-170-150-48	5 Ton	150 FPM	6.69" (170mm)	48"	32'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	625 lbs	\$5,679
STT-170-150-54	5 Ton	150 FPM	6.69" (170mm)	54"	36'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	657 lbs	\$5,872
STT-170-150-60	5 Ton	150 FPM	6.69" (170mm)	60"	40'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	688 lbs	\$6,064
STT-170-150-66	5 Ton	150 FPM	6.69" (170mm)	66"	44'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	720 lbs	\$6,257
STT-170-150-72	5 Ton	150 FPM	6.69" (170mm)	72"	48'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	752 lbs	\$6,449
STT-170-150-78	5 Ton	150 FPM	6.69" (170mm)	78"	52'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	784 lbs	\$6,581
STT-170-150-84	5 Ton	150 FPM	6.69" (170mm)	84"	56'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	816 lbs	\$6,709
STT-170-150-90	5 Ton	150 FPM	6.69" (170mm)	90"	60'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	848 lbs	\$6,833
STT-170-150-96	5 Ton	150 FPM	6.69" (170mm)	96"	64'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	880 lbs	\$6,906
STT-170-150-102	5 Ton	150 FPM	6.69" (170mm)	102"	68'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	911 lbs	\$7,072
STT-170-150-108	5 Ton	150 FPM	6.69" (170mm)	108"	72'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	943 lbs	\$7,186
STT-170-150-114	5 Ton	150 FPM	6.69" (170mm)	114"	76'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	975 lbs	\$7,296
STT-170-150-120	5 Ton	150 FPM	6.69" (170mm)	120"	80'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	1,007 lbs	\$7,403
STT-170-150-126	5 Ton	150 FPM	6.69" (170mm)	126"	84'	230/460	1.5	7.8/3.9	H4	10,000	12,500 lbs	1,039 lbs	\$7,957

Top-Running "STT" Series Motorized End Trucks 10 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base (in.)	Max Bridge Span (ft.)	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading	Total Weight Set	List
STT-250-150-54	10 Ton	150 FPM	9.84" (250mm)	54"	36'	230/460	2	10/5	H4	10,000	18,400 lbs	1,281 lbs	\$8,982
STT-250-150-60	10 Ton	150 FPM	9.84" (250mm)	60"	40'	230/460	2	10/5	H4	10,000	18,400 lbs	1,330 lbs	\$9,040
STT-250-150-72	10 Ton	150 FPM	9.84" (250mm)	72"	48'	230/460	2	10/5	H4	10,000	18,400 lbs	1,379 lbs	\$9,099
STT-250-150-78	10 Ton	150 FPM	9.84" (250mm)	78"	52'	230/460	2	10/5	H4	10,000	18,400 lbs	1,427 lbs	\$9,157
STT-250-150-84	10 Ton	150 FPM	9.84" (250mm)	84"	56'	230/460	2	10/5	H4	10,000	18,400 lbs	1,476 lbs	\$9,215
STT-250-150-90	10 Ton	150 FPM	9.84" (250mm)	90"	60'	230/460	2	10/5	H4	10,000	18,400 lbs	1,525 lbs	\$9,273
STT-250-150-96	10 Ton	150 FPM	9.84" (250mm)	96"	64'	230/460	2	10/5	H4	10,000	18,400 lbs	1,574 lbs	\$9,331
STT-250-150-102	10 Ton	150 FPM	9.84" (250mm)	102"	68'	230/460	2	10/5	H4	10,000	18,400 lbs	1,623 lbs	\$9,389
STT-250-150-108	10 Ton	150 FPM	9.84" (250mm)	108"	72'	230/460	2	10/5	H4	10,000	18,400 lbs	1,672 lbs	\$9,447
STT-250-150-114	10 Ton	150 FPM	9.84" (250mm)	114"	76'	230/460	2	10/5	H4	10,000	18,400 lbs	1,721 lbs	\$9,417
STT-250-150-120	10 Ton	150 FPM	9.84" (250mm)	120"	80'	230/460	2	10/5	H4	10,000	18,400 lbs	1,770 lbs	\$9,387
STT-250-150-126	10 Ton	150 FPM	9.84" (250mm)	126"	84'	230/460	2	10/5	H4	10,000	18,400 lbs	1,818 lbs	\$9,356
STT-250-150-132	10 Ton	150 FPM	9.84" (250mm)	132"	88'	230/460	2	10/5	H4	10,000	18,400 lbs	1,867 lbs	\$9,324
STT-250-150-138	10 Ton	150 FPM	9.84" (250mm)	138"	92'	230/460	2	10/5	H4	10,000	18,400 lbs	1,916 lbs	\$9,290
STT-250-150-144	10 Ton	150 FPM	9.84" (250mm)	144"	96'	230/460	2	10/5	H4	10,000	18,400 lbs	1,965 lbs	\$9,256
STT-250-150-150	10 Ton	150 FPM	9.84" (250mm)	150"	100'	230/460	2	10/5	H4	10,000	18,400 lbs	2,014 lbs	\$9,321

HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY


Top-Running "STT" Series Motorized End Trucks 15 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base (in.)	Max Bridge Span (ft.)	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading	Total Weight Set	List
STT-300-200-60	15 Ton	200 FPM	11.81" (300mm)	60"	40'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	1,822 lbs	\$13,077
STT-300-200-66	15 Ton	200 FPM	11.81" (300mm)	66"	44'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	1,880 lbs	\$13,424
STT-300-200-78	15 Ton	200 FPM	11.81" (300mm)	78"	52'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	1,939 lbs	\$13,770
STT-300-200-84	15 Ton	200 FPM	11.81" (300mm)	84"	56'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	1,997 lbs	\$13,995
STT-300-200-90	15 Ton	200 FPM	11.81" (300mm)	90"	60'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,055 lbs	\$13,710
STT-300-200-96	15 Ton	200 FPM	11.81" (300mm)	96"	64'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,113 lbs	\$14,038
STT-300-200-102	15 Ton	200 FPM	11.81" (300mm)	102"	68'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,171 lbs	\$14,367
STT-300-200-108	15 Ton	200 FPM	11.81" (300mm)	108"	72'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,229 lbs	\$14,696
STT-300-200-114	15 Ton	200 FPM	11.81" (300mm)	114"	76'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,287 lbs	\$15,025
STT-300-200-120	15 Ton	200 FPM	11.81" (300mm)	120"	80'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,345 lbs	\$15,354
STT-300-200-126	15 Ton	200 FPM	11.81" (300mm)	126"	84'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,403 lbs	\$15,683
STT-300-200-132	15 Ton	200 FPM	11.81" (300mm)	132"	88'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,461 lbs	\$16,011
STT-300-200-138	15 Ton	200 FPM	11.81" (300mm)	138"	92'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,520 lbs	\$16,340
STT-300-200-144	15 Ton	200 FPM	11.81" (300mm)	144"	96'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,578 lbs	\$16,669
STT-300-200-150	15 Ton	200 FPM	11.81" (300mm)	150"	100'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,636 lbs	\$16,842
STT-300-200-156	15 Ton	200 FPM	11.81" (300mm)	156"	104'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,694 lbs	\$17,009
STT-300-200-162	15 Ton	200 FPM	11.81" (300mm)	162"	108'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,752 lbs	\$17,169
STT-300-200-168	15 Ton	200 FPM	11.81" (300mm)	168"	112'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,810 lbs	\$17,324
STT-300-200-174	15 Ton	200 FPM	11.81" (300mm)	174"	116'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,868 lbs	\$17,473
STT-300-200-180	15 Ton	200 FPM	11.81" (300mm)	180"	120'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,926 lbs	\$17,616
STT-300-200-186	15 Ton	200 FPM	11.81" (300mm)	186"	124'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	2,984 lbs	\$17,752
STT-300-200-192	15 Ton	200 FPM	11.81" (300mm)	192"	128'	230/460	5	16.3/8.1	H4	10,000	31,000 lbs	3,042 lbs	\$17,883

Top-Running "STT" Series Motorized End Trucks 25 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base (in.)	Max Bridge Span (ft.)	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading	Total Weight Set	List
STT-500-100-102	25 Ton	100 FPM	20" (500mm)	102"	64'	230/460	5	26/13	H4	10000	55,000 lbs	3,244 lbs	\$24,964
STT-500-100-108	25 Ton	100 FPM	20" (500mm)	108"	64'	230/460	5	26/13	H4	10,000	55,000 lbs	3,496 lbs	\$26,342
STT-500-100-114	25 Ton	100 FPM	20" (500mm)	114"	64'	230/460	5	26/13	H4	10,000	55,000 lbs	3,682 lbs	\$25,872
STT-500-100-120	25 Ton	100 FPM	20" (500mm)	120"	70'	230/460	5	26/13	H4	10,000	55,000 lbs	3,727 lbs	\$27,158
STT-500-100-126	25 Ton	100 FPM	20" (500mm)	126"	73'	230/460	5	26/13	H4	10,000	55,000 lbs	3,772 lbs	\$27,429
STT-500-100-132	25 Ton	100 FPM	20" (500mm)	132"	77'	230/460	5	26/13	H4	10,000	55,000 lbs	3,817 lbs	\$27,607
STT-500-100-138	25 Ton	100 FPM	20" (500mm)	138"	80'	230/460	5	26/13	H4	10,000	55,000 lbs	3,862 lbs	\$28,802
STT-500-100-144	25 Ton	100 FPM	20" (500mm)	144"	84'	230/460	5	26/13	H4	10,000	55,000 lbs	3,907 lbs	\$29,996
STT-500-100-150	25 Ton	100 FPM	20" (500mm)	150"	87'	230/460	5	26/13	H4	10,000	55,000 lbs	3,952 lbs	\$31,190
STT-500-100-156	25 Ton	100 FPM	20" (500mm)	156"	91'	230/460	5	26/13	H4	10,000	55,000 lbs	3,997 lbs	\$32,385
STT-500-100-162	25 Ton	100 FPM	20" (500mm)	162"	94'	230/460	5	26/13	H4	10,000	55,000 lbs	4,042 lbs	\$33,579
STT-500-100-168	25 Ton	100 FPM	20" (500mm)	168"	98'	230/460	5	26/13	H4	10,000	55,000 lbs	4,087 lbs	\$34,773
STT-500-100-174	25 Ton	100 FPM	20" (500mm)	174"	101'	230/460	5	26/13	H4	10,000	55,000 lbs	4,132 lbs	\$37,351
STT-500-100-180	25 Ton	100 FPM	20" (500mm)	180"	105'	230/460	5	26/13	H4	10,000	55,000 lbs	4,177 lbs	\$37,162
STT-500-100-186	25 Ton	100 FPM	20" (500mm)	186"	108'	230/460	5	26/13	H4	10,000	55,000 lbs	4,222 lbs	\$38,357

- All end truck sets prime painted gray
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake
- Price includes seat plates and hardware




STT Dimensions

STT mm	A min	A max	B min	C	D	E	F	G	H	I	J	K	L	M
130	42"	72"	13"	3.34"	7.87"	5.90"	.78"	5.12"	1.96"	2.95"	2.95"	5"	2.18"	7.55"
170	48"	126"	15"	3.54"	9.84"	5.90"	1"	6.69"	2.76"	2.65"	3.24"	6"	2.18"	9.05"
250	54"	150"	19"	6.29"	11.81"	7.87"	1.96"	9.84"	2.76"	3.93"	3.93"	8"	3.12"	15.15"
300	60"	150"	23"	6.29"	15.74"	7.87"	1.96"	11.81"	3.14"	3.93"	3.93"	10"	3.12"	16.45"
	138"	192"	23"	6.29"	20"	8"	1.96"	11.81"	3.14"	4"	4"	10"	3.12"	16.45"
500	66"	192"	31"	8.07"	24"	11"	1.96"	19.68"	3.54"	5.11"	5.89"	14"	4.72"	16"
	192"	228"	31"	8.07"	30"	11"	1.96"	19.68"	3.54"	5.11"	5.89"	14"	4.72"	16"



THIS PAGE INTENTIONALLY LEFT BLANK

Top Runner "SCT" Series Motorized End Truck Set Designed for WF Beam



Model Number Chart

SCT	—	"130"	—	"100"	—	"78"
Model		Wheel Tread (mm)		Travel Speed (FPM)		Wheelbase (inches)
S = Starke						
C = Channel						
T = Top-Runner						



Top Runner "SCT" Series Motorized End Truck Set

1 - 2 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading (Pair)	Net Weight	List
SCT-110-100-42	1-2 Ton	100 FPM	4.33" (110mm)	42"	28'	230/460	0.5	3.6/1.8	H4	10,000	5,100 lbs	394 lbs	\$4,734
SCT-110-100-48	1-2 Ton	100 FPM	4.33" (110mm)	48"	32'	230/460	0.5	3.6/1.8	H4	10,000	5,100lbs	411 lbs	\$4,780
SCT-110-100-54	1-2 Ton	100 FPM	4.33" (110mm)	54"	36'	230/460	0.5	3.6/1.8	H4	10,000	5,100 lbs	429 lbs	\$4,826
SCT-110-100-60	1-2 Ton	100 FPM	4.33" (110mm)	60"	40'	230/460	0.5	3.6/1.8	H4	10,000	5,100lbs	446 lbs	\$4,871
SCT-110-100-66	1-2 Ton	100 FPM	4.33" (110mm)	66"	44'	230/460	0.5	3.6/1.8	H4	10,000	5,100 lbs	465 lbs	\$4,917
SCT-110-100-72	1-2 Ton	100 FPM	4.33" (110mm)	72"	48	230/460	0.5	3.6/1.8	H4	10,000	5,100lbs	533 lbs	\$4,963
SCT-110-100-78	1-2 Ton	100 FPM	4.33" (110mm)	78"	52'	230/460	0.5	3.6/1.8	H4	10,000	5,100 lbs	554 lbs	\$5,009


- This model is designed to run directly on top of WF Beam without using ASCE Rail and is generally recommended for Class C or less
- **End user to specify actual flange width of runway beam.**
- Standard available width range: 4"- 10"
- All end truck sets ship prime painted gray
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake

2 - 3 Ton Capacities

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	Bearing Life (Hrs)	MAX Wheel Loading (Pair)	Net Weight	List
SCT-130-100-48	2-3 Ton	100 FPM	5.12" (130mm)	48"	32'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	563 lbs	\$6,375
SCT-130-100-54	2-3 Ton	100 FPM	5.12" (130mm)	54"	36'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	587 lbs	\$6,427
SCT-130-100-60	2-3 Ton	100 FPM	5.12" (130mm)	60"	40'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	611 lbs	\$6,480
SCT-130-100-66	2-3 Ton	100 FPM	5.12" (130mm)	66"	44'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	636lbs	\$6,532
SCT-130-100-72	2-3 Ton	100 FPM	5.12" (130mm)	72"	48'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	730 lbs	\$6,585
SCT-130-100-78	2-3 Ton	100 FPM	5.12" (130mm)	78"	52'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	759 lbs	\$6,637
SCT-130-100-84	2-3 Ton	100 FPM	5.12" (130mm)	84"	56'	230/460	1	5.2/2.6	H4	10,000	8,500 lbs	788 lbs	\$6,690

- This model is designed to run directly on top of WF Beam without using ASCE Rail and is generally recommended for Class C or less
- **End user to specify actual flange width of runway beam.**
- Standard available width range: 4"- 10"
- All end truck sets ship prime painted gray
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake

Under-Running "SCU" Series Motorized End Truck Set Designed for WF or I-Beam



Model Number Chart

SCU	"130"	"100"	"54"
Model	Wheel Tread (mm)	Travel Speed (FPM)	Wheelbase (inches)
S = Starke C = Channel U = Under-Running			



Under-Running "SCU" Series Motorized End Truck Set

W-Beam

1/2 - 2 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-110-100-42-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	42"	28'	230/460	0.5	3.6/1.8	H4	5,100 lbs	394 lbs	\$5,009
SCU-110-100-48-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	48"	32'	230/460	0.5	3.6/1.8	H4	5,100 lbs	411 lbs	\$5,054
SCU-110-100-54-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	54"	36'	230/460	0.5	3.6/1.8	H4	5,100 lbs	429 lbs	\$5,100
SCU-110-100-60-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	60"	40'	230/460	0.5	3.6/1.8	H4	5,100 lbs	446 lbs	\$5,146
SCU-110-100-66-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	66"	44'	230/460	0.5	3.6/1.8	H4	5,100 lbs	465 lbs	\$5,191
SCU-110-100-72-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	72"	48'	230/460	0.5	3.6/1.8	H4	5,100 lbs	533 lbs	\$5,237
SCU-110-100-78-W	1/2 - 2 Ton	100 FPM	4.33" (110mm)	78"	52'	230/460	0.5	3.6/1.8	H4	5,100 lbs	554 lbs	\$5,283

- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- Standard size 4" – 16" flange widths. 3.25" flange widths require added package – **\$935.**
- End truck wheel base should be your bridge length in inches divided by 8.
- Motor includes holding brake.

S-Beam

1/2 - 2 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-110-100-42-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	42"	28'	230/460	0.5	5.2/2.6	H4	5,100 lbs	394 lbs	\$5,445
SCU-110-100-48-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	48"	32'	230/460	0.5	5.2/2.6	H4	5,100 lbs	411 lbs	\$5,490
SCU-110-100-54-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	54"	36'	230/460	0.5	5.2/2.6	H4	5,100 lbs	429 lbs	\$5,536
SCU-110-100-60-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	60"	40'	230/460	0.5	5.2/2.6	H4	5,100 lbs	446 lbs	\$5,582
SCU-110-100-66-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	66"	44'	230/460	0.5	5.2/2.6	H4	5,100 lbs	465 lbs	\$5,628
SCU-110-100-72-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	72"	48'	230/460	0.5	5.2/2.6	H4	5,100 lbs	533 lbs	\$5,673
SCU-110-100-78-S	1/2 - 2 Ton	100 FPM	4.33" (110mm)	78"	52'	230/460	0.5	5.2/2.6	H4	5,100 lbs	554 lbs	\$5,719

- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- Standard size 4" – 16" flange widths. 3.25" flange widths require added package – **\$935.**
- End truck wheel base should be your bridge length in inches divided by 8.
- Motor includes holding brake.

Under-Running "SCU" Series Motorized End Truck Set

W-Beam

2 - 3 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-130-100-48-W	2 - 3 Ton	100 FPM	5.12" (130mm)	48"	32'	230/460	1	5.2/2.6	H4	8,500 lbs	633 lbs	\$6,371
SCU-130-100-54-W	2 - 3 Ton	100 FPM	5.12" (130mm)	54"	36'	230/460	1	5.2/2.6	H4	8,500 lbs	662 lbs	\$6,415
SCU-130-100-60-W	2 - 3 Ton	100 FPM	5.12" (130mm)	60"	40'	230/460	1	5.2/2.6	H4	8,500 lbs	691 lbs	\$6,458
SCU-130-100-66-W	2 - 3 Ton	100 FPM	5.12" (130mm)	66"	44'	230/460	1	5.2/2.6	H4	8,500 lbs	720 lbs	\$6,502
SCU-130-100-72-W	2 - 3 Ton	100 FPM	5.12" (130mm)	72"	48'	230/460	1	5.2/2.6	H4	8,500 lbs	751 lbs	\$6,545
SCU-130-100-78-W	2 - 3 Ton	100 FPM	5.12" (130mm)	78"	52'	230/460	1	5.2/2.6	H4	8,500 lbs	780 lbs	\$6,589
SCU-130-100-84-W	2 - 3 Ton	100 FPM	5.12" (130mm)	84"	56'	230/460	1	5.2/2.6	H4	8,500 lbs	809 lbs	\$6,632

- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- Standard size 4" – 16" flange widths. 3.25" flange widths require added package – **\$935.**
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake

S-Beam

2 - 3 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-130-100-48-S	2 - 3 Ton	100 FPM	5.12" (130mm)	48"	32'	230/460	1	5.2/2.6	H4	8,500 lbs	633 lbs	\$6,719
SCU-130-100-54-S	2 - 3 Ton	100 FPM	5.12" (130mm)	54"	36'	230/460	1	5.2/2.6	H4	8,500 lbs	662 lbs	\$6,763
SCU-130-100-60-S	2 - 3 Ton	100 FPM	5.12" (130mm)	60"	40'	230/460	1	5.2/2.6	H4	8,500 lbs	691 lbs	\$6,806
SCU-130-100-66-S	2 - 3 Ton	100 FPM	5.12" (130mm)	66"	44'	230/460	1	5.2/2.6	H4	8,500 lbs	720 lbs	\$6,850
SCU-130-100-72-S	2 - 3 Ton	100 FPM	5.12" (130mm)	72"	48'	230/460	1	5.2/2.6	H4	8,500 lbs	751 lbs	\$6,893
SCU-130-100-78-S	2 - 3 Ton	100 FPM	5.12" (130mm)	78"	52'	230/460	1	5.2/2.6	H4	8,500 lbs	780 lbs	\$6,937
SCU-130-100-84-S	2 - 3 Ton	100 FPM	5.12" (130mm)	84"	56'	230/460	1	5.2/2.6	H4	8,500 lbs	809 lbs	\$6,980

- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- Standard size 4" – 16" flange widths. 3.25" flange widths require added package – **\$935.**
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake

Under-Running "SCU" Series Motorized End Truck Set

W-Beam

5 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-160-100-54-W	5 Ton	100 FPM	6.29" (160mm)	54"	36'	230/460	1.5	7.8/3.9	H4	15,300 lbs	990 lbs	\$7,913
SCU-160-100-60-W	5 Ton	100 FPM	6.29" (160mm)	60"	40'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,090 lbs	\$8,024
SCU-160-100-66-W	5 Ton	100 FPM	6.29" (160mm)	66"	44'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,190 lbs	\$8,134
SCU-160-100-72-W	5 Ton	100 FPM	6.29" (160mm)	72"	48'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,290 lbs	\$8,244
SCU-160-100-78-W	5 Ton	100 FPM	6.29" (160mm)	78"	52'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,390 lbs	\$8,355
SCU-160-100-84-W	5 Ton	100 FPM	6.29" (160mm)	84"	56'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,490 lbs	\$8,465
SCU-160-100-90-W	5 Ton	100 FPM	6.29" (160mm)	90"	60'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,590 lbs	\$8,576
SCU-160-100-96-W	5 Ton	100 FPM	6.29" (160mm)	96"	64'	230/460	1.5	7.8/3.9	H4	15,300 lbs	1,690 lbs	\$8,711

- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- Standard size 4" – 16" flange widths. 3.25" flange widths require added package – **\$935.**
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake

S-Beam

5 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-160-100-54-S	5 Ton	100 FPM	6.29" (160mm)	54"	36'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	990 lbs	\$8,576
SCU-160-100-60-S	5 Ton	100 FPM	6.29" (160mm)	60"	40'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,090 lbs	\$8,576
SCU-160-100-66-S	5 Ton	100 FPM	6.29" (160mm)	66"	44'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,190 lbs	\$8,576
SCU-160-100-72-S	5 Ton	100 FPM	6.29" (160mm)	72"	48'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,290 lbs	\$8,576
SCU-160-100-78-S	5 Ton	100 FPM	6.29" (160mm)	78"	52'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,390 lbs	\$8,576
SCU-160-100-84-S	5 Ton	100 FPM	6.29" (160mm)	84"	56'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,490 lbs	\$8,576
SCU-160-100-90-S	5 Ton	100 FPM	6.29" (160mm)	90"	60'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,590 lbs	\$8,576
SCU-160-100-96-S	5 Ton	100 FPM	6.29" (160mm)	96"	64'	230/460	1 1/2	5.2/2.6	H4	15,300 lbs	1,690 lbs	\$8,576

- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- Standard size 4" – 16" flange widths. 3.25" flange widths require added package – **\$935.**
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake

Under-Running "SCU" Series Motorized End Truck Set

7 1/2 - 10 Ton Capacity

SKU	Cap	Speed	Wheel Tread	Wheel Base	Max Span	Voltage	HP	Amp @ 230/460 (One Motor)	Motor Rating	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SCU-190-100-60	7.5 - 10 Ton	100 FPM	7.48" (190mm)	60"	40'	230/460	2	10/5	H4	25,500 lbs	1,695 lbs	\$11,060
SCU-190-100-66	7.5 - 10 Ton	100 FPM	7.48" (190mm)	66"	44'	230/460	2	10/5	H4	25,500 lbs	1,765 lbs	\$11,277
SCU-190-100-72	7.5 - 10 Ton	100 FPM	7.48" (190mm)	72"	48'	230/460	2	10/5	H4	25,500 lbs	1,835 lbs	\$11,495
SCU-190-100-78	7.5 - 10 Ton	100 FPM	7.48" (190mm)	78"	52'	230/460	2	10/5	H4	25,500 lbs	1,905 lbs	\$11,712
SCU-190-100-84	7.5 - 10 Ton	100 FPM	7.48" (190mm)	84"	56'	230/460	2	10/5	H4	25,500 lbs	1,975 lbs	\$11,930
SCU-190-100-90	7.5 - 10 Ton	100 FPM	7.48" (190mm)	90"	60'	230/460	2	10/5	H4	25,500 lbs	2,045 lbs	\$12,147
SCU-190-100-96	7.5 - 10 Ton	100 FPM	7.48" (190mm)	96"	64'	230/460	2	10/5	H4	25,500 lbs	2,115 lbs	\$12,364
SCU-190-100-102	7.5 - 10 Ton	100 FPM	7.48" (190mm)	102"	68'	230/460	2	10/5	H4	25,500 lbs	2,185 lbs	\$12,582
SCU-190-100-108	7.5 - 10 Ton	100 FPM	7.48" (190mm)	108"	72'	230/460	2	10/5	H4	25,500 lbs	2,255 lbs	\$12,799
SCU-190-100-114	7.5 - 10 Ton	100 FPM	7.48" (190mm)	114"	76'	230/460	2	10/5	H4	25,500 lbs	2,325 lbs	\$13,017
SCU-190-100-120	7.5 - 10 Ton	100 FPM	7.48" (190mm)	120"	80'	230/460	2	10/5	H4	25,500 lbs	2,395 lbs	\$13,234


- All end truck sets ship prime painted gray
- **End user to specify actual flange width of runway beam.**
- End truck wheel base should be your bridge length in inches divided by 8
- Motor includes holding brake
- Tapered Wheels for S Beams Available – **Add \$400 to List Price**



Rubber Crane Bumpers



To be used for crane end trucks, hoist trolleys, or general industrial applications.

SKU	Size	Dimensions	List
600-50035	Small	1 1/2" Dia x 1 1/2" Length	\$14
600-50036	Medium	2 3/8" Dia x 2 3/16" Length	\$26
600-50037	Large	3 1/8" Dia x 3 1/8" Length	\$55
600-50275	Extra Large	6 5/16" Dia x 4 5/8" Length	\$90



Rubber Bumper Dimensions				
	A	B	C	D
600-50035	1 1/2"	1 1/2"	1"	5/16-18 NC
600-50036	2 3/8"	2"	1 1/4"	M14 x 2.0
600-50037	3 1/8"	3 1/8"	1 1/2"	M16 x 2.0
600-50275	6 1/4"	5"	1 5/8"	M16 x 2.0

Manual End Trucks "SBK" Under-Running Series



SKU	Recommended Capacity	Wheelbase	Wheel Type	Flange Width Range	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SBK-1048-07	½ Ton	39.5"	4" OD ACETAL Plastic	4" - 7"	800 lbs	139 lbs	\$1,305
SBK-1048-10	½ Ton	39.5"	4" OD ACETAL Plastic	7" - 10"	800 lbs	159 lbs	\$1,370
SBK-2048-07	1 Ton	39.5"	4" OD ACETAL Plastic	4" - 7"	1,425 lbs	203 lbs	\$1,479
SBK-2048-10	1 Ton	39.5"	4" OD ACETAL Plastic	7" - 10"	1,425 lbs	223 lbs	\$1,522
SBK-4048-07	2 Ton	39.5"	4.25" OD Machined Steel	4" - 7"	2,450 lbs	243 lbs	\$1,740
SBK-4048-10	2 Ton	39.5"	4.25" OD Machined Steel	7" - 10"	2,450 lbs	263 lbs	\$1,848
SBK01ST	Upgrade Above Models to tapered wheel kit for Standard American I-Beams						\$218




- SBK01ST kit price only valid at time of end truck order
- Flange width is adjustable to any size within the flange width range.

SKU	Recommended Capacity	Wheelbase	Wheel Type	Flange Width Range	MAX Wheel Loading (Pair)	Net Weight (Set)	List
SBK-6060-07	3 Ton	50.5"	6" Machined Steel	4" - 7"	3,825 lbs	491 lbs	\$2,392
SBK-6060-10	3 Ton	50.5"	6" Machined Steel	7" - 10"	3,825 lbs	511 lbs	\$2,501

- This model is designed to run directly on Wide Flange Beam.
- Flange width is adjustable to any size within the flange width range.
- Ships prime painted gray
- Max bridge span 26'.

"SBK" Under-Running Kits

- This page gives details of the 1 Ton (SBK-2048) manual end truck kit. For drawings of other models, contact your distributor.
- Angle bracing and beam does not ship with SBK Endtruck Kits




ENCLOSED TRACK

This track is intended to sell to distributors who want to design and fabricate custom systems that are not available off the shelf from a workstation manufacturer.

300 Series Track

Engineered to work well as a light to medium duty option for a variety of applications from workstation cranes and jibs to fall protection.


SKU	Description	Finish	Length	Weight	List
S300-C	3" x 2.5" x 7ga (Grade #50 Steel)	Raw Unpainted	Cut to Any Custom Length	5lbs / ft	\$26/ft
S300-21	3" x 2.5" x 7ga (Grade #50 Steel)	Raw Unpainted	21' Stock	105 lbs	\$504
S300-32	3" x 2.5" x 7ga (Grade #50 Steel)	Raw Unpainted	32' Stock	160 lbs	\$736
S300-43	3" x 2.5" x 7ga (Grade #50 Steel)	Raw Unpainted	43' Stock	215 lbs	\$946
S300-53	3" x 2.5" x 7ga (Grade #50 Steel)	Raw Unpainted	53' Stock	265 lbs	\$1,113
S300-55	3" x 2.5" x 7ga (Grade #50 Steel)	Raw Unpainted	55' Stock	275 lbs	\$1,155



400 Series Track

Engineered to work well as a medium to heavy duty option for a variety of applications from workstation cranes and jibs to fall protection requiring extended spans.

SKU	Description	Finish	Length	Weight	List
S400-C	4" x 3.5" x ¼" (Grade A36 Steel)	Raw Unpainted	Cut to Any Custom Length	9.5lbs / ft	\$41/ft
S400-37	4" x 3.5" x ¼" (Grade A36 Steel)	Raw Unpainted	37'-8" Stock	304lbs	\$1,097



Enclosed Track Components

SKU	Description	Track Series	Finish	Weight	List
S300-SFT	Fall Arrest Rated Trolley (420 lbs)	300	Yellow Zinc	4 lbs	\$479
S300-EMT	Hoist Trolley (Rated 1,000 lbs)	300	Yellow Zinc	3 lbs	\$386
S300-ETK	Standard Wheelbase Single End Truck (Rated 1,000 lbs)	300	Yellow Zinc	19 lbs	\$540
S300-XET	Extended Wheelbase Single End Truck (Rated 1,000 lbs)	300	Yellow Paint	57 lbs	\$896
S300-CFT	Flat Cable Festoon Trolley	300	Zinc/Plastic	0.66 lbs	\$48
S300-CET	Flat Cable Festoon End Clamp	300	Zinc/Plastic	0.85 lbs	\$22
S300-AFT	Air Hose Festoon Trolley	300	Zinc/Plastic	0.89 lbs	\$56
S300-AET	Air Hose Festoon End Clamp	300	Zinc/Plastic	0.95 lbs	\$49
S300-ESK	End Stop Kit with Rubber Bushing	300	Zinc/Rubber	0.59 lbs	\$23
S300-TSK	8" Track Splice Kit (w/set bolts)	300	Yellow Zinc	7 lbs	\$106
S400-SFT	Fall Arrest Rated Trolley (420 lbs)	400	Yellow Zinc	7 lbs	\$697
S400- EMT	Hoist Trolley (Rated 2,000 lbs)	400	Yellow Zinc	5 lbs	\$514
S400-ETK	Standard Wheelbase Single End Truck (Rated 2,000 lbs)	400	Yellow Zinc	31 lbs	\$766
S400-XET	Extended Wheelbase Single End Truck (Rated 4,000 lbs)	400	Yellow Paint	93 lbs	\$1,262
S400-ESK	End Stop Kit with Rubber Bushing	400	Zinc/Rubber	0.75 lbs	\$32
S400-TSK	12" Track Splice Kit (w/set bolts)	400	Yellow Zinc	11 lbs	\$142



**Fall Arrest Trolley
(SFT)**



**Festoon Trolley
(CFT)**




**End Truck
(ETK)**



**Hoist Trolley
(EMT)**



**Track Splice
(TSK)**



**End Truck
(XET)**


ELECTRIFICATION

ElectroTrack

Enclosed Conductor Bar


Complete packages below designed for straight runway and bridge systems only.

Model Number Chart



SKU	Length	Quantity/PCS	Conductor	Amp	Environment	Net Weight	List
SET4-65-26KIT	26'	2	4	65	0-155°F	26 lbs	\$688
SET4-65-39KIT	39'	3	4	65	0-155°F	37 lbs	\$908
SET4-65-52KIT	52'	4	4	65	0-155°F	47 lbs	\$1,128
SET4-65-65KIT	65'	5	4	65	0-155°F	58 lbs	\$1,348
SET4-65-78KIT	78'	6	4	65	0-155°F	69 lbs	\$1,568
SET4-65-91KIT	91'	7	4	65	0-155°F	80 lbs	\$1,788
SET4-65-104KIT	104'	8	4	65	0-155°F	94 lbs	\$2,008
SET4-65-117KIT	117'	9	4	65	0-155°F	105 lbs	\$2,228
SET4-65-130KIT	130'	10	4	65	0-155°F	116 lbs	\$2,448
SET4-65-143KIT	143'	11	4	65	0-155°F	127 lbs	\$2,668
SET4-65-156KIT	156'	12	4	65	0-155°F	138 lbs	\$2,888
SET4-120-26KIT	26'	2	4	120	0-155°F	26 lbs	\$990
SET4-120-39KIT	39'	3	4	120	0-155°F	37 lbs	\$1,265
SET4-120-52KIT	52'	4	4	120	0-155°F	47 lbs	\$1,568
SET4-120-65KIT	65'	5	4	120	0-155°F	58 lbs	\$1,870
SET4-120-78KIT	78'	6	4	120	0-155°F	69 lbs	\$2,173
SET4-120-91KIT	91'	7	4	120	0-155°F	80 lbs	\$2,475
SET4-120-104KIT	104'	8	4	120	0-155°F	94 lbs	\$2,778
SET4-120-117KIT	117'	9	4	120	0-155°F	105 lbs	\$3,080
SET4-120-130KIT	130'	10	4	120	0-155°F	116 lbs	\$3,383
SET4-120-143KIT	143'	11	4	120	0-155°F	127 lbs	\$3,685
SET4-120-156KIT	156'	12	4	120	0-155°F	138 lbs	\$3,988

- Above packages include Conductor Rail, Hangers to be supported at 79" Centers, Copper Splice Connectors, Splice Covers, (1) 40 Amp Collector with Tow Arm, End Caps, and Power End Feed.
- Installer is responsible to cut rail to exact lengths at job-site and bend/punch copper conductors at the appointed location to fit system.
- Not advised to be in direct sunlight or plastic will break down over a period of time. MFG advises heat/weather shield.



Components Pricing

SKU	Description	Electrotrack AMP Model	Net Weight	List
SET4-65-13	13' Conductor Bar	65	13 lbs	\$255
SET4-65-13B	13' Conductor Bar 50pc Bulk	65	13 lbs	\$235/ea
SET-90072	Copper Splice Connectors	65	.03 lbs	\$4.80
SET-90085	Copper Splice Connectors 200pc Bulk	65	.03 lbs	\$4.37/ea
SET-90071	Plastic Splice Cover	65	.2 lbs	\$2.03
SET-90086	Plastic Splice Cover 50pc Bulk	65	.2 lbs	\$2.49/ea
SET-90069	Center Power Feed Kit	65	1.75 lbs	\$75
SET4-120-13	13' Conductor Bar	120	13 lbs	\$386
SET4-120-13B	13' Conductor Bar 50pc Bulk	120	650 lbs	\$337/ea
SET-90081	Copper Splice Connectors	120	.1 lbs	\$5.38
SET-90082	Copper Splice Connectors 200pc Bulk	120	20 lbs	\$4.89/ea
SET-90083	Plastic Splice Cover	120	.2 lbs	\$5.20
SET-90084	Plastic Splice Cover 50pc Bulk	120	20 lbs	\$2.60/ea
SET-90088	Center Power Feed Kit	120	1.75 lbs	\$75
SET-90075	Hanger	65/120	.1 lbs	\$5.78
SET-90087	Hanger 100 pc Bulk	65/120	10 lbs	\$4.80/ea
SET-90068	End Power Feed Kit	65/120	.6 lbs	\$26
SET-90074	End Cap	65/120	.1 lbs	\$6.35
SET-90066	40 Amp Single Collector	65/120	1.90 lbs	\$119
SET-90067	Single Tow Arm	65/120	1.03 lbs	\$25
SET-90065	Dust Seal	65/120	0.19 lbs/ ft	\$7/ft

If tandem collectors are required, figure (2) Single collectors and tow arms above



Enclosed Power Rail
Model No: SET4-65-13
Lot No: 90104
MFG Date: 01/2020
Rating: 65 Amp - 4 Conductor
Environment: 0°F - 155°F




starkeamerica.com


MFG in China to ISO 9001 Standards




Including Bulk Stock Listed Above.



65 Amp (SET4-65)



120 Amp (SET4-120)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY


FlexTrack

Enclosed 65 Amp Conductor Rail

These components are not typically in stock, but are custom designed and produced for complex loop monorail systems that include horizontal turns.




Model Number Chart



SKU	Linear Length	Custom Radius	Degree of Turn	Conductor	Amp	Environment	Net Weight	List
SFR4-65-S	13'	Straight	Straight	4	65	0-155°F	18 lbs	\$550
SFR4-65-(R)-90	13'	72" - 144"	90°	4	65	0-155°F	36 lbs	\$715
SFR4-65-(R)-45	13'	72" - 144"	45°	4	65	0-155°F	54 lbs	\$699
SFR4-65-(R)-22	13'	72" - 144"	22.5°	4	65	0-155°F	72 lbs	\$682
SFR4-65-(R)-C	13'	72" - 144"	Custom 10°-90°	4	65	0-155°F	90 lbs	\$798

- Typical lead time is 10-12 weeks after drawing approval by distributor and/or end use customer.
- All above components are 4 conductor, 65 Amps, and designed for environments between 0-155°F.
- In order to complete a 90° turn with one turn section above, we recommend the use of a 6 ft (72") radius if possible.
- Installer is responsible to cut rail to exact lengths at job-site and bend/punch copper conductors at the appointed location to fit system.
- Not advised to be in direct sunlight or plastic will break down over a period of time. MFG advises heat/weather shield.

Formula for Finding Out How Many Pieces to Order




Additional Components

SKU	Description	Net Weight	List
SFR-90071	40 Amp Single Collector for Radius	1.72 lbs	\$198
SFR-90072	Single Tow Arm	1.03 lbs	\$52
SFR-90073	End Power Feed	.55 lbs	\$99
SFR-90074	Center Power Feed	1.035 lbs	\$102
SFR-90075	Plastic Splice Cover Kit + 4 Connectors	.2 lbs	\$13
SET-90073	Hole Punch (1/4") For Power Feed	3.8 lbs	\$281

- If tandem collectors are required, simply figure (2) Single collectors and tow arms above



65 Amp (SFR4-65)




Festoon Cable Only

SKU	# of wires	AWG	Length	Net Weight	Price per ft	Bulk List
SFC4W-14AWG	4	14	Custom per ft	.135 lbs / ft	\$2.59	Use price per ft up to 499'
SFC4W-14AWG-500	4	14	500' reel	67.5 lbs	\$2.39	\$1,195
SFC4W-14AWG-1000	4	14	1000' reel	135 lbs	\$2.23	\$2,230
SFC8W-14AWG	8	14	Custom per ft	.23 lbs / ft	\$4.47	Use price per ft up to 499'
SFC8W-14AWG-500	8	14	500' reel	115 lbs	\$4.10	\$2,050
SFC8W-14AWG-1000	8	14	1000' reel	230 lbs	\$3.83	\$3,830
SFC12W-16AWG	12	16	Custom per ft	.22 lbs / ft	\$6.39	Use price per ft up to 499'
SFC12W-16AWG-500	12	16	500' reel	110 lbs / ft	\$5.77	\$2,885
SFC12W-16AWG-1000	12	16	1000' reel	220 lbs / ft	\$5.31	\$5,311
SFC12W-14AWG	12	14	Custom per ft	.36 lbs / ft	\$6.69	Use price per ft up to 499'
SFC12W-14AWG-500	12	14	500' reel	180 lbs	\$5.87	\$2,943
SFC12W-14AWG-1000	12	14	1000' reel	360 lbs	\$5.49	\$5,494
SFC4W-10AWG	4	10	Custom per ft	.22 lbs / ft	\$4.79	Use price per ft up to 499'
SFC4W-10AWG-500	4	10	500' reel	110 lbs	\$4.49	\$2,245
SFC4W-10AWG-1000	4	10	1000' reel	220 lbs	\$4.26	\$4,260




Festoon System Components

SKU	Description	Specs	Weight	List
S100-13	C-Track 13.12' Length (4m)	Zinc	9.9 lbs	\$35
S100-SH	Single Bolt Standard Hanger	Zinc	0.4 lbs	\$9.94
S100-AH	Single Bolt Anchor Hanger	Zinc	0.42 lbs	\$17.47
S100-TC	Track Coupler Assembly	Zinc	0.9 lbs	\$20.52
S100-EC	Track End Cap	Rubber	0.02 lbs	\$3.01
S100-CFT	Flat Cable Festoon Trolley	Zinc/Plastic	0.6 lbs	\$21.08
S100-CET	Flat Cable Festoon End Clamp	Zinc/Plastic	0.61 lbs	\$19.92
S100-AFT	Air Hose Festoon Trolley	Zinc/Plastic Max Hose: 1" OD	0.78 lbs	\$30.05
S100-AET	Air Hose Festoon End Clamp	Zinc/Plastic	0.68 lbs	\$21.86



Complete Festoon System

Complete packages below designed for straight runway and bridge systems only.



Complete Festoon System

Complete packages below designed for straight runway and bridge systems only.

Packages include Installation Instruction Manual, C-Track, Hangers, C-Track Couplers (If system is over 16'), C-Track Cable Trolleys, Festoon Cable With 4' added to the beginning and end for hookups

SKU	# of Wires	AWG	Length	Net Weight	List Price
SFCS12W-14AWG-10	12	14	10'	16.96 lb	\$371
SFCS12W-14AWG-15	12	14	15'	24.04 lb	\$463
SFCS12W-14AWG-20	12	14	20'	31.42 lb	\$618
SFCS12W-14AWG-25	12	14	25'	38.20 lb	\$772
SFCS12W-14AWG-30	12	14	30'	45.88 lb	\$897
SFCS12W-14AWG-35	12	14	35'	52.66 lb	\$1,047
SFCS12W-14AWG-40	12	14	40'	59.16 lb	\$1,157
SFCS12W-14AWG-45	12	14	45'	65.94 lb	\$1,301
SFCS12W-14AWG-50	12	14	50'	72.72 lb	\$1,400
SFCS12W-14AWG-55	12	14	55'	80.40 lb	\$1,540
SFCS12W-14AWG-60	12	14	60'	87.18 lb	\$1,626
SFCS12W-14AWG-65	12	14	65'	93.96 lb	\$1,762
SFCS12W-14AWG-70	12	14	70'	101.64 lb	\$1,841
SFCS12W-14AWG-75	12	14	75'	108.42 lb	\$1,972
SFCS12W-14AWG-80	12	14	80'	116.10 lb	\$2,042
SFCS12W-14AWG-85	12	14	85'	122.88 lb	\$2,170
SFCS12W-14AWG-90	12	14	90'	129.66 lb	\$2,220
SFCS12W-14AWG-95	12	14	95'	137.34 lb	\$2,344
SFCS12W-14AWG-100	12	14	100'	144.12 lb	\$2,388
SFCS4W-10AWG-10	4	10	10'	14.26 lbs	\$354
SFCS4W-10AWG-15	4	10	15'	15.16 lb	\$442
SFCS4W-10AWG-20	4	10	20'	26.74 lb	\$589
SFCS4W-10AWG-25	4	10	25'	32.82 lb	\$737
SFCS4W-10AWG-30	4	10	30'	39.80 lb	\$854
SFCS4W-10AWG-35	4	10	35'	45.88 lb	\$996
SFCS4W-10AWG-40	4	10	40'	52.86 lb	\$1,102
SFCS4W-10AWG-45	4	10	45'	58.94 lb	\$1,240
SFCS4W-10AWG-50	4	10	50'	65.02 lb	\$1,330
SFCS4W-10AWG-55	4	10	55'	72.01 lb	\$1,463
SFCS4W-10AWG-60	4	10	60'	78.08 lb	\$1,550
SFCS4W-10AWG-65	4	10	65'	84.16 lb	\$1,679
SFCS4W-10AWG-70	4	10	70'	91.14 lb	\$1,743
SFCS4W-10AWG-75	4	10	75'	97.22 lb	\$1,867
SFCS4W-10AWG-80	4	10	80'	104.20 lb	\$1,929
SFCS4W-10AWG-85	4	10	85'	110.28 lb	\$2,050
SFCS4W-10AWG-90	4	10	90'	116.36 lb	\$2,094
SFCS4W-10AWG-95	4	10	95'	123.34 lb	\$2,210
SFCS4W-10AWG-100	4	10	100'	129.42 lb	\$2,249

HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

Complete Festoon System

Complete packages below designed for straight runway and bridge systems only.

Packages include Installation Instruction Manual, C-Track, Hangers, C-Track Couplers (If system is over 16'), C-Track Cable Trolleys, Festoon Cable With 4' added to the beginning and end for hookups

SKU	# of Wires	AWG	Length	Net Weight	List Price
SFCS4W-14AWG-10	4	14	10'	12.48 lb	\$361
SFCS4W-14AWG-15	4	14	15'	18.16 lb	\$541
SFCS4W-14AWG-20	4	14	20'	24.74 lb	\$541
SFCS4W-14AWG-25	4	14	25'	30.42 lb	\$676
SFCS4W-14AWG-30	4	14	30'	37.01 lb	\$782
SFCS4W-14AWG-35	4	14	35'	42.68 lb	\$913
SFCS4W-14AWG-40	4	14	40'	49.26 lb	\$1,007
SFCS4W-14AWG-45	4	14	45'	54.94 lb	\$1,133
SFCS4W-14AWG-50	4	14	50'	60.62 lb	\$1,337
SFCS4W-14AWG-55	4	14	55'	67.20 lb	\$1,470
SFCS4W-14AWG-60	4	14	60'	72.88 lb	\$1,406
SFCS4W-14AWG-65	4	14	65'	79.46 lb	\$1,524
SFCS4W-14AWG-70	4	14	70'	85.14 lb	\$1,583
SFCS4W-14AWG-75	4	14	75'	90.82 lb	\$1,696
SFCS4W-14AWG-80	4	14	80'	96.50 lb	\$1,746
SFCS4W-14AWG-85	4	14	85'	103.08 lb	\$1,855
SFCS4W-14AWG-90	4	14	90'	108.76 lb	\$1,896
SFCS4W-14AWG-95	4	14	95'	115.34 lb	\$2,001
SFCS4W-14AWG-100	4	14	100'	121.02 lb	\$2,027
SFCS8W-14AWG-10	8	14	10'	13.83 lb	\$356
SFCS8W-14AWG-15	8	14	15'	20.86 lb	\$444
SFCS8W-14AWG-20	8	14	20'	26.99 lb	\$593
SFCS8W-14AWG-25	8	14	25'	33.12 lb	\$741
SFCS8W-14AWG-30	8	14	30'	40.15 lb	\$861
SFCS8W-14AWG-35	8	14	35'	46.28 lb	\$1,004
SFCS8W-14AWG-40	8	14	40'	53.31 lb	\$1,097
SFCS8W-14AWG-45	8	14	45'	59.44 lb	\$1,234
SFCS8W-14AWG-50	8	14	50'	65.57 lb	\$1,322
SFCS8W-14AWG-55	8	14	55'	72.60 lb	\$1,454
SFCS8W-14AWG-60	8	14	60'	78.73 lb	\$1,535
SFCS8W-14AWG-65	8	14	65'	84.86 lb	\$1,662
SFCS8W-14AWG-70	8	14	70'	91.89 lb	\$1,731
SFCS8W-14AWG-75	8	14	75'	98.02 lb	\$1,855
SFCS8W-14AWG-80	8	14	80'	105.05 lb	\$1,914
SFCS8W-14AWG-85	8	14	85'	111.18 lb	\$2,034
SFCS8W-14AWG-90	8	14	90'	117.31 lb	\$2,076
SFCS8W-14AWG-95	8	14	95'	124.34 lb	\$2,191
SFCS8W-14AWG-100	8	14	100'	130.47 lb	\$2,227


Complete Festoon System - Power and Communication Festoon Kits

Complete packages below designed for straight runway and bridge systems only.

Packages include Installation Instruction Manual, C-Track, Hangers, C-Track Couplers (If system is over 16'), C-Track Cable Trolleys, Festoon Cable With 4' added to the beginning and end for hookups

SKU	# of Wires	AWG	Length	Net Weight	List Price
SFCS12W-16AWG-10PW	12	16	10'	19.66 lb	\$465
SFCS12W-16AWG-15PW	12	16	15'	28.24 lb	\$559
SFCS12W-16AWG-20PW	12	16	20'	35.92 lb	\$777
SFCS12W-16AWG-25PW	12	16	25'	43.60 lb	\$963
SFCS12W-16AWG-30PW	12	16	30'	52.18 lb	\$1,120
SFCS12W-16AWG-35PW	12	16	35'	59.86 lb	\$1,301
SFCS12W-16AWG-40PW	12	16	40'	67.26 lb	\$1,444
SFCS12W-16AWG-45PW	12	16	45'	74.94 lb	\$1,620
SFCS12W-16AWG-50PW	12	16	50'	82.62 lb	\$1,750
SFCS12W-16AWG-55PW	12	16	55'	91.20 lb	\$1,923
SFCS12W-16AWG-60PW	12	16	60'	98.88 lb	\$2,041
SFCS12W-16AWG-65PW	12	16	65'	106.56 lb	\$2,208
SFCS12W-16AWG-70PW	12	16	70'	115.14 lb	\$2,319
SFCS12W-16AWG-75PW	12	16	75'	122.82 lb	\$2,483
SFCS12W-16AWG-80PW	12	16	80'	131.40 lb	\$2,585
SFCS12W-16AWG-85PW	12	16	85'	139.08 lb	\$2,744
SFCS12W-16AWG-90PW	12	16	90'	146.76 lb	\$2,827
SFCS12W-16AWG-95PW	12	16	95'	155.34 lb	\$2,982
SFCS12W-16AWG-100PW	12	16	100'	163.02 lb	\$3,027

- Includes both 12 Wire - 16 AWG and 4 Wire - 10 AWG Festoon Cables



Power & Control Cable

SKU	Length	# of wires	Gauge	Volt	Max Amps	Net Weight	Price per ft	List
SPC-614-1	Per foot	6	14	600V	15	0.14 lbs	\$3.98	\$3.98
SPC-614-25	25' reel	6	14	600V	15	3.5 lbs	\$3.98	\$99.50
SPC-614-50	50' reel	6	14	600V	15	7 lbs	\$3.98	\$199
SPC-614-100	100' reel	6	14	600V	15	14 lbs	\$3.98	\$398
SPC-614-250	250' reel	6	14	600V	15	35 lbs	\$3.98	\$995
SPC-614-500	500' reel	6	14	600V	15	70 lbs	\$3.43	\$1,714
SPC-614-1000	1000' reel	6	14	600V	15	140 lbs	\$2.99	\$2,990
SPC-410-1	per foot	4	10	600V	30	0.26 lbs	\$8.80	\$8.80
SPC-410-25	25' reel	4	10	600V	30	6.5 lbs	\$8.80	\$220
SPC-410-50	50' reel	4	10	600V	30	13 lbs	\$8.80	\$440
SPC-410-100	100' reel	4	10	600V	30	26 lbs	\$8.80	\$880
SPC-410-250	250' reel	4	10	600V	30	65 lbs	\$8.80	\$2,200
SPC-410-500	500' reel	4	10	600V	30	130 lbs	\$7.67	\$3,836
SPC-410-1000	1000' reel	4	10	600V	30	260 lbs	\$6.78	\$6,776

- Gauges shown above are nominal sizes. Actual metric sizes are: 14 gauge = 2mm² / 10 gauge = 5.5mm²
- 10 gauge wire is conveniently colored Red, Black, White & Green (ground)
- 14 gauge wires are all white in color and labeled #1 - #6



Internal Strain Relief Pendant Cable

SKU	Length	# of wires	Gauge	Net Weight	Price per ft	List
SPCI0316-1	1'	3	16	0.125 lbs	\$5.17	\$5.17
SPCI0316-25	25'	3	16	3.125 lbs	\$4.64	\$116
SPCI0316-50	50'	3	16	6.25 lbs	\$4.68	\$234
SPCI0316-100	100'	3	16	12.5 lbs	\$4.56	\$456
SPCI0316-250	250'	3	16	31.25 lbs	\$4.42	\$1,104
SPCI0316-500	500'	3	16	62.5 lbs	\$4.23	\$2,117
SPCI0316-1000	1000'	3	16	125 lbs	\$3.97	\$3,965

SPCI Cable works well as a replacement for most chain hoist models utilizing .50" OD internal strain relief pendant cable.



Twist Lock Plugs

SKU	Type	NEMA	Voltage	Amp	# of Wires	Net Weight	List
STL515F	Female	L5-15C	125	15	3	.335 lbs	\$18.92
STL515M	Male	L5-15P	125	15	3	.335 lbs	\$16.99
STL520F	Female	L5-20C	125	20	3	.335 lbs	\$21.16
STL520M	Male	L5-20P	125	20	3	.335 lbs	\$21.16
STL530F	Female	L5-30C	125	30	3	.335 lbs	\$25.31
STL530M	Male	L5-30P	125	30	3	.335 lbs	\$23.27
STL620F	Female	L6-20C	250	20	3	.335 lbs	\$25.31
STL620M	Male	L6-20P	250	20	3	.335 lbs	\$23.27
STL630F	Female	L6-30C	250	30	3	.335 lbs	\$25.31
STL630M	Male	L6-30P	250	30	3	.335 lbs	\$23.27
STL1620F	Female	L16-20C	480	20	4	.335 lbs	\$29.92
STL1620M	Male	L16-20P	480	20	4	.335 lbs	\$28.73
STL1630F	Female	L16-30C	480	30	4	.335 lbs	\$35.11
STL1630M	Male	L16-30P	480	30	4	.335 lbs	\$32.61
STL1520F	Female	L15-20C	250	20	4	.335 lbs	\$27.53
STL1520M	Male	L15-20P	250	20	4	.335 lbs	\$27.12



3-Wire



4-Wire

CONTROLS

VFD Bridge Control Panels

SKU	Line Voltage	Combined Max Drive HP	Max Total Bridge HP	Max Total Amps	Panel Size (W) x (H) x (D)	Net Weight	List
SCP-0246	460/3	2	24	31	22" X 18" X 10"	57 lbs	\$2,992
SCP-0346	460/3	3	28	36	22" X 18" X 10"	59 lbs	\$3,189
SCP-0446	460/3	4	28	36	22" X 18" X 10"	61 lbs	\$3,523
SCP-0546	460/3	5	38	49	22" X 18" X 10"	63 lbs	\$4,583
SCP-0746	460/3	7.5	38	49	22" X 18" X 10"	63 lbs	\$4,911
SCP-1046	460/3	10	50	63	22" X 18" X 10"	82 lbs	\$5,991
SCP-0323	208/230/3	3	22/25	63	22" X 18" X 10"	59 lbs	\$3,529
SCP-0523	208/230/3	5	22/25	63	22" X 18" X 10"	61 lbs	\$4,583
SCP-323S	230 Single Phase	3	14	63	22" X 18" X 10"	59 lbs	\$4,747


*Features Inverter/VFD to convert single phase incoming line voltage to 3-phase, powering end trucks only. Hoist and trolley require single phase.

General Panel Specifications

- Includes Main Line Contactors
- Through-the-Door Mainline Disconnect Plus Over-Current Circuit Protection
- Amber Strobe Warning Light pre-wired to indicate bridge is in motion
- Wiring & Components neatly installed and labeled allowing easy trouble-shooting & traceability
- All panels feature NEMA 3 Rating



48 Hour Quick Ship | Models Listed Above. All other models have a 2-3 week lead time from factory.



VFD TECHNOLOGY ■■■ FEATURING
DANFOSS DRIVES



**VLT
Micro Drive**



- Infinite Speed Adjustment
- Improves Load Control
- Soft Start & Stop
- Adjustable Ramp Up & Down
- Adjustable High & Low Speeds

RADIO CONTROL KITS

ECHO SERIES

Product Features



Emergency Stop



LED Indicator Lights



Ergonomic Comfort



Impact Resistant Shell



Variable Voltage Receiver



Receiving Status Indication



Technical Data

Transmitter		Receiver	
Frequency Range	255 Channel Options 425MHz ~ 474MHz	Frequency Range	255 Channel Options a425MHz ~ 474MHz
Typical Operating Range	328 ft	Sensitivity	-112dBm@baud1.2k bps
Typical Response Time	50mS ~ 100mS	Typical Response Time	50 mS ~ 100 mS
Average Power Consumption	16mA@DC3V (default setting)	Standby Power	16mA@AC220V
Radio – Frequency Power	<10dBm (default setting)	Operating Temperature	-31 F - 176 F
Operating Temperature	-31 F - 176 F	Enclosure Rating	Nema 4 / IP65
Enclosure Rating	Nema 4 / IP65	Housing Material	PA6 (30% GF)
Housing Material	PA6 (30% GF)	Certifications	FCC & CE Compliant
Certifications	FCC & CE Compliant		



RADIO CONTROL KITS



A radio control kit that comes with the following components:

- (2) Transmitters
- Receiver
- Batteries
- (1) Lanyard
- (1) Button Cover
- Mounting Hardware



S601 Series

SINGLE SPEED

SKU	Control Type	Receiver Quantity	Speeds	Motions	Receiver Power Supply	Transmitter Power Supply	Freq	Net Weight	List
S601-1R-1M-SD	Standard	1	1	1	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$564.20
S601-1R-2M-SD	Standard	1	1	2	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$607.60
S601-1R-3M-SD	Standard	1	1	3	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$651.00
S601-1R-1M-AB	A/B/Both Capable	1	1	1	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$694.40
S601-1R-2M-AB	A/B/Both Capable	1	1	2	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$737.80
S601-2R-1M-SD	Standard	2	1	1	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$911.40
S601-2R-2M-SD	Standard	2	1	2	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$954.80
S601-2R-3M-SD	Standard	2	1	3	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$998.20
S601-2R-1M-AB	A/B/Both Capable	2	1	1	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$954.80
S601-2R-2M-AB	A/B/Both Capable	2	1	2	24V-264V AC/DC	(2) AA Batteries	433 MHz	6.1 lb	\$998.20

RADIO COMPONENTS

SKU	Description	Net Weight	List Price
S601-TX-6B	Single Speed Transmitter for S601 System	.47 lb	\$198
S802-TX-8B	2-Speed Transmitter for S802 System	.56 lb	\$347
S601-RU-1S	Radio Receiver Unit for S601 System	1.28 lb	\$521
S802-RU-2S	Radio Receiver Unit for S802 System	1.52 lb	\$694



S601-TX-6B



S802-TX-8B



S601-RU-1S



S802-RU-2S

RADIO CONTROL KITS



S802 Series

What is included:

- 2 Transmitters
- Receiver(s)
- Batteries
- 1 Lanyard
- 1 Button Cover
- Mounting Hardware

Specifications

- 2 Speeds
- Receiver supply: 24-264V AC/DC
- Transmitter: (2) AA Batteries
- 433 MHz
- Listed net weight: 6.6 lb

2-SPEED

1 RECEIVER

Motions	Standard (SD) SKU	List Price	A/B/Both (AB) SKU	List Price
1	S802-1R-1M-SD	\$1,041.60	S802-1R-1M-AB	\$1,085.00
2	S802-1R-2M-SD	\$1,085.00	S802-1R-2M-AB	\$1,171.80
3	S802-1R-3M-SD	\$1,128.40	S802-1R-3M-AB	\$1,215.20
4	S802-1R-4M-SD	\$1,171.80	Not listed	—

2 RECEIVERS

Motions	Standard (SD) SKU	List Price	A/B/Both (AB) SKU	List Price
1	S802-2R-1M-SD	\$1,432.20	S802-2R-1M-AB	\$1,475.60
2	S802-2R-2M-SD	\$1,475.60	S802-2R-2M-AB	\$1,519.00
3	S802-2R-3M-SD	\$1,519.00	S802-2R-3M-AB	\$1,562.40
4	S802-2R-4M-SD	\$1,562.40	Not listed	—

3 RECEIVERS

Motions	Standard (SD) SKU	List Price	A/B/Both (AB) SKU	List Price
1	S802-3R-1M-SD	\$1,779.40	S802-3R-1M-AB	\$1,822.80
2	S802-3R-2M-SD	\$1,822.80	S802-3R-2M-AB	\$1,866.20
3	S802-3R-3M-SD	\$1,866.20	S802-3R-3M-AB	\$1,909.60
4	S802-3R-4M-SD	\$1,866.20	Not listed	—

BUILD THE PART NUMBER IN 3 STEPS

1 Receiver	2 Motions	3 Control Type
1R = 1 receiver	1M = 1 motion	SD = Standard
2R = 2 receivers	2M = 2 motions	AB = A/B/Both capable
3R = 3 receivers	3M = 3 motions	
	4M = 4 motions	

Example: S802-2R-3M-AB = 2 receivers + 3 motions + A/B/Both capable

Collision Avoidance Kits

SKU	Description	Application	Net Weight	List
SCA-LE-50S	Single Event LED	Simple uni-directional bridge collision avoidance with (1) adjustable event (0-50 ft)	3 lbs	\$420
SCA-LE-50T	Single Event Twin LED	Simple bi-directional bridge collision avoidance with (1) adjustable event (0-50 ft)	5 lbs	\$820
SCA-LZ-200S	Dual Event Single LASER	Precision uni-directional bridge collision avoidance with (2) programmable events (0-200ft)	5 lbs	\$1,216
SCA-LZ-200T	Dual Event Twin LASER	Precision bi-directional bridge collision avoidance with (2) programmable events (0-200ft)	8 lbs	\$2,279

- All kits include LED or LASER device(s), mounting brackets, reflector(s) on mounting bracket, control cable(s), and any required relay controls.
- An “Event” is simply a measurable action that can dictate the speed or the stopping of the moving crane. A single laser may have dual events, but can still only point in one direction, which may require a “Twin” system if there are functions to be controlled in both directions



Single Event LED





Single Event Twin LED




Dual Event Single LASER



Dual Event Twin LASER





TOP-RUNNING CRANE KITS

A complete crane kit that comes with the following components:

- (2) End Trucks with Girder Plates (prime-painted gray)
- (2) Gearmotors with quick-plug adaptors
- (4) Rubber Bumpers for end trucks
- (1) VFD Bridge Control Panel with Mounting Bracket
- (1) Bridge Crane Power Feed & Endtruck Cable Kit with Quick Plug to Panel
- (2) Adjustable Bridge End Stop Kits for Hoist Travel
- (1) Short Motor Power & Control Cable
- (1) Long Motor Power & Control Cable
- (1) Runway Electrification Mount with 10' Panel Power Supply
- Zip Tie & Clamp Kit for Cable Management
- Power & Control Package Options A, B, or C



Optional Stationary Emergency Pendant Control with 17' Drop Cord & Quick-Plug to Control Panel (\$435 Add-On)

KITS INCLUDE:

Hoist Options



Electric Chain Hoists with Trolley

Standard 20' Lift. Other lift options are available.

OR



Wire Rope Hoists

Standard 20' Lift. Other lift options are available.

End Trucks



Gear Motors



Included in Crane Kits

VFD Control Panel with Amber Strobe Light



**Control Panel
Mounting Bracket**

Power Feed Cable



Motor Feed Cables



Cable Management Kit



Adjustable Bridge Crane End Stops



End Truck Bumpers

Crane Package "A" Controls

Power & Controls Festoon Package
(No Pendant or Radio Included)

Festoon Package



Power & Control Cables



Crane Package "B" Controls

Power & Controls Festoon Package including Independent Traveling Pendant Station



Crane Package "C" Controls

Festoonless ElectroTrack Package + Starke Echo Series S802 Radio Control for Wireless Communication to Hoist, Trolley, and End Trucks (Includes 2 Transmitters)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

2 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 26 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-02-EC-TB20-**A** (Festoon Only)

SCK-02-EC-TB36-**B** (Traveling Pendant)

SCK-02-EC-TB60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-02-EC-TB20	2 Ton	20	W 12x26	STT-130-100-42	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,142	\$17,615	\$19,030	\$19,078
SCK-02-EC-TB24	2 Ton	24	W 14x30	STT-130-100-42	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,146	\$17,691	\$19,205	\$19,162
SCK-02-EC-TB28	2 Ton	28	W 14x34	STT-130-100-42	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,150	\$17,767	\$19,380	\$19,245
SCK-02-EC-TB32	2 Ton	32	W 14x43	STT-130-100-48	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,176	\$17,977	\$19,689	\$19,463
SCK-02-EC-TB36	2 Ton	36	W 14x53	STT-130-100-54	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,203	\$18,175	\$19,986	\$19,669
SCK-02-EC-TB40	2 Ton	40	W 16x67	STT-130-100-60	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,229	\$18,685	\$20,595	\$20,186
SCK-02-EC-TB44	2 Ton	44	W 16x67	STT-130-100-66	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,256	\$18,946	\$20,954	\$20,454
SCK-02-EC-TB48	2 Ton	48	W 18x76	STT-130-100-72	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,282	\$19,202	\$21,309	\$20,719
SCK-02-EC-TB52	2 Ton	52	W 18x76	STT-170-150-78	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,308	\$21,057	\$23,263	\$22,581
SCK-02-EC-TB56	2 Ton	56	W 21x101	STT-170-150-84	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,335	\$21,313	\$23,618	\$22,845
SCK-02-EC-TB60	2 Ton	60	W 21x101	STT-170-150-90	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,361	\$21,507	\$23,911	\$23,046
SCK-02-EC-TB64	2 Ton	64	W 21x111	STT-170-150-96	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,388	\$21,652	\$24,155	\$23,199

3 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 21 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-03-EC-TB20-**A** (Festoon Only)

SCK-03-EC-TB36-**B** (Traveling Pendant)

SCK-03-EC-TB60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-03-EC-TB20	3 Ton	20	W 12x40	STT-130-100-42	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,158	\$19,457	\$20,872	\$20,920
SCK-03-EC-TB24	3 Ton	24	W 12x40	STT-130-100-42	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,162	\$19,533	\$21,047	\$21,004
SCK-03-EC-TB28	3 Ton	28	W 14x43	STT-130-100-42	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,166	\$19,609	\$21,222	\$21,087
SCK-03-EC-TB32	3 Ton	32	W 14x61	STT-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,192	\$20,099	\$21,811	\$21,585
SCK-03-EC-TB36	3 Ton	36	W 16x67	STT-130-100-54	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,219	\$20,297	\$22,107	\$21,790
SCK-03-EC-TB40	3 Ton	40	W 16x67	STT-130-100-60	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,245	\$20,561	\$22,471	\$22,062
SCK-03-EC-TB44	3 Ton	44	W 18x76	STT-130-100-66	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,272	\$20,822	\$22,830	\$22,331
SCK-03-EC-TB48	3 Ton	48	W 18x86	STT-130-100-72	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,298	\$21,079	\$23,186	\$22,595
SCK-03-EC-TB52	3 Ton	52	W 21x101	STT-170-150-78	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,324	\$23,002	\$25,208	\$24,526
SCK-03-EC-TB56	3 Ton	56	W 21x101	STT-170-150-84	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,351	\$23,200	\$25,504	\$24,731
SCK-03-EC-TB60	3 Ton	60	W 21x111	STT-170-150-90	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,377	\$23,394	\$25,798	\$24,933
SCK-03-EC-TB64	3 Ton	64	W 24x131	STT-170-150-96	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,404	\$23,539	\$26,041	\$25,085

3 Ton Crane Kits

STK VS Electric Chain Hoist + SMT Motorized Trolley
20' Lift, 2 Speed Lift 21/6 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-03-VS-TB20-**A** (Festoon Only)

SCK-03-VS-TB36-**B** (Traveling Pendant)

SCK-03-VS-TB60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-03-VS-TB20	3 Ton	20	W 12x40	STT-130-100-42	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,172	\$20,073	\$21,488	\$21,536
SCK-03-VS-TB24	3 Ton	24	W 12x40	STT-130-100-42	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,176	\$20,149	\$21,663	\$21,619
SCK-03-VS-TB28	3 Ton	28	W 14x43	STT-130-100-42	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,180	\$20,225	\$21,838	\$21,703
SCK-03-VS-TB32	3 Ton	32	W 14x61	STT-130-100-48	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,206	\$20,714	\$22,426	\$22,200
SCK-03-VS-TB36	3 Ton	36	W 16x67	STT-130-100-54	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,233	\$20,912	\$22,723	\$22,406
SCK-03-VS-TB40	3 Ton	40	W 16x67	STT-130-100-60	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,259	\$21,177	\$23,087	\$22,678
SCK-03-VS-TB44	3 Ton	44	W 18x76	STT-130-100-66	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,286	\$21,438	\$23,446	\$22,946
SCK-03-VS-TB48	3 Ton	48	W 18x86	STT-130-100-72	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,312	\$21,694	\$23,801	\$23,210
SCK-03-VS-TB52	3 Ton	52	W 21x101	STT-170-150-78	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,338	\$23,618	\$25,824	\$25,141
SCK-03-VS-TB56	3 Ton	56	W 21x101	STT-170-150-84	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,365	\$23,815	\$26,120	\$25,347
SCK-03-VS-TB60	3 Ton	60	W 21x111	STT-170-150-90	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,391	\$24,010	\$26,413	\$25,549
SCK-03-VS-TB64	3 Ton	64	W 24x131	STT-170-150-96	5.12" (130mm)	STK30VS-20 + SMT30VSL	230 or 460 3 PH	1,418	\$24,154	\$26,657	\$25,701

3 Ton Crane Kits

SMW Wire Rope Hoist & Trolley
20' Lift, 2 Speed Lift 22/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-03-WR-TB20-**A** (Festoon Only)

SCK-03-WR-TB36-**B** (Traveling Pendant)

SCK-03-WR-TB60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	List Price Options		
									A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-03-WR-TB20	3 Ton	20	W 12x40	STT-130-100-42	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,538	\$21,095	\$22,511	\$22,558
SCK-03-WR-TB24	3 Ton	24	W 12x40	STT-130-100-42	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,542	\$21,171	\$22,685	\$22,642
SCK-03-WR-TB28	3 Ton	28	W 14x43	STT-130-100-42	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,546	\$21,247	\$22,860	\$22,725
SCK-03-WR-TB32	3 Ton	32	W 14x61	STT-130-100-48	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,572	\$21,458	\$23,170	\$22,943
SCK-03-WR-TB36	3 Ton	36	W 16x67	STT-130-100-54	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,599	\$21,656	\$23,466	\$23,149
SCK-03-WR-TB40	3 Ton	40	W 16x67	STT-130-100-60	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,625	\$21,920	\$23,830	\$23,421
SCK-03-WR-TB44	3 Ton	44	W 18x76	STT-130-100-66	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,652	\$22,181	\$24,189	\$23,690
SCK-03-WR-TB48	3 Ton	48	W 18x86	STT-130-100-72	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,678	\$22,438	\$24,545	\$23,954
SCK-03-WR-TB52	3 Ton	52	W 21x101	STT-170-150-78	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,704	\$24,293	\$26,499	\$25,816
SCK-03-WR-TB56	3 Ton	56	W 21x101	STT-170-150-84	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,731	\$24,490	\$26,795	\$26,022
SCK-03-WR-TB60	3 Ton	60	W 21x111	STT-170-150-90	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,757	\$24,685	\$27,088	\$26,224
SCK-03-WR-TB64	3 Ton	64	W 24x131	STT-170-150-96	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,784	\$24,829	\$27,332	\$26,376

5 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 11 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-05-EC-TB20-**A** (Festoon Only)

SCK-05-EC-TB36-**B** (Traveling Pendant)

SCK-05-EC-TB60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-05-EC-TB20	5 Ton	20	W 14x48	STT-170-150-48	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,415	\$22,413	\$23,829	\$23,876
SCK-05-EC-TB24	5 Ton	24	W 14x53	STT-170-150-48	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,419	\$22,489	\$24,004	\$23,960
SCK-05-EC-TB28	5 Ton	28	W 14x61	STT-170-150-48	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,423	\$22,565	\$24,179	\$24,044
SCK-05-EC-TB32	5 Ton	32	W 16x67	STT-170-150-48	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,427	\$22,641	\$24,353	\$24,127
SCK-05-EC-TB36	5 Ton	36	W 18x76	STT-170-150-54	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,463	\$22,900	\$24,711	\$24,394
SCK-05-EC-TB40	5 Ton	40	W 18x86	STT-170-150-60	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,498	\$23,490	\$25,399	\$24,991
SCK-05-EC-TB44	5 Ton	44	W 21x101	STT-170-150-66	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,534	\$23,824	\$25,832	\$25,333
SCK-05-EC-TB48	5 Ton	48	W 21x101	STT-170-150-72	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,570	\$24,083	\$26,190	\$25,599
SCK-05-EC-TB52	5 Ton	52	W 21x111	STT-170-150-78	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,606	\$24,284	\$26,490	\$25,808
SCK-05-EC-TB56	5 Ton	56	W 24x131	STT-170-150-84	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,642	\$24,481	\$26,786	\$26,013
SCK-05-EC-TB60	5 Ton	60	W 27x146	STT-170-150-90	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,678	\$24,676	\$27,079	\$26,215
SCK-05-EC-TB64	5 Ton	64	W 27x146	STT-170-150-96	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,714	\$24,821	\$27,323	\$26,367
SCK-05-EC-TB68	5 Ton	68	Mono-Box	STT-170-150-102	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,749	\$25,054	\$27,655	\$26,608
SCK-05-EC-TB72	5 Ton	72	Mono-Box	STT-170-150-108	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,785	\$25,238	\$27,938	\$26,800
SCK-05-EC-TB76	5 Ton	76	Mono-Box	STT-170-150-114	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,821	\$25,419	\$28,218	\$26,989
SCK-05-EC-TB80	5 Ton	80	Mono-Box	STT-170-150-120	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,857	\$25,597	\$28,494	\$27,174
SCK-05-EC-TB84	5 Ton	84	Mono-Box	STT-170-150-126	6.69" (170mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,893	\$26,199	\$29,195	\$27,783

5 Ton Crane Kits

SMW Wire Rope Hoist & Trolley
20' Lift, 2 Speed Lift 24/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-05-WR-TB20-**A** (Festoon Only)

SCK-05-WR-TB36-**B** (Traveling Pendant)

SCK-05-WR-TB60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	List Price Options		
									A	B	C
SCK-05-WR-TB20	5 Ton	20	W 14x48	STT-170-150-48	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,819	\$24,071	\$25,486	\$25,534
SCK-05-WR-TB24	5 Ton	24	W 14x53	STT-170-150-48	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,823	\$24,147	\$25,661	\$25,617
SCK-05-WR-TB28	5 Ton	28	W 14x61	STT-170-150-48	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,827	\$24,223	\$25,836	\$25,701
SCK-05-WR-TB32	5 Ton	32	W 16x67	STT-170-150-48	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,831	\$24,299	\$26,011	\$25,784
SCK-05-WR-TB36	5 Ton	36	W 18x76	STT-170-150-54	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,867	\$24,558	\$26,368	\$26,051
SCK-05-WR-TB40	5 Ton	40	W 18x86	STT-170-150-60	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,902	\$24,816	\$26,726	\$26,317
SCK-05-WR-TB44	5 Ton	44	W 21x101	STT-170-150-66	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,938	\$25,075	\$27,084	\$26,584
SCK-05-WR-TB48	5 Ton	48	W 21x101	STT-170-150-72	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	1,974	\$25,334	\$27,441	\$26,850
SCK-05-WR-TB52	5 Ton	52	W 21x111	STT-170-150-78	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,010	\$25,535	\$27,741	\$27,059
SCK-05-WR-TB56	5 Ton	56	W 24x131	STT-170-150-84	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,046	\$25,733	\$28,038	\$27,264
SCK-05-WR-TB60	5 Ton	60	W 27x146	STT-170-150-90	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,082	\$25,927	\$28,331	\$27,466
SCK-05-WR-TB64	5 Ton	64	W 27x146	STT-170-150-96	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,118	\$26,072	\$28,574	\$27,619
SCK-05-WR-TB68	5 Ton	68	Mono-Box	STT-170-150-102	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,153	\$28,463	\$31,064	\$30,017
SCK-05-WR-TB72	5 Ton	72	Mono-Box	STT-170-150-108	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,189	\$28,647	\$31,347	\$30,209
SCK-05-WR-TB76	5 Ton	76	Mono-Box	STT-170-150-114	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,225	\$28,828	\$31,627	\$30,398
SCK-05-WR-TB80	5 Ton	80	Mono-Box	STT-170-150-120	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,261	\$29,006	\$31,903	\$30,583
SCK-05-WR-TB84	5 Ton	84	Mono-Box	STT-250-150-126	6.69" (170mm)	SMW0523-20	230 or 460 3 PH	2,297	\$31,254	\$34,251	\$32,839

5 Ton Crane Kits | Top-Running Double Girder

STW Wire Rope Hoist & Trolley
30' Lift. 2 Speed Lift 20/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-05-TR-TB20-**A** (Festoon Only)

SCK-05-TR-TB36-**B** (Traveling Pendant)

SCK-05-TR-TB60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Trolley Gage	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-05-TR-TB20	5 Ton	20	W 12x26	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2486	\$25,919	\$27,334	\$27,382
SCK-05-TR-TB24	5 Ton	24	W 14x43	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2490	\$25,995	\$27,509	\$27,465
SCK-05-TR-TB28	5 Ton	28	W 14x43	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2494	\$26,071	\$27,684	\$27,549
SCK-05-TR-TB32	5 Ton	32	W 16x67	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2498	\$26,147	\$27,858	\$27,632
SCK-05-TR-TB36	5 Ton	36	W 16x67	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2502	\$26,223	\$28,033	\$27,716
SCK-05-TR-TB40	5 Ton	40	W 16x67	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2506	\$26,299	\$28,208	\$27,800
SCK-05-TR-TB44	5 Ton	44	W 18x76	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2510	\$26,375	\$28,383	\$27,883
SCK-05-TR-TB48	5 Ton	48	W 18x76	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2514	\$26,451	\$28,558	\$27,967
SCK-05-TR-TB52	5 Ton	52	W 21x101	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2518	\$26,527	\$28,732	\$28,050
SCK-05-TR-TB56	5 Ton	56	W 21x101	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2522	\$26,603	\$28,907	\$28,134
SCK-05-TR-TB60	5 Ton	60	W 21x101	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2526	\$26,679	\$29,082	\$28,218
SCK-05-TR-TB64	5 Ton	64	W 21x111	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2530	\$26,755	\$29,257	\$28,301
SCK-05-TR-TB68	5 Ton	68	34" Box 126	STT-170-150-120	60"	STW0520-30	230 or 460 3 PH	2534	\$26,831	\$29,432	\$28,385
SCK-05-TR-TB72	5 Ton	72	36" Box 134	STT-250-150-126	60"	STW0520-30	230 or 460 3 PH	3365	\$29,079	\$31,779	\$30,641
SCK-05-TR-TB76	5 Ton	76	38" Box 142	STT-250-150-126	60"	STW0520-30	230 or 460 3 PH	3369	\$29,155	\$31,954	\$30,725
SCK-05-TR-TB80	5 Ton	80	40" Box 150	STT-250-150-126	60"	STW0520-30	230 or 460 3 PH	3373	\$29,231	\$32,129	\$30,808
SCK-05-TR-TB84	5 Ton	84	43" Box 159	STT-250-150-126	60"	STW0520-30	230 or 460 3 PH	3377	\$29,307	\$32,304	\$30,892

7.5 Ton Crane Kits

SMW Wire Rope Hoist & Trolley
20' Lift, 2 Speed Lift 21/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-07-WR-TB20-**A** (Festoon Only)

SCK-07-WR-TB36-**B** (Traveling Pendant)

SCK-07-WR-TB60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	List Price Options		
									A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-07-WR-TB20	7.5 Ton	20	W 16x77	STT-250-150-54	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,359	\$34,578	\$35,993	\$36,041
SCK-07-WR-TB24	7.5 Ton	24	W 16x77	STT-250-150-54	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,363	\$34,654	\$36,168	\$36,125
SCK-07-WR-TB28	7.5 Ton	28	W 18x86	STT-250-150-54	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,367	\$34,730	\$36,343	\$36,208
SCK-07-WR-TB32	7.5 Ton	32	W 21x101	STT-250-150-54	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,371	\$34,806	\$36,518	\$36,292
SCK-07-WR-TB36	7.5 Ton	36	W 21x101	STT-250-150-54	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,375	\$34,882	\$36,693	\$36,375
SCK-07-WR-TB40	7.5 Ton	40	W 21x111	STT-250-150-60	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,428	\$35,013	\$36,923	\$36,514
SCK-07-WR-TB44	7.5 Ton	44	W 21x111	STT-250-150-66	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,432	\$26,501	\$28,509	\$28,009
SCK-07-WR-TB48	7.5 Ton	48	W 24x131	STT-250-150-72	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,485	\$35,220	\$37,327	\$36,736
SCK-07-WR-TB52	7.5 Ton	52	W 24x131	STT-250-150-78	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,537	\$35,351	\$37,557	\$36,875
SCK-07-WR-TB56	7.5 Ton	56	W 24x131	STT-250-150-84	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,590	\$35,482	\$37,787	\$37,014
SCK-07-WR-TB60	7.5 Ton	60	W 27x146	STT-250-150-90	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,643	\$35,614	\$38,017	\$37,153
SCK-07-WR-TB64	7.5 Ton	64	Mono-Box	STT-250-150-96	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,696	\$38,009	\$40,511	\$39,555
SCK-07-WR-TB68	7.5 Ton	68	Mono-Box	STT-250-150-102	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,749	\$38,140	\$40,741	\$39,694
SCK-07-WR-TB72	7.5 Ton	72	Mono-Box	STT-250-150-108	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,802	\$38,271	\$40,971	\$39,833
SCK-07-WR-TB76	7.5 Ton	76	Mono-Box	STT-250-150-114	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,855	\$38,319	\$41,118	\$39,888
SCK-07-WR-TB80	7.5 Ton	80	Mono-Box	STT-250-150-120	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,908	\$38,366	\$41,264	\$39,943
SCK-07-WR-TB84	7.5 Ton	84	Mono-Box	STT-250-150-126	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	3,960	\$38,413	\$41,409	\$39,997
SCK-07-WR-TB88	7.5 Ton	88	Mono-Box	STT-250-150-132	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	4,013	\$38,458	\$41,553	\$40,050
SCK-07-WR-TB92	7.5 Ton	92	Mono-Box	STT-250-150-138	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	4,066	\$38,502	\$41,696	\$40,102
SCK-07-WR-TB96	7.5 Ton	96	Mono-Box	STT-250-150-144	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	4,119	\$38,545	\$41,838	\$40,153
SCK-07-WR-TB100	7.5 Ton	100	Mono-Box	STT-250-150-150	9.84" (250mm)	SMW0721-20	230 or 460 3 PH	4,172	\$38,684	\$42,075	\$40,299

7.5 Ton Crane Kits | Top-Running Double Girder

STW Wire Rope Hoist & Trolley
30' Lift, 2 Speed Lift 20/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-07-TR-TB20-**A** (Festoon Only)

SCK-07-TR-TB36-**B** (Traveling Pendant)

SCK-07-TR-TB60-**C** (Radio Kit)



List Price Options

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Trolley Gage	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-07-TR-TB20	7.5 Ton	20	W 14x44	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2868	\$28,000	\$29,415	\$29,463
SCK-07-TR-TB24	7.5 Ton	24	W 14x53	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2872	\$28,076	\$29,590	\$29,546
SCK-07-TR-TB28	7.5 Ton	28	W 16x57	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2876	\$28,152	\$29,765	\$29,630
SCK-07-TR-TB32	7.5 Ton	32	W 16x57	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2880	\$28,228	\$29,940	\$29,714
SCK-07-TR-TB36	7.5 Ton	36	W 18x65	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2884	\$28,304	\$30,115	\$29,797
SCK-07-TR-TB40	7.5 Ton	40	W 18x65	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2888	\$28,380	\$30,289	\$29,881
SCK-07-TR-TB44	7.5 Ton	44	W 21x83	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2892	\$28,456	\$30,464	\$29,964
SCK-07-TR-TB48	7.5 Ton	48	W 21x83	STT-170-150-120	60"	STW0720-30	230 or 460 3 PH	2896	\$28,532	\$30,639	\$30,048
SCK-07-TR-TB52	7.5 Ton	52	W 21x101	STT-250-150-120	60"	STW0720-30	230 or 460 3 PH	3727	\$30,810	\$33,016	\$32,334
SCK-07-TR-TB56	7.5 Ton	56	W 24x117	STT-250-150-120	60"	STW0720-30	230 or 460 3 PH	3731	\$30,886	\$33,191	\$32,418
SCK-07-TR-TB60	7.5 Ton	60	W 30x116	STT-250-150-126	60"	STW0720-30	230 or 460 3 PH	3735	\$30,933	\$33,336	\$32,472
SCK-07-TR-TB64	7.5 Ton	64	32" Box 125	STT-250-150-126	60"	STW0720-30	230 or 460 3 PH	3739	\$31,009	\$33,511	\$32,555
SCK-07-TR-TB68	7.5 Ton	68	34" Box 129	STT-250-150-126	60"	STW0720-30	230 or 460 3 PH	3743	\$31,085	\$33,686	\$32,639
SCK-07-TR-TB72	7.5 Ton	72	36" Box 135	STT-250-150-126	60"	STW0720-30	230 or 460 3 PH	3747	\$31,161	\$33,861	\$32,722

10 Ton Crane Kits

SMW Wire Rope Hoist & Trolley
20' Lift, 2 Speed Lift 21/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-10-WR-TB20-**A** (Festoon Only)

SCK-10-WR-TB36-**B** (Traveling Pendant)

SCK-10-WR-TB60-**C** (Radio Kit)



List Price Options

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-10-WR-TB20	10 Ton	20	W 16x89	STT-250-150-54	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,359	\$34,578	\$35,993	\$36,041
SCK-10-WR-TB24	10 Ton	24	W 18x97	STT-250-150-54	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,363	\$34,654	\$36,168	\$36,125
SCK-10-WR-TB28	10 Ton	28	W 24x131	STT-250-150-54	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,367	\$34,730	\$36,343	\$36,208
SCK-10-WR-TB32	10 Ton	32	W 24x131	STT-250-150-54	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,371	\$34,806	\$36,518	\$36,292
SCK-10-WR-TB36	10 Ton	36	W 24x131	STT-250-150-54	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,375	\$34,882	\$36,693	\$36,375
SCK-10-WR-TB40	10 Ton	40	W 24x131	STT-250-150-60	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,428	\$35,013	\$36,923	\$36,514
SCK-10-WR-TB44	10 Ton	44	W 27x146	STT-250-150-60	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,432	\$35,089	\$37,097	\$36,598
SCK-10-WR-TB48	10 Ton	48	W 27x146	STT-250-150-72	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,485	\$35,220	\$37,327	\$36,736
SCK-10-WR-TB52	10 Ton	52	W 27x161	STT-250-150-78	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,537	\$35,351	\$37,557	\$36,875
SCK-10-WR-TB56	10 Ton	56	Mono-Box	STT-250-150-84	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,590	\$37,746	\$40,051	39278
SCK-10-WR-TB60	10 Ton	60	Mono-Box	STT-250-150-90	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,643	\$37,877	\$40,281	\$39,416
SCK-10-WR-TB64	10 Ton	64	Mono-Box	STT-250-150-96	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,696	\$38,009	\$40,511	\$39,555
SCK-10-WR-TB68	10 Ton	68	Mono-Box	STT-250-150-102	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,749	\$38,140	\$40,741	\$39,694
SCK-10-WR-TB72	10 Ton	72	Mono-Box	STT-250-150-108	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,802	\$38,271	\$40,971	\$39,833
SCK-10-WR-TB76	10 Ton	76	Mono-Box	STT-250-150-114	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,855	\$38,319	\$41,118	\$39,888
SCK-10-WR-TB80	10 Ton	80	Mono-Box	STT-250-150-120	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,908	\$38,366	\$41,264	\$39,943
SCK-10-WR-TB84	10 Ton	84	Mono-Box	STT-250-150-126	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	3,960	\$38,413	\$41,409	\$39,997
SCK-10-WR-TB88	10 Ton	88	Mono-Box	STT-250-150-132	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	4,013	\$38,458	\$41,553	\$40,050
SCK-10-WR-TB92	10 Ton	92	Mono-Box	STT-250-150-138	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	4,066	\$38,502	\$41,696	\$40,102
SCK-10-WR-TB96	10 Ton	96	Mono-Box	STT-250-150-144	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	4,119	\$38,545	\$41,838	\$40,153
SCK-10-WR-TB100	10 Ton	100	Mono-Box	STT-250-150-150	9.84" (250mm)	SMW1021-20	230 or 460 3 PH	4,172	\$38,684	\$42,075	\$40,299

10 Ton Crane Kits | Top-Running Double Girder

STW Wire Rope Hoist & Trolley
30' Lift, 2 Speed Lift 20/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-10-TR-TB20-**A** (Festoon Only)

SCK-10-TR-TB36-**B** (Traveling Pendant)

SCK-10-TR-TB60-**C** (Radio Kit)



List Price Options

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Trolley Gage	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-10-TR-TB20	10 Ton	20	W 14x48	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3695	\$30,202	\$31,618	\$31,665
SCK-10-TR-TB24	10 Ton	24	W 14x61	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3699	\$30,278	\$31,793	\$31,749
SCK-10-TR-TB28	10 Ton	28	W 14x61	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3703	\$30,354	\$31,967	\$31,833
SCK-10-TR-TB32	10 Ton	32	W 16x67	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3707	\$30,430	\$32,142	\$31,916
SCK-10-TR-TB36	10 Ton	36	W 18x76	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3711	\$30,506	\$32,317	\$32,000
SCK-10-TR-TB40	10 Ton	40	W 18x76	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3715	\$30,582	\$32,492	\$32,083
SCK-10-TR-TB44	10 Ton	44	W 21x101	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3719	\$30,658	\$32,667	\$32,167
SCK-10-TR-TB48	10 Ton	48	W 21x101	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3723	\$30,734	\$32,841	\$32,251
SCK-10-TR-TB52	10 Ton	52	W 21x111	STT-250-150-120	60"	STW1020-30	230 or 460 3 PH	3727	\$30,810	\$33,016	\$32,334
SCK-10-TR-TB56	10 Ton	56	W 24x131	STT-250-150-126	60"	STW1020-30	230 or 460 3 PH	3731	\$30,857	\$33,161	\$32,388
SCK-10-TR-TB60	10 Ton	60	31" Box 135	STT-250-150-132	60"	STW1020-30	230 or 460 3 PH	3735	\$30,902	\$33,305	\$32,441

15 Ton Crane Kits | Top-Running Double Girder

STW Wire Rope Hoist & Trolley

30' Lift, 2 Speed Lift 20/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-15-TR-TB20-**A** (Festoon Only)

SCK-15-TR-TB36-**B** (Traveling Pendant)

SCK-15-TR-TB60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Trolley Gage	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-15-TR-TB20	15 Ton	20	W 18x76	STT-250-150-120	78"	STW1520-30	460 / 3 PH	4616	\$32,910	\$34,326	\$34,373
SCK-15-TR-TB24	15 Ton	24	W 18x86	STT-250-150-120	78"	STW1520-30	460 / 3 PH	4620	\$32,986	\$34,500	\$34,457
SCK-15-TR-TB28	15 Ton	28	W 18x86	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4624	\$41,700	\$43,313	\$43,178
SCK-15-TR-TB32	15 Ton	32	W 18x86	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4628	\$41,776	\$43,488	\$43,261
SCK-15-TR-TB36	15 Ton	36	W 21x101	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4632	\$41,852	\$43,662	\$43,345
SCK-15-TR-TB40	15 Ton	40	W 21x101	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4636	\$41,928	\$43,837	\$43,429
SCK-15-TR-TB44	15 Ton	44	W 21x101	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4640	\$42,004	\$44,012	\$43,512
SCK-15-TR-TB48	15 Ton	48	W 24x117	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4644	\$42,080	\$44,187	\$43,596
SCK-15-TR-TB52	15 Ton	52	W 24x146	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4648	\$42,156	\$44,362	\$43,679
SCK-15-TR-TB56	15 Ton	56	W 24x146	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4652	\$42,232	\$44,536	\$43,763
SCK-15-TR-TB60	15 Ton	60	W 24x146	STT-300-200-132	78"	STW1520-30	460 / 3 PH	4656	\$42,308	\$44,711	\$43,847

15 Ton Crane Kits

SMW Wire Rope Hoist & Trolley
20' Lift, 2 Speed Lift 21/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-15-WR-TB20-**A** (Festoon Only)

SCK-15-WR-TB36-**B** (Traveling Pendant)

SCK-15-WR-TB60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-15-WR-TB20	15 Ton	20	W 18x119	STT-300-200-60	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	3,955	\$49,431	\$50,847	\$50,894
SCK-15-WR-TB24	15 Ton	24	W 27x146	STT-300-200-60	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	3,959	\$49,507	\$51,022	\$50,978
SCK-15-WR-TB28	15 Ton	28	W 27x146	STT-300-200-60	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	3,963	\$49,583	\$51,197	\$51,062
SCK-15-WR-TB32	15 Ton	32	W 27x161	STT-300-200-60	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	3,967	\$49,659	\$51,371	\$51,145
SCK-15-WR-TB36	15 Ton	36	W 27x161	STT-300-200-60	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	3,971	\$49,735	\$51,546	\$51,229
SCK-15-WR-TB40	15 Ton	40	W 27x161	STT-300-200-60	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	3,975	\$49,811	\$51,721	\$51,312
SCK-15-WR-TB44	15 Ton	44	W 27x161	STT-300-200-66	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,037	\$50,217	\$52,225	\$51,726
SCK-15-WR-TB48	15 Ton	48	Mono-Box	STT-300-200-72	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,100	\$39,914	\$42,021	\$41,430
SCK-15-WR-TB52	15 Ton	52	Mono-Box	STT-300-200-78	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,104	\$53,072	\$55,278	\$54,595
SCK-15-WR-TB56	15 Ton	56	Mono-Box	STT-300-200-84	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,108	\$53,361	\$55,665	\$54,892
SCK-15-WR-TB60	15 Ton	60	Mono-Box	STT-300-200-90	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,228	\$53,166	\$55,569	\$54,705
SCK-15-WR-TB64	15 Ton	64	Mono-Box	STT-300-200-96	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,290	\$53,554	\$56,057	\$55,101
SCK-15-WR-TB68	15 Ton	68	Mono-Box	STT-300-200-102	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,352	\$53,943	\$56,544	\$55,497
SCK-15-WR-TB72	15 Ton	72	Mono-Box	STT-300-200-108	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,414	\$54,331	\$57,031	\$55,893
SCK-15-WR-TB76	15 Ton	76	Mono-Box	STT-300-200-114	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,476	\$54,719	\$57,518	\$56,289
SCK-15-WR-TB80	15 Ton	80	Mono-Box	STT-300-200-120	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,538	\$55,108	\$58,005	\$56,685

15 Ton Crane Kits (cont.)

SMW Wire Rope Hoist & Trolley
20' Lift, 2 Speed Lift 21/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-15-WR-TB20-**A** (Festoon Only)

SCK-15-WR-TB36-**B** (Traveling Pendant)

SCK-15-WR-TB60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-15-WR-TB84	15 Ton	84	Mono-Box	STT-300-200-126	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,600	\$55,496	\$58,492	\$57,081
SCK-15-WR-TB88	15 Ton	88	Mono-Box	STT-300-200-132	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,662	\$55,885	\$58,980	\$57,477
SCK-15-WR-TB92	15 Ton	92	Mono-Box	STT-300-200-138	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,725	\$56,273	\$59,467	\$57,873
SCK-15-WR-TB96	15 Ton	96	Mono-Box	STT-300-200-144	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,787	\$56,661	\$59,954	\$58,269
SCK-15-WR-TB100	15 Ton	100	Mono-Box	STT-300-200-150	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,849	\$56,902	\$60,293	\$58,517
SCK-15-WR-TB104	15 Ton	104	Mono-Box	STT-300-200-156	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,911	\$57,136	\$60,626	\$58,759
SCK-15-WR-TB108	15 Ton	108	Mono-Box	STT-300-200-162	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	4,973	\$57,365	\$60,954	\$58,995
SCK-15-WR-TB112	15 Ton	112	Mono-Box	STT-300-200-168	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	5,035	\$57,588	\$61,276	\$59,226
SCK-15-WR-TB116	15 Ton	116	Mono-Box	STT-300-200-174	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	5,097	\$57,805	\$61,592	\$59,450
SCK-15-WR-TB120	15 Ton	120	Mono-Box	STT-300-200-180	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	5,159	\$58,017	\$61,902	\$59,670
SCK-15-WR-TB124	15 Ton	124	Mono-Box	STT-300-200-186	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	5,221	\$58,223	\$62,207	\$59,883
SCK-15-WR-TB128	15 Ton	128	Mono-Box	STT-300-200-192	11.81" (300mm)	SMW1521-20	230 or 460 3 PH	5,283	\$58,423	\$62,506	\$60,091

20 Ton Crane Kits | Top-Running Double Girder

STW Wire Rope Hoist & Trolley
30' Lift, 2 Speed Lift 20/4 FPM



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-20-TR-TB20-**A** (Festoon Only)

SCK-20-TR-TB36-**B** (Traveling Pendant)

SCK-20-TR-TB60-**C** (Radio Kit)



List Price Options

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Trolley Gage	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-20-TR-TB20	20 Ton	20	W 18x86	STT-300-200-132	78"	STW2020-30	460 3 PH	5192	\$43,418	\$44,833	\$44,881
SCK-20-TR-TB24	20 Ton	24	W 18x97	STT-300-200-132	78"	STW2020-30	460 3 PH	5196	\$43,494	\$45,008	\$44,964
SCK-20-TR-TB28	20 Ton	28	W 18x97	STT-300-200-132	78"	STW2020-30	460 3 PH	5200	\$43,570	\$45,183	\$45,048
SCK-20-TR-TB32	20 Ton	32	W 21x111	STT-300-200-132	78"	STW2020-30	460 3 PH	5204	\$43,646	\$45,358	\$45,132
SCK-20-TR-TB36	20 Ton	36	W 21x111	STT-300-200-132	78"	STW2020-30	460 3 PH	5208	\$43,722	\$45,532	\$45,215
SCK-20-TR-TB40	20 Ton	40	W 27x129	STT-300-200-132	78"	STW2020-30	460 3 PH	5212	\$43,798	\$45,707	\$45,299
SCK-20-TR-TB44	20 Ton	44	W 27x129	STT-300-200-132	78"	STW2020-30	460 3 PH	5216	\$43,874	\$45,882	\$45,382
SCK-20-TR-TB48	20 Ton	48	W 24x131	STT-300-200-132	78"	STW2020-30	460 3 PH	5220	\$43,950	\$46,057	\$45,466
SCK-20-TR-TB52	20 Ton	52	W 24x146	STT-300-200-132	78"	STW2020-30	460 3 PH	5224	\$44,026	\$46,232	\$45,550
SCK-20-TR-TB56	20 Ton	56	W 27x161	STT-300-200-132	78"	STW2020-30	460 3 PH	5228	\$44,102	\$46,406	\$45,633
SCK-20-TR-TB60	20 Ton	60	32" Box 160	STT-300-200-144	78"	STW2020-30	460 3 PH	5232	\$44,803	\$47,206	\$46,342



TOP-RUNNER CRANE KITS

A complete crane kit that comes with the following components:

- (2) End Trucks (prime-painted gray)
- (2) Gearmotors with quick-plug adaptors
- (4) Rubber Bumpers for end trucks
- (1) VFD Bridge Control Panel with Mounting Bracket
- (1) Bridge Crane Power Feed & Endtruck Cable Kit with Quick Plug to Panel
- (2) Adjustable Bridge End Stop Kits for Hoist Travel
- (1) Short Motor Power & Control Cable
- (1) Long Motor Power & Control Cable
- (1) Runway Electrification Mount with 10' Panel Power Supply
- Zip Tie & Clamp Kit for Cable Management
- Power & Control Package Options A, B, or C



Optional Stationary Emergency Pendant Control with 17' Drop Cord & Quick-Plug to Control Panel (\$435 Add-On)

KITS INCLUDE:

Hoist Option




Electric Chain Hoists with Trolley

Standard 20' Lift. Other lift options are available.

End Trucks



Gear Motors



Base Package for All Crane Kits

VFD Control Panel with Amber Strobe Light



**Control Panel
Mounting Bracket**



Cable Management Kit



Adjustable Bridge Crane End Stops

Power Feed Cable



Motor Feed Cables



End Truck Bumpers

HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

Crane Package "A" Controls

Power & Controls Festoon Package
(No Pendant or Radio Included)

Festoon Package



Power & Control Cables



Crane Package "B" Controls

Power & Controls Festoon Package including Independent Traveling Pendant Station



Crane Package "C" Controls

Festoonless ElectroTrack Package + Starke Echo Series S802 Radio Control for Wireless Communication to Hoist, Trolley, and End Trucks (Includes 2 Transmitters)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

1 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 26 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-01-EC-TR20-**A** (Festoon Only)

SCK-01-EC-TR36-**B** (Traveling Pendant)

SCK-01-EC-TR60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-01-EC-TR20	1 Ton	20	W 10x22	SCT-110-100-42	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	907	\$16,782	\$18,198	\$18,245
SCK-01-EC-TR24	1 Ton	24	W 10x22	SCT-110-100-42	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	911	\$16,858	\$18,372	\$18,329
SCK-01-EC-TR28	1 Ton	28	W 12x26	SCT-110-100-42	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	915	\$16,934	\$18,547	\$18,412
SCK-01-EC-TR32	1 Ton	32	W 14x34	SCT-110-100-48	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	936	\$17,053	\$18,765	\$18,539
SCK-01-EC-TR36	1 Ton	36	W 14x38	SCT-110-100-54	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	958	\$17,173	\$18,984	\$18,666
SCK-01-EC-TR40	1 Ton	40	W 14x43	SCT-110-100-60	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	979	\$17,292	\$19,202	\$18,793
SCK-01-EC-TR44	1 Ton	44	W 14x48	SCT-110-100-66	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,002	\$17,412	\$19,420	\$18,920
SCK-01-EC-TR48	1 Ton	48	W 14x61	SCT-110-100-72	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,074	\$17,742	\$19,849	\$19,258
SCK-01-EC-TR52	1 Ton	52	W 16x67	SCT-110-100-78	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,099	\$17,861	\$20,067	\$19,385
SCK-01-EC-TR56	1 Ton	56	W 18x76	SCT-130-100-84	5.12" (130mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,124	\$19,535	\$21,839	\$21,066

2 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 26 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-02-EC-TR20-**A** (Festoon Only)

SCK-02-EC-TR36-**B** (Traveling Pendant)

SCK-02-EC-TR60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-02-EC-TR20	2 Ton	20	W 12x26	SCT-110-100-42	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,046	\$18,263	\$19,679	\$19,726
SCK-02-EC-TR24	2 Ton	24	W 14x30	SCT-110-100-42	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,050	\$18,339	\$19,853	\$19,810
SCK-02-EC-TR28	2 Ton	28	W 14x34	SCT-110-100-42	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,054	\$18,415	\$20,028	\$19,893
SCK-02-EC-TR32	2 Ton	32	W 14x43	SCT-110-100-48	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,075	\$18,535	\$20,246	\$20,020
SCK-02-EC-TR36	2 Ton	36	W 14x53	SCT-110-100-54	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,097	\$18,654	\$20,465	\$20,147
SCK-02-EC-TR40	2 Ton	40	W 16x67	SCT-110-100-60	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,118	\$19,018	\$20,928	\$20,519
SCK-02-EC-TR44	2 Ton	44	W 16x67	SCT-110-100-66	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,141	\$19,138	\$21,146	\$20,646
SCK-02-EC-TR48	2 Ton	48	W 18x76	SCT-110-100-72	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,213	\$19,257	\$21,364	\$20,773
SCK-02-EC-TR52	2 Ton	52	W 18x76	SCT-130-100-78	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,443	\$20,924	\$23,130	\$22,448
SCK-02-EC-TR56	2 Ton	56	W 21x101	SCT-130-100-84	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,476	\$21,108	\$23,413	\$22,640

3 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 21 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-03-EC-TR20-**A** (Festoon Only)


SCK-03-EC-TR36-**B** (Traveling Pendant)

SCK-03-EC-TR60-**C** (Radio Kit)




SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	List Price Options		
									A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-03-EC-TR20	3 Ton	20	W 12x40	SCT-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,207	\$21,664	\$23,079	\$23,127
SCK-03-EC-TR24	3 Ton	24	W 12x40	SCT-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,211	\$21,740	\$23,254	\$23,210
SCK-03-EC-TR28	3 Ton	28	W 14x43	SCT-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,215	\$21,816	\$23,429	\$23,294
SCK-03-EC-TR32	3 Ton	32	W 14x61	SCT-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,243	\$22,171	\$23,883	\$23,657
SCK-03-EC-TR36	3 Ton	36	W 16x67	SCT-130-100-54	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,271	\$22,297	\$24,108	\$23,790
SCK-03-EC-TR40	3 Ton	40	W 16x67	SCT-130-100-60	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,299	\$22,423	\$24,332	\$23,924
SCK-03-EC-TR44	3 Ton	44	W 18x76	SCT-130-100-66	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,328	\$22,549	\$24,557	\$24,057
SCK-03-EC-TR48	3 Ton	48	W 18x86	SCT-130-100-72	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,426	\$22,674	\$24,782	\$24,191
SCK-03-EC-TR52	3 Ton	52	W 21x101	SCT-130-100-78	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,459	\$22,869	\$25,075	\$24,393
SCK-03-EC-TR56	3 Ton	56	W 21x101	SCT-130-100-84	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,492	\$22,995	\$25,299	\$24,526

Wide Flange Beam Chart



Designation	Weight (per ft)	Depth of Section (A)	Width of Flange (B)	Thickness of Web (C)	Flange Thickness (D)
W 10x22	22	10.17	5.75	0.36	0.24
W 12x26	26	12.22	6.49	0.38	0.23
W 12x40	40	11.94	8.01	0.52	0.30
W 14x30	30	13.84	6.73	0.39	0.27
W 14x34	34	13.98	6.75	0.46	0.29
W 14x38	38	14.10	6.77	0.52	0.31
W 14x43	43	13.66	8.00	0.53	0.31
W 14x48	48	13.79	8.03	0.60	0.34
W 14x53	53	13.92	8.06	0.66	0.37
W 14x61	61	13.89	10.00	0.65	0.38
W 16x67	67	16.33	10.24	0.67	0.40
W 16x77	77	16.52	10.30	0.76	0.46
W 16x89	89	16.75	10.37	0.88	0.53
W 18x76	76	18.21	11.04	0.68	0.43
W 18x86	86	18.39	11.09	0.77	0.48
W 18x97	97	18.59	11.15	0.87	0.54
W 18x119	119	18.97	11.27	1.06	1.06
W 21x101	101	21.36	12.29	0.80	0.50
W 21x111	111	21.51	12.34	0.88	0.55
W 24x131	131	24.48	12.86	0.96	0.61
W 27x146	146	27.38	13.97	0.98	0.61
W 27x161	161	27.59	14.02	1.08	0.66

UNDER-RUNNING CRANE KITS



A complete crane kit that comes with the following components:

- (2) End Trucks with Girder Plates (prime-painted gray)
- (2) Gearmotors with quick-plug adaptors
- (4) Rubber Bumpers for end trucks
- (1) VFD Bridge Control Panel with Mounting Bracket
- (1) Bridge Crane Power Feed & Endtruck Cable Kit with Quick Plug to Panel
- (2) Adjustable Bridge End Stop Kits for Hoist Travel
- (1) Short Motor Power & Control Cable
- (1) Long Motor Power & Control Cable
- (1) Runway Electrification Mount with 10' Panel Power Supply
- Zip Tie & Clamp Kit for Cable Management
- Power & Control Package Options A, B, or C



Optional Stationary Emergency Pendant Control with 17' Drop Cord & Quick-Plug to Control Panel (\$435 Add-On)

KITS INCLUDE:

Hoist Options



Electric Chain Hoists with Trolley

Standard 20' Lift. Other lift options are available.

OR




Wire Rope Hoists

Standard 20' Lift. Other lift options are available.

End Trucks



Gear Motors



Base Package for All Crane Kits

VFD Control Panel with Amber Strobe Light



**Control Panel
Mounting Bracket**



Cable Management Kit



Adjustable Bridge Crane End Stops

Power Feed Cable



Motor Feed Cables



End Truck Bumpers

HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

Crane Package "A" Controls

Power & Controls Festoon Package
(No Pendant or Radio Included)

Festoon Package



Power & Control Cables



Crane Package "B" Controls

Power & Controls Festoon Package including Independent Traveling Pendant Station



Crane Package "C" Controls

Festoonless ElectroTrack Package + Starke Echo Series S802 Radio Control for Wireless Communication to Hoist, Trolley, and End Trucks (Includes 2 Transmitters)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

1 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 26 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-01-EC-UR20-**A** (Festoon Only)

SCK-01-EC-UR36-**B** (Traveling Pendant)

SCK-01-EC-UR60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-01-EC-UR20	1 Ton	20	W 10x22	SCU-110-100-42	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	907	\$17,043	\$18,458	\$18,506
SCK-01-EC-UR24	1 Ton	24	W 10x22	SCU-110-100-42	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	911	\$17,119	\$18,633	\$18,589
SCK-01-EC-UR28	1 Ton	28	W 12x26	SCU-110-100-42	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	915	\$17,195	\$18,808	\$18,673
SCK-01-EC-UR32	1 Ton	32	W 14x34	SCU-110-100-48	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	919	\$17,314	\$19,026	\$18,800
SCK-01-EC-UR36	1 Ton	36	W 14x38	SCU-110-100-54	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	940	\$17,433	\$19,244	\$18,927
SCK-01-EC-UR40	1 Ton	40	W 14x43	SCU-110-100-60	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	962	\$17,553	\$19,462	\$19,054
SCK-01-EC-UR44	1 Ton	44	W 14x48	SCU-110-100-66	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	983	\$17,672	\$19,681	\$19,181
SCK-01-EC-UR48	1 Ton	48	W 14x61	SCU-110-100-72	4.33" (110mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,006	\$18,003	\$20,110	\$19,519
SCK-01-EC-UR52	1 Ton	52	W 16x67	SCU-130-100-78	5.12" (130mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,078	\$19,321	\$21,527	\$20,845
SCK-01-EC-UR56	1 Ton	56	W 18x76	SCU-130-100-84	5.12" (130mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,103	\$19,480	\$21,785	\$21,012
SCK-01-EC-UR60	1 Ton	60	W 18x86	SCU-130-100-90	5.12" (130mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,128	\$19,074	\$21,478	\$20,613
SCK-01-EC-UR64	1 Ton	64	W 21x101	SCU-160-100-90	5.12" (130mm)	STK1026-20 + SMT10VSL	230 or 460 3 PH	1,153	\$21,719	\$24,221	\$23,265

2 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 26 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-02-EC-UR20-**A** (Festoon Only)

SCK-02-EC-UR36-**B** (Traveling Pendant)

SCK-02-EC-UR60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-02-EC-UR20	2 Ton	20	W 12x26	SCU-110-100-42	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,028	\$18,524	\$19,939	\$19,987
SCK-02-EC-UR24	2 Ton	24	W 14x30	SCU-110-100-42	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,032	\$18,600	\$20,114	\$20,070
SCK-02-EC-UR28	2 Ton	28	W 14x34	SCU-110-100-42	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,054	\$18,676	\$20,289	\$20,154
SCK-02-EC-UR32	2 Ton	32	W 14x43	SCU-110-100-48	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,075	\$18,795	\$20,507	\$20,281
SCK-02-EC-UR36	2 Ton	36	W 14x53	SCU-110-100-54	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,097	\$18,914	\$20,725	\$20,408
SCK-02-EC-UR40	2 Ton	40	W 16x67	SCU-110-100-60	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,118	\$19,279	\$21,188	\$20,780
SCK-02-EC-UR44	2 Ton	44	W 16x67	SCU-110-100-66	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,141	\$19,398	\$21,407	\$20,907
SCK-02-EC-UR48	2 Ton	48	W 18x76	SCU-110-100-72	4.33" (110mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,213	\$19,518	\$21,625	\$21,034
SCK-02-EC-UR52	2 Ton	52	W 18x76	SCU-130-100-78	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,464	\$20,878	\$23,084	\$22,402
SCK-02-EC-UR56	2 Ton	56	W 21x101	SCU-130-100-84	5.12" (130mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,497	\$21,054	\$23,358	\$22,585
SCK-02-EC-UR60	2 Ton	60	W 21x101	SCU-160-100-90	6.29" (160mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,530	\$22,975	\$25,379	\$24,514
SCK-02-EC-UR64	2 Ton	64	W 21x111	SCU-160-100-96	6.29" (160mm)	STK2026-20 + SMT20VSL	230 or 460 3 PH	1,563	\$23,368	\$25,870	\$24,914

3 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 21 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-03-EC-UR20-**A** (Festoon Only)

SCK-03-EC-UR36-**B** (Traveling Pendant)

SCK-03-EC-UR60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-03-EC-UR20	3 Ton	20	W 12x40	SCU-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,272	\$21,660	\$23,076	\$23,123
SCK-03-EC-UR24	3 Ton	24	W 12x40	SCU-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,276	\$21,736	\$23,251	\$23,207
SCK-03-EC-UR28	3 Ton	28	W 14x43	SCU-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,280	\$21,812	\$23,426	\$23,291
SCK-03-EC-UR32	3 Ton	32	W 14x61	SCU-130-100-48	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,313	\$22,168	\$23,880	\$23,654
SCK-03-EC-UR36	3 Ton	36	W 16x67	SCU-130-100-54	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,346	\$22,285	\$24,096	\$23,778
SCK-03-EC-UR40	3 Ton	40	W 16x67	SCU-130-100-60	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,379	\$22,402	\$24,312	\$23,903
SCK-03-EC-UR44	3 Ton	44	W 18x76	SCU-130-100-66	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,412	\$22,520	\$24,528	\$24,028
SCK-03-EC-UR48	3 Ton	48	W 18x86	SCU-130-100-72	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,447	\$22,637	\$24,744	\$24,153
SCK-03-EC-UR52	3 Ton	52	W 21x101	SCU-130-100-78	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,480	\$22,823	\$25,029	\$24,346
SCK-03-EC-UR56	3 Ton	56	W 21x101	SCU-130-100-84	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,513	\$22,940	\$25,245	\$24,471
SCK-03-EC-UR60	3 Ton	60	W 21x111	SCU-130-100-90	5.12" (130mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,546	\$22,534	\$24,938	\$24,073
SCK-03-EC-UR64	3 Ton	64	W 24x131	SCU-160-100-96	6.29" (160mm)	STK3021-20 + SMT30VSL	230 or 460 3 PH	1,579	\$25,254	\$27,756	\$26,801

3 Ton Crane Kits

SMW Wire Rope Hoist & Trolley

20' Lift, 2 Speed Lift 22/4 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-03-WR-UR20-**A** (Festoon Only)

SCK-03-WR-UR36-**B** (Traveling Pendant)

SCK-03-WR-UR60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-03-WR-UR20	3 Ton	20	W 12x40	SCU-130-100-48	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,652	\$23,299	\$24,714	\$24,762
SCK-03-WR-UR24	3 Ton	24	W 12x40	SCU-130-100-48	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,656	\$23,375	\$24,889	\$24,845
SCK-03-WR-UR28	3 Ton	28	W 14x43	SCU-130-100-48	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,660	\$23,451	\$25,064	\$24,929
SCK-03-WR-UR32	3 Ton	32	W 14x61	SCU-130-100-48	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,693	\$23,527	\$25,239	\$25,012
SCK-03-WR-UR36	3 Ton	36	W 16x67	SCU-130-100-54	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,726	\$23,644	\$25,455	\$25,137
SCK-03-WR-UR40	3 Ton	40	W 16x67	SCU-130-100-60	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,759	\$23,761	\$25,671	\$25,262
SCK-03-WR-UR44	3 Ton	44	W 18x76	SCU-130-100-66	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,792	\$23,879	\$25,887	\$25,387
SCK-03-WR-UR48	3 Ton	48	W 18x86	SCU-130-100-72	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,827	\$23,996	\$26,103	\$25,512
SCK-03-WR-UR52	3 Ton	52	W 21x101	SCU-130-100-78	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,860	\$24,113	\$26,319	\$25,637
SCK-03-WR-UR56	3 Ton	56	W 21x101	SCU-130-100-84	5.12" (130mm)	SMW0322-20	230 or 460 3 PH	1,893	\$24,231	\$26,535	\$25,762
SCK-03-WR-UR60	3 Ton	60	W 21x111	SCU-160-100-90	6.29" (160mm)	SMW0322-20	230 or 460 3 PH	1,926	\$26,340	\$28,743	\$27,879
SCK-03-WR-UR64	3 Ton	64	W 24x131	SCU-160-100-96	6.29" (160mm)	SMW0322-20	230 or 460 3 PH	1,959	\$26,545	\$29,047	\$28,091

5 Ton Crane Kits

STK Electric Chain Hoist + SMT Motorized Trolley
20' Lift, Single Speed Lift 11 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-05-EC-UR20-**A** (Festoon Only)

SCK-05-EC-UR36-**B** (Traveling Pendant)

SCK-05-EC-UR60-**C** (Radio Kit)



									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-05-EC-UR20	5 Ton	20	W 14x48	SCU-130-100-48	5.12" (130mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,394	\$22,884	\$24,300	\$24,347
SCK-05-EC-UR24	5 Ton	24	W 14x53	SCU-130-100-48	5.12" (130mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,398	\$22,960	\$24,474	\$24,431
SCK-05-EC-UR28	5 Ton	28	W 14x61	SCU-130-100-48	5.12" (130mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,402	\$23,036	\$24,649	\$24,514
SCK-05-EC-UR32	5 Ton	32	W 16x67	SCU-130-100-48	5.12" (130mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,435	\$23,112	\$24,824	\$24,598
SCK-05-EC-UR36	5 Ton	36	W 18x76	SCU-130-100-54	5.12" (130mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,468	\$23,229	\$25,040	\$24,723
SCK-05-EC-UR40	5 Ton	40	W 18x86	SCU-130-100-60	5.12" (130mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	1,501	\$23,677	\$25,587	\$25,178
SCK-05-EC-UR44	5 Ton	44	W 21x101	SCU-160-100-66	6.29" (160mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	2,004	\$25,607	\$27,616	\$27,116
SCK-05-EC-UR48	5 Ton	48	W 21x101	SCU-160-100-72	6.29" (160mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	2,108	\$25,788	\$27,895	\$27,304
SCK-05-EC-UR52	5 Ton	52	W 21x111	SCU-160-100-78	6.29" (160mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	2,212	\$25,969	\$28,175	\$27,493
SCK-05-EC-UR56	5 Ton	56	W 24x131	SCU-160-100-84	6.29" (160mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	2,316	\$26,150	\$28,455	\$27,681
SCK-05-EC-UR60	5 Ton	60	W 27x146	SCU-160-100-90	6.29" (160mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	2,420	\$26,331	\$28,734	\$27,870
SCK-05-EC-UR64	5 Ton	64	W 27x146	SCU-160-100-96	6.29" (160mm)	STK5011-20 + SMT50VSL	230 or 460 3 PH	2,524	\$26,536	\$29,038	\$28,083

5 Ton Crane Kits

SMW Wire Rope Hoist & Trolley

20' Lift, 2 Speed Lift 24/4 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-05-WR-UR20-**A** (Festoon Only)

SCK-05-WR-UR36-**B** (Traveling Pendant)

SCK-05-WR-UR60-**C** (Radio Kit)



HOISTS

CRANE COMPONENTS

ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS

SAFETY

									List Price Options		
									A	B	C
SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	Festoon Only	Traveling Pendant	Radio Kit
SCK-05-WR-UR20	5 Ton	20	W 14x48	SCU-130-100-48	5.12" (130mm)	SMW0523-20	230 or 460 3 PH	1,798	\$24,541	\$25,957	\$26,004
SCK-05-WR-UR24	5 Ton	24	W 14x53	SCU-130-100-48	5.12" (130mm)	SMW0523-20	230 or 460 3 PH	1,802	\$24,617	\$26,132	\$26,088
SCK-05-WR-UR28	5 Ton	28	W 14x61	SCU-130-100-48	5.12" (130mm)	SMW0523-20	230 or 460 3 PH	1,806	\$24,693	\$26,306	\$26,171
SCK-05-WR-UR32	5 Ton	32	W 16x67	SCU-130-100-48	5.12" (130mm)	SMW0523-20	230 or 460 3 PH	1,839	\$24,769	\$26,481	\$26,255
SCK-05-WR-UR36	5 Ton	36	W 18x76	SCU-130-100-54	5.12" (130mm)	SMW0523-20	230 or 460 3 PH	1,872	\$24,887	\$26,697	\$26,380
SCK-05-WR-UR40	5 Ton	40	W 18x86	SCU-130-100-60	5.12" (130mm)	SMW0523-20	230 or 460 3 PH	1,905	\$25,004	\$26,913	\$26,505
SCK-05-WR-UR44	5 Ton	44	W 21x101	SCU-160-100-66	6.29" (160mm)	SMW0523-20	230 or 460 3 PH	2,408	\$26,859	\$28,867	\$28,367
SCK-05-WR-UR48	5 Ton	48	W 21x101	SCU-160-100-72	6.29" (160mm)	SMW0523-20	230 or 460 3 PH	2,512	\$27,040	\$29,147	\$28,556
SCK-05-WR-UR52	5 Ton	52	W 21x111	SCU-160-100-78	6.29" (160mm)	SMW0523-20	230 or 460 3 PH	2,616	\$27,221	\$29,426	\$28,744
SCK-05-WR-UR56	5 Ton	56	W 24x131	SCU-160-100-84	6.29" (160mm)	SMW0523-20	230 or 460 3 PH	2,720	\$27,401	\$29,706	\$28,933
SCK-05-WR-UR60	5 Ton	60	W 27x146	SCU-160-100-90	6.29" (160mm)	SMW0523-20	230 or 460 3 PH	2,824	\$27,582	\$29,986	\$29,121
SCK-05-WR-UR64	5 Ton	64	W 27x146	SCU-160-100-96	6.29" (160mm)	SMW0523-20	230 or 460 3 PH	2,928	\$27,787	\$30,290	\$29,334

7.5 Ton Crane Kits

SMW Wire Rope Hoist & Trolley

20' Lift, 2 Speed Lift 21/4 FPM & 2 Speed Trolley



How to Order


Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-07-WR-UR20-**A** (Festoon Only)

SCK-07-WR-UR36-**B** (Traveling Pendant)

SCK-07-WR-UR60-**C** (Radio Kit)



ELECTRIFICATION & CONTROLS

CRANE KITS

SLINGS


SAFETY

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	List Price Options		
									A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-07-WR-UR20	7.5 Ton	20	W 16x77	SCU-160-100-54	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	2,968	\$33,245	\$34,660	\$34,708
SCK-07-WR-UR24	7.5 Ton	24	W 16x77	SCU-160-100-54	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	2,972	\$33,321	\$34,835	\$34,791
SCK-07-WR-UR28	7.5 Ton	28	W 18x86	SCU-160-100-54	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	2,976	\$33,397	\$35,010	\$34,875
SCK-07-WR-UR32	7.5 Ton	32	W 21x101	SCU-160-100-54	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	2,980	\$33,473	\$35,185	\$34,959
SCK-07-WR-UR36	7.5 Ton	36	W 21x101	SCU-160-100-54	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	3,084	\$33,549	\$35,359	\$35,042
SCK-07-WR-UR40	7.5 Ton	40	W 21x111	SCU-160-100-60	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	3,188	\$33,730	\$35,639	\$35,231
SCK-07-WR-UR44	7.5 Ton	44	W 21x111	SCU-160-100-66	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	3,292	\$33,911	\$35,919	\$35,419
SCK-07-WR-UR48	7.5 Ton	48	W 24x131	SCU-160-100-72	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	3,396	\$34,091	\$36,198	\$35,608
SCK-07-WR-UR52	7.5 Ton	52	W 24x131	SCU-160-100-78	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	3,500	\$34,272	\$36,478	\$35,796
SCK-07-WR-UR56	7.5 Ton	56	W 24x131	SCU-160-100-84	6.29" (160mm)	SMW0721-20	230 or 460 3 PH	3,604	\$34,453	\$36,758	\$35,985
SCK-07-WR-UR60	7.5 Ton	60	W 27x146	SCU-190-100-90	7.48" (190mm)	SMW0721-20	230 or 460 3 PH	4,163	\$37,391	\$39,795	\$38,930
SCK-07-WR-UR64	7.5 Ton	64	Mono-Box	SCU-190-100-96	7.48" (190mm)	SMW0721-20	230 or 460 3 PH	4,237	\$39,921	\$42,424	\$41,468
SCK-07-WR-UR68	7.5 Ton	68	Mono-Box	SCU-190-100-102	7.48" (190mm)	SMW0721-20	230 or 460 3 PH	4,311	\$40,186	\$42,787	\$41,740
SCK-07-WR-UR72	7.5 Ton	72	Mono-Box	SCU-190-100-108	7.48" (190mm)	SMW0721-20	230 or 460 3 PH	4,385	\$40,452	\$43,152	\$42,014
SCK-07-WR-UR76	7.5 Ton	76	Mono-Box	SCU-190-100-114	7.48" (190mm)	SMW0721-20	230 or 460 3 PH	4,459	\$40,717	\$43,516	\$42,287
SCK-07-WR-UR80	7.5 Ton	80	Mono-Box	SCU-190-100-120	7.48" (190mm)	SMW0721-20	230 or 460 3 PH	4,533	\$40,983	\$43,881	\$42,560

10 Ton Crane Kits

SMW Wire Rope Hoist & Trolley

20' Lift, 2 Speed Lift 21/4 FPM & 2 Speed Trolley



How to Order

Please designate letter for electrification options at the end of the SKU.

Examples:

SCK-10-WR-UR20-**A** (Festoon Only)

SCK-10-WR-UR36-**B** (Traveling Pendant)

SCK-10-WR-UR60-**C** (Radio Kit)

SKU	Cap	Max Bridge Span (ft)	Sugg. Bridge Beam	Endtruck Model	Endtruck Wheel Tread	Hoist + Trolley Model	System Voltage	Net Weight (lbs)	List Price Options		
									A	B	C
									Festoon Only	Traveling Pendant	Radio Kit
SCK-10-WR-UR20	10 Ton	20	W 16x89	SCU-160-100-54	6.29" (160mm)	SMW1021-20	230 or 460 3 PH	890	\$33,245	\$34,660	\$34,708
SCK-10-WR-UR24	10 Ton	24	W 18x97	SCU-160-100-54	6.29" (160mm)	SMW1021-20	230 or 460 3 PH	890	\$33,321	\$34,835	\$34,791
SCK-10-WR-UR28	10 Ton	28	W 24x131	SCU-160-100-54	6.29" (160mm)	SMW1021-20	230 or 460 3 PH	890	\$33,397	\$35,010	\$34,875
SCK-10-WR-UR32	10 Ton	32	W 24x131	SCU-160-100-54	6.29" (160mm)	SMW1021-20	230 or 460 3 PH	890	\$33,473	\$35,185	\$34,959
SCK-10-WR-UR36	10 Ton	36	W 24x131	SCU-160-100-54	6.29" (160mm)	SMW1021-20	230 or 460 3 PH	990	\$33,549	\$35,359	\$35,042
SCK-10-WR-UR40	10 Ton	40	W 24x131	SCU-190-100-60	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	1,695	\$36,064	\$37,974	\$37,565
SCK-10-WR-UR44	10 Ton	44	W 27x146	SCU-190-100-66	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	1,765	\$36,329	\$38,338	\$37,838
SCK-10-WR-UR48	10 Ton	48	W 27x146	SCU-190-100-72	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	1,835	\$36,595	\$38,702	\$38,111
SCK-10-WR-UR52	10 Ton	52	W 27x161	SCU-190-100-78	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	1,905	\$36,860	\$39,066	\$38,384
SCK-10-WR-UR56	10 Ton	56	Mono-Box	SCU-190-100-84	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	1,975	\$39,390	\$41,695	\$40,922
SCK-10-WR-UR60	10 Ton	60	Mono-Box	SCU-190-100-90	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	2,045	\$39,655	\$42,059	\$41,194
SCK-10-WR-UR64	10 Ton	64	Mono-Box	SCU-190-100-96	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	2,115	\$39,921	\$42,424	\$41,468
SCK-10-WR-UR68	10 Ton	68	Mono-Box	SCU-190-100-102	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	2,185	\$40,186	\$42,787	\$41,740
SCK-10-WR-UR72	10 Ton	72	Mono-Box	SCU-190-100-108	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	2,255	\$40,452	\$43,152	\$42,014
SCK-10-WR-UR76	10 Ton	76	Mono-Box	SCU-190-100-114	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	2,325	\$40,717	\$43,516	\$42,287
SCK-10-WR-UR80	10 Ton	80	Mono-Box	SCU-190-100-120	7.48" (190mm)	SMW1021-20	230 or 460 3 PH	2,395	\$40,983	\$43,881	\$42,560

CHAIN SLING COMPONENTS

5/16" x Grade #80

SKU	Description	Working Load Limit	Weight	List
SCS-516LC	5/16 Grade #80 Chain	4,400 lbs	0.8 lbs / ft	\$3.82
SCS-58ML	5/8" Master Link (Used with 1 Leg)	6,930 lbs	1.5 lbs	\$11.61
SCS-34ML	3/4" Master Link (Used with 2 Legs)	9,350 lbs	2.1 lbs	\$15.94
SCS-10ASM	1" Master Link Assembly (Used with 3 & 4 Legs)	14,740 lbs	7 lbs	\$42.32
SCS-516HL	Hammer Lock Connector	4,400 lbs	0.4 lbs	\$8.74
SCS-516AH	Adjuster Grab Hook w/ Eye	4,400 lbs	0.7 lbs	\$7.11
SCS-516SH	Lower Sling Hook w/ Safety Latch	4,400 lbs	1.1 lbs	\$16.14
SCS-516GH	Lower Grab Hook	4,400 lbs	0.8 lbs	\$9.90
SCS-810CT	Chain ID Tag	N/A	0.2 lbs	\$5.28



3/8" x Grade #80

SKU	Description	Working Load Limit	Weight	List
SCS-38LC	3/8 Grade #80 Chain	6,930 lbs	1.4 lbs / ft	\$5.25
SCS-58ML	5/8" Master Link (Used with 1 Leg)	6,930 lbs	1.5 lbs	\$13.47
SCS-10ASM	1" Master Link Assembly (Used with 2 Legs)	14,740 lbs	7 lbs	\$42.32
SCS-13ASM	1 1/4" Master Link Assembly (Used with 3 & 4 Legs)	24,640 lbs	13.1 lbs	\$95.12
SCS-38HL	Hammer Lock Connector	6,930 lbs	0.7 lbs	\$9.62
SCS-38AH	Adjuster Grab Hook w/ Eye	6,930 lbs	1.6 lbs	\$14.20
SCS-38SH	Lower Sling Hook w/ Safety Latch	6,930 lbs	2.2 lbs	\$25.25
SCS-38GH	Lower Grab Hook	6,930 lbs	1.8 lbs	\$17.55
SCS-810CT	Chain ID Tag	N/A	0.2 lbs	\$5.28

w/o Adjuster Hook



Lower Sling Hook



w/Adjuster Hook



Lower Grab Hook



Chain Adjusted



ID Tag



5/16" x Grade #100

SKU	Description	Working Load Limit	Weight	List
SCS-516HLC	5/16 Grade #100 Chain	5,500 lbs	0.96 lbs / ft	\$5.08
SCS-58HML	5/8" Master Link (Used with 1 Leg)	7,700 lbs	1.8 lbs	\$12.95
SCS-34HML	3/4" Master Link (Used with 2 Legs)	11,000 lbs	3.3 lbs	\$21.28
SCS-10HASM	1" Master Link Assembly (Used with 3 & 4 Legs)	17,600 lbs	4.9 lbs	\$60.25
SCS-516HHL	Hammer Lock Connector	5,500 lbs	0.4 lbs	\$11.67
SCS516HAH	Adjuster Grab Hook w/ Eye	5,500 lbs	0.7 lbs	\$9.48
SCS-516HSH	Lower Sling Hook w/ Safety Latch	5,500 lbs	1.2 lbs	\$22.59
SCS-516HGH	Lower Grab Hook	5,500 lbs	0.7 lbs	\$16.20
SCS-810CT	Chain ID Tag	N/A	0.2 lbs	\$5.28

3/8" x Grade #100

SKU	Description	Working Load Limit	Weight	List
SCS-38HLC	3/8 Grade #100 Chain	8,800 lbs	1.53 lbs / ft	\$6.97
SCS-34HML	3/4" Master Link (Used with 1 Leg)	9,350 lbs	3.3 lbs	\$21.28
SCS-10HASM	1" Master Link Assembly (Used with 2 Legs)	17,600 lbs	4.9 lbs	\$60.25
SCS-13HASM	1 1/4" Master Link Assembly (Used with 3 & 4 Legs)	30,800 lbs	7.9 lbs	\$130.34
SCS-38HHL	Hammer Lock Connector	8,800 lbs	0.7 lbs	\$12.78
SCS38HAH	Adjuster Grab Hook w/ Eye	8,800 lbs	1.7 lbs	\$19.01
SCS-38HSH	Lower Sling Hook w/ Safety Latch	8,800 lbs	2.2 lbs	\$33.63
SCS-38HGH	Lower Grab Hook	8,800 lbs	1.8 lbs	\$23.40
SCS-810CT	Chain ID Tag	N/A	0.2 lbs	\$5.28

ID Tag



Chain Adjusted











Lower Sling Hook

Lower Grab Hook



CHAIN SLING RATING GUIDE

Grade #80 Capacity Chart					
Chain Size	Number of Legs	90° Angle	60° Angle	45° Angle	30° Angle
5/16"	1 Leg	4,500 lbs	N/A	N/A	N/A
	2 Leg	N/A	7,800 lbs	6,400 lbs	4,500 lbs
	3 Legs & 4 Legs	N/A	11,700 lbs	9,500 lbs	6,800 lbs
3/8"	1 Leg	7,100 lbs	N/A	N/A	N/A
	2 Leg	N/A	12,300 lbs	10,000 lbs	7,100 lbs
	3 Legs & 4 Legs	N/A	18,400 lbs	15,100 lbs	10,600 lbs




Grade #100 Capacity Chart					
Chain Size	Number of Legs	90° Angle	60° Angle	45° Angle	30° Angle
5/16"	1 Leg	5,700 lbs	N/A	N/A	N/A
	2 Leg	N/A	9,900 lbs	8,100 lbs	5,700 lbs
	3 Legs & 4 Legs	N/A	14,800 lbs	12,100 lbs	8,500 lbs
3/8"	1 Leg	8,800 lbs	N/A	N/A	N/A
	2 Leg	N/A	15,200 lbs	12,400 lbs	8,800 lbs
	3 Legs & 4 Legs	N/A	22,900 lbs	18,700 lbs	13,200 lbs



WEB SLINGS

SKU	Length	Width	Capacity	List
SPS21E-03	3'	1"	3,100 lbs	\$17
SPS21E-04	4'	1"	3,100 lbs	\$19
SPS21E-06	6'	1"	3,100 lbs	\$22
SPS21E-08	8'	1"	3,100 lbs	\$25
SPS22E-04	4'	2"	6,200 lbs	\$27
SPS22E-06	6'	2"	6,200 lbs	\$32
SPS22E-08	8'	2"	6,200 lbs	\$37
SPS22E-10	10'	2"	6,200 lbs	\$45
SPS22E-12	12'	2"	6,200 lbs	\$49
SPS22E-16	16'	2"	6,200 lbs	\$61
SPS22E-20	20'	2"	6,200 lbs	\$73
SPS23E-08	8'	3"	8,800 lbs	\$51
SPS23E-12	12'	3"	8,800 lbs	\$70
SPS23E-16	16'	3"	8,800 lbs	\$80
SPS23E-20	20'	3"	8,800 lbs	\$106

- **Material:** Polyester
- **2 Ply**
- **Eye-to-Eye**



SAFETY

Basic Compliance Safety Harness

SKU	Size	Net Weight	List
SBC100-ML	Medium/Large	3 lbs	\$65

- Basic “one size fits all” safety harness to meet compliance for occasional use
- Includes back D-Ring and easy-to-use adjustable leg and chest straps
- Please use SDH series below for daily use or additional sizes
- Designed to meet compliance of ANSI & OSHA standards
- Weight capacity: 420 lbs



Deluxe Safety Harness

SKU	Size	Net Weight	List
SDH200-SM	Small	3.5 lbs	\$98
SDH200-ML	Medium/Large	3.75 lbs	\$98
SDH200-XL	Extra Large	3.9 lbs	\$98
SDH200-2X	2XL	4.1 lbs	\$113
SDH200-3X	3XL	4.2 lbs	\$126


- The deluxe series harness is available in (5) sizes for a broad range of personnel
- Features Ultra-Comfort Full Shoulder & Back Padding for use the entire day
- Includes Back D-Ring and fully adjustable leg and chest straps for ultra-comfort
- Designed to meet compliance of ANSI & OSHA standards
- Weight capacity: 420 lbs



Ultra Comfort Shoulder & Back Padding



Harness Sizing Chart



Self-Retracting Lifelines - Steel Cable or Nylon Web Style

SKU	Length	Lower Hook	Lifeline	Net Weight	List
SRLWB-6	6'	Rebar	Poly Web	3.7 lbs	\$181
SRLWB-10	10'	Standard	Poly Web	4.8 lbs	\$192
SKU	Length	Lower Hook	Lifeline	Net Weight	List
SRLWR-20	20'	Standard	Wire Rope	9.6 lbs	\$357
SRLWR-30	30'	Standard	Wire Rope	15.5 lbs	\$533
SRLWR-50	50'	Standard	Wire Rope	20.5 lbs	\$654



Fall Arrest Trolley (SFT)
Shown on page 75



Shock-Absorbing Lanyards



SKU	Length	Absorber	Lower Hook	Net Weight	List
SALI-6	6'	Internal	LG 2" Opening	10 lbs	\$80
SALE-6	6'	External	LG 2" Opening	10 lbs	\$76




Fall Arrest Beam Trolleys

SKU	Capacity	Description	Flange	Net Weight	List
SFT100	420 lb	Powder-Coated Light-Aluminum Construction with Nylon Wheels	3 1/2" - 8 5/8"	11 lbs	\$649
SFT200	420 lb	Zinc-Plated Carbon Steel Construction	3 1/2" - 8 5/8"	22 lbs	\$519
S300-SFT	420 lb	Fits 300 Series Track	N/A	4 lbs	\$479
S400-SFT	420 lb	Fits 400 Series Track	N/A	7 lbs	\$697

- More information about S300-SFT & S400-SFT found on page 75



Fall Arrest Beam Trolley Dimensions				
	A	B	C	D
SFT100	3 1/2" MIN 8 5/8" MAX	6 3/4"	6 3/16"	11 7/8"
SFT200	3 1/2" MIN 8 5/8" MAX	6 3/4"	6 3/16"	11 7/8"



Secondary Brake Device

SKU	Maximum Capacity	Wire Rope Specs	Net Weight	List
S2KLAS-20	2,204 lb	10.2 mm x 20'	12 lbs	\$2,469
S3KLAS-20	3,527 lb	11.5 mm x 20'	16 lbs	\$3,465

- Comes with 20' Wire Rope Kit (shown on page 131).
- Brake is applied at 100 FPM

Secondary Brake Device with Brake Activation Sensor

SKU	Description	Maximum Capacity	Wire Rope Specs	Net Weight	List
S2KLAS-BAS-20	Brake Device with Activation Sensor, 66" Cable Assembly, and Male & Female Plug	2,204 lb	10.2 mm x 20'	13 lbs	\$2,634
S3KLAS-BAS-20	Brake Device with Activation Sensor, 66" Cable Assembly, and Male & Female Plug	3,527 lb	11.5 mm x 20'	17 lbs	\$3,630



Brake Device Options

SKU	Description	Net Weight	List
SBD-23CW	Floor-Mounted - Wire Rope Anchor (S2 & S3 Models)	5 lbs	\$48
SBD-13CW	Counterweight Style - Wire Rope Anchor (S2 Model)	13.5 lbs	\$159
SBD-10WR	Additional 10.2mm Wire Rope	0.28 lbs / ft	\$4.19 / ft
SBD-11WR	Additional 11.5mm Wire Rope	0.34 lbs / ft	\$4.67 / ft
SBD-23BAS	Brake Activation Sensor KIT ONLY with 66" Cable Assembly and Male & Female Plug	1 lb	\$184
ST90064	Replacement Unlock Handle for S2 or S3	1 lbs	\$19



Brake Sensor Switch & Cable Assembly (BAS-20)



Male & Female Plug



S2KLAS



S3KLAS



S2KLAS

10.2mm Wire Rope



S3KLAS

11.5mm Wire Rope



Lower Configuration Options



Starke Products Warranty

1 Year (12 Month) Parts & Labor Warranty

Starke guarantees that our products are free from material defects in design and workmanship under normal use and proper maintenance.

This warranty is strictly limited to 12 months from the date of purchase.

Within ten days after a defect is found, warrantee must deliver a written notice to starkeamerica.com providing defect information. All information requested by Starke warranty department must be received promptly by a Starke Master Distributor in no more than 5 business days.

Customer is responsible for all shipping charges on returned/warrantable items. Starke will cover the repair (parts and labor) at no charge or provide a replacement item at Starke's discretion.

This warranty does not cover defects or damage caused by acts of God, unusual wear and tear, improper use, or improper maintenance by the user. No responsibility for consequential damage is expressed or implied, and the responsibility under this warranty is limited to the repair or replacement of the defective materials. Repair or replacement of the item is fully at the discretion of Starke.

ALL OTHER REPRESENTATIONS, EXPRESS OR IMPLIED, WARRANTY, OR LIABILITY RELATING TO THE CONDITION OR USE OF THE PRODUCT ARE SPECIFICALLY DISAVOWED, AND IN NO EVENT SHALL STARKE BE LIABLE TO BUYER, OR ANY THIRD PARTY, FOR ANY DIRECT OR INDIRECT CONSEQUENTIAL OR INCIDENTAL DAMAGES

STARKE

Starkeamerica.com/contact-us/

Starke Products Service & Repair

Should your Starke product need repair or parts replacement please direct all inquiries to starkeamerica.com/contact-us/ to find a distributor near you who can help with the necessary repairs or parts required.

Starke Product Owner Manuals

Starke Owner's Manuals can be found online at starkeamerica.com

NOTES:

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

NOTES:

[illegible]

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



STARKEAMERICA.COM

DISTRIBUTOR